Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1914

6261

U.S. Department of Agriculture.
Washington, D. C.

Seeds.

ESTABLISHED 1802

J. M. Thorburn & Co.,
53 BARCLAY STREET THROUGH TO 54 PARK PLACE,

NEW YORK CITY.

CONTENTS

For Itemized Index, see pages 159 and 160

	Page
Novelties	6-13
Collections, Vegetable Seeds	14-15
" Flower Seeds	113
Vegetable Seeds	16-51
Herbs	52
Tobacco Seeds, Bird Seeds, Esculent Plants	
and Roots	53
Books	54
Grass Seeds for all purposes	55-63
Clovers, various	64
Field Corn and other Cereals	65-66
Forage, Economical and Miscellaneous	
Seeds	66-69
Tree, Shrub and Fruit Seeds	70-73
Flower Seeds	74-131
Palm Seeds	131
Ornamental Grasses	132
Bulbs and Roots	133-143
Insecticides and Remedies for Plant	
Diseases	144-145
Fertilizers	145–146
Tools and Garden Requisites	147-158

The Marine Hall Comments

J. M. THORBURN & CO.

A house that, during the one hundred and twelve years it has been in business, has clung firmly to its original idea of supplying seeds of the highest grade only, gaining thereby the confidence and loyal friendship of a steadily increasing number of both amateur and professional gardeners.

THIS is our 113th successive Annual Catalogue. It contains lists of the very choice seeds, bulbs, roots and some other things that we have to offer for 1914. You can make up your order from its pages with entire confidence in the exceptional quality of the products we are offering.

Over a century in business means something—and it does much to emphasize the reliability of our goods. The Thorburn experience—the Thorburn knowledge of what's what in seeds—the Thorburn reputation for fair dealing—these are your safeguards in buying.

Our catalogues have always received a considerable amount of study. The cultural directions and descriptions in them are concise and to the point.

Years of research have been devoted to seeds, and we have eliminated quite a number of once well-known varieties that have been superseded by incomparably better sorts. If you had your mind set upon buying one particular kind of corn, for instance, and fail to find it listed herein, you may rest assured that something far better has taken its place.

We would suggest that your order be made up as soon after the receipt of this catalogue as possible. It will help us to ship promptly, and it will help you by giving you your goods just when you want them. Placing orders late sometimes makes delays unavoidable. But we have the facilities for handling a vast amount of business, and your orders will receive the promptest attention regardless of when they come.

If there is any information you want that is not given in this catalogue, write us about it. We will give all inquiries our careful attention.

May we have the pleasure of filling your order?

CULTURAL DIRECTIONS

These apply to the climate of New York and vicinity. For more northern and southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners.

ORDERS

Orders should be written on our order sheet or on a blank sheet separate from letter, preferably in ink, and, to receive prompt attention, should be directed to the firm and not to individuals. Orders from new customers should be accompanied by a remittance in the form of a Post-Office or Express Money Order, Bank Check or Bank Bills.

PRICES

The prices quoted are net, and do NOT include free transit, EXCEPT FOR SEEDS IN PACKETS, OUNCES or QUARTER-POUNDS, on which WE pay postage or expressage anywhere in the U. S.

SEEDS BY MAIL OR EXPRESS

Parcel-Post rates do not apply on seeds, bulbs or roots. Eight cents per pound should be added if wanted by mail or prepaid express in the United States, and 16 cents per pound in Canada, except for seeds ordered by the packet, ounce or ½1b., which we mail free. By special arrangement with the express companies, we can ship seeds and bulbs at a reduction of 20 per cent from the regular rates. Unless otherwise instructed, we send orders from persons unknown to us C. O. D.

. It sometimes happens that certain articles are not ready when the bulk of the goods ordered is shipped. In such cases, rather than hold back the whole order, we send what is ready and keep a memorandum of what is to follow when available. Customers would, therefore, in such cases, do well to await our advice or invoices before writing in regard to items not sent them.

NAME, ADDRESS, ETC.

We beg our correspondents to give us on each order the correct name and address; also to indicate very precisely the means of carriage which they prefer, mail, express or freight, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we ourselves shall of course choose the most advantageous and convenient means.

WARRANTIES

Seeds of best quality will sometimes fail through improper treatment. Thus, a small seed may be sown so deeply that the young plant cannot reach the surface. More failures result from disregard of the conditions necessary to germination than from inferiority of the seeds used.

These conditions are: A proper temperature, sufficient moisture and free access of air. Besides these, the soil must be in proper condition and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone.

Seeds differ greatly as to the temperature required for germination. Beets, cress, peas, etc., germinate rapidly at a temperature of 45°; but if melons and other seeds of that family, bush or pole beans, and other plants of subtropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing.

The second condition, proper moisture, is likely to be violated by an excess rather than by too small a portion. The proper amount is that which a well-drained soil will naturally hold.

Free access of air is all-important, and this is interfered with by an excess of water in the soil.

In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it forms roots below ground and leaves above, and is able to sustain itself.

Besides these conditions affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind may check their growth or destroy them altogether.

In addition, there are numerous insects, both below and above ground, that may attack the plants, some of them being so

small that they often destroy a crop before they are discovered.

We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the yellow-podded wax beans becoming green, the yellow and white celery becoming more or less green, dwarf peas becoming running sorts, etc.

J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

J. M. THORBURN & CO. 53 Barclay Street, New York

F. W. BRUGGERHOF, President

ALL COMMUNICATIONS SHOULD BE ADDRESSED TO THE COMPANY Telephone Nos. 6445 and 6446 Barclay. Private Exchange connecting all departments

The Improvement of Land

The correct preparation of land so as to insure maximum crops is a weighty problem with most farmers and gardeners, if we can judge from the number of requests that come in daily for information on this subject.

To prepare old worn-out soils that have been allowed to get into a hard, poor, weedy condition for a Vegetable-Garden, it is necessary to get the soil mellow, well enriched with decayed vegetable matter and well-rotted barnyard manure, and clear of weeds.

The ground should be plowed as early in spring as it can be worked, putting in about one ton of burnt lime to the acre. Harrow and pulverize, giving the soil a thorough working to get it as fine as possible. Sow 1½ bus. Canadian field peas and 3 bushels oats to the acre. Late in June or early in July this crop should be plowed under, applying thirty or forty loads of coarse, well-rotted barnyard manure, well worked in, and sow 2 bushels buckwheat and rye and 20 lbs. crimson clover to the acre, or 2½ bushels cowpeas to the acre. If buckwheat, rye and clover are used, let the buckwheat die down when frost comes and plow all under early next spring—if cowpeas are sown, turn them under in September and apply a ton of unleached hardwood ashes to the acre and sow 2 bushels rye to the acre, and in spring apply another thirty or forty loads of well-rotted barnyard manure, plowing under as soon as dry enough.

In place of sowing in July, the cereals mentioned above, the oats and peas may be followed with white beans, planted in hills, cultivated both ways and hoed. In September sow rye among the beans and in spring plow all under; another half ton of lime can be used with advantage, and the cultivating and hoeing will clean out the weeds and give a cleaner garden. This soil, if thoroughly plowed and harrowed, should be mellow and rich enough to grow any kind of vegetables.

Another plan would be to plow the ground as deeply as possible in fall. Harrow and pulverize, to make it friable and easy to work. Apply as a top dressing 50 bushels air-slaked lime and sow to rye, 2 bushels to the acre. Apply thirty or forty loads of coarse barnyard manure early in spring, and plow all under about the middle of June, then sow cowpeas, 2½ bushels to the acre, and harrow or cultivate them in. About the end of September turn the cowpeas under, applying one ton unleached hardwood ashes and again sow to rye. Next spring apply forty loads of well-rotted barnyard manure and plow all under as soon as dry enough.

Do You Need A Gardener?

At all times we have on our books the names of capable men in search of employment on private estates, farms and the like, and all persons in search of help are cordially invited to call upon us at any time for such men.

Gardeners and Superintendents desiring positions are requested to call here, or drop us a line for application blanks.



PORTION OF OUR TRIAL-GROUNDS

Directions for the Cultivation of Vegetables

O SECURE a good crop of vegetables, three things at least are necessary, viz., a suitable soil, pure seed and clean culture. The exposure for a vegetable-garden should be south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being about the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile; but, if possible, a location should be selected naturally dry and free from surface water.

A dark-colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsoiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding vegetable mold from the woods.

To produce the best results, the vegetablegarden should have at least one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, Onions, and a few other things, may form exceptions to this rule. Every year the beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. From seed sown in drills, larger crops from a given surface are grown, and cultivation is simple and comparatively easy. The space between the drills, and other special information, is given in the body of this Catalogue; the least distance is named, in order to economize space; it might be increased in some cases to advantage. The ground

should be frequently hoed, to kill the weeds and to keep the soil mellow; and the proper time to hoe is just when the weeds

appear above the ground.

Much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Eggplants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of this company at the proper time, the expense and labor of a hotbed may be dispensed with, especially on small places.

To prepare a coldframe.—The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 to 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to

get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York. from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 to 30 days. During the cold nights and stormy days, the beds should be closely covered with the sashes. and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage. as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes they are in a forward state for setting out early crops. Seeds of Cabbage. Cauliflower. Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Directions for Making a Hotbed

In THE vicinity of New York, from the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Use fresh horse-manure, and add to this, if possible, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that

fermentation will proceed.

In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain until the second fermentation commences. Make a pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be located in a dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3 x 6 feet, and one or two sashes will give early plants enough for a small family. The frame of the bed should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Crosspieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames.

When every thing is ready, the manure

is placed in the pit and trodden down firmly in layers to the required depth, 2 to $2\frac{1}{2}$ feet. Then put on the sashes, and keep the pit closed until the heat arises. At first it will probably be 100° or more, which is too hot to sow the seed in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. Try the heat by plunging a thermometer into the manure.

The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart and afterward (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by

raising the sashes at the back.

Water with tepid water whenever necessary, and during cold nights and snow-storms keep covered with mats or board shutters. Tomatoes, Peppers and Eggplants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat.

Hotbeds may be made on the surface of the ground, if the manure extends a foot wider on all sides than the frame.

'KHEDIVE'

BEET

Novelties and Specialties in Vegetable Seeds

Beet, Turnip, "Khedive"

EGYPTIAN NEW DARK-LEAVED

In all respects identical with the standard Egyptian Beet, but its foliage is smaller and of a fine, deep red. Pkt. 25 cts.

Beet, New-Model Globe

Early and smooth; very dark red; splendid sort. Oz. 20 cts., lb. \$1.50.

Brussels Sprouts, "Hercules"

This fine, new sort is tolerably early, of dwarf habit (scarcely 1½ feet high), of robust and sturdy growth, and with large, round, solid sprouts, beginning close to the ground. Desirable. Pkt. 10 cts., oz. 40 cts.

New Early Cabbage, Copenhagen Market

GENUINE DANISH-GROWN SEED

Undoubtedly the finest, large, round-headed early Cabbage. The heads average about ten pounds each in weight, are very solid and of fine quality. It matures as early as Charleston Wakefield, and will give a heavier yield per acre than that well-known variety. The plant is short-stemmed, the leaves light green, rather small, and always tightly folded. The plants, therefore, can be set closer together than is usual with varieties of similar size. Pkt. 15 cts., oz. 50 cts., ½lb. \$1.75, lb. \$6.

Jersey Wakefield Cabbage

THORBURN'S SELECTED STOCK

Undoubtedly the finest strain of this most popular, well-known early Cabbage in cultivation. The heads are extremely solid, pyramidal in shape, with very little outside foliage. Pkt. 10 cts., oz. 30 cts., ½lb. 85 cts., lb. \$3.

Enkhuizen Glory Cabbage

Large early sort, white and very solid. Produces fine, ball-shaped heads and combines large size with earliness as no other early Cabbage does. A fine market sort. One of the best. Pkt. 10 cts., oz. 30 cts., ¼lb. 85 cts., lb. \$3.

Carrot, Small Parisian Forcing

Tender and sweet; fine for early and late crops and for frames. Pkt. 5 cts., oz. 20 cts., ¼lb. 60 cts., lb. \$2.

Thorburn's Gilt-Edge Cauliflower

Best and surest of all. Produces large, heavy, solid, white heads of finest quality. Undoubtedly the best variety. Pkt. 25 cts., oz. \$2, 1/4lb. \$7.50.

Extra-Early Nordheim Sweet Corn

The earliest Sweet Corn in cultivation. Produces stalks from 6 to 7 feet high, each bearing three to four nearly perfect ears of finest quality. On style of Minnesota, but far exceeding that variety in the deliciousness of its flavor, as well as in earliness and productiveness. Pt. 30 cts., qt. 50 cts., ½pk. \$1.50, pk. \$2.50.

Celery, Thorburn's Gilt-Edge Golden Self-Blanching

Golden Self-blanching is the variety of Celery par excellence, and we can recommend our strain with every confidence. The chief characteristics of this sort are its self-blanching qualities and the beautiful waxy yellow appearance of the stalks. It is of compact, heavy growth and produces stalks that are brittle and crisp in the extreme and hearts that are large and solid. Pkt. 15 cts., oz. 85 cts., ¼lb. \$3.25, lb. \$12.

Cucumber, New York Perfected, Extra-Long White Spine


New. Dark green; one of the best market sorts. Pkt. 10 cts., oz. 20 cts., ½lb. 50 cts., lb. \$1.50.

Thorburn's Noroton Selected White Spine Cucumber

A selection of the Improved White Spine, but earlier, more perfect in shape and more prolific. The best slicing variety we have seen, being solid in flesh, fine-grained, tender and of delicious flavor. Vigorous, healthy grower. A splendid sort for the home garden, and absolutely without an equal for market. Pkt. 10 cts., oz. 20 cts., 1/4lb. 50c., lb. \$1.50.

Endive, French Olivet Curled

Of large size, compact, full heart and has rosy ribs. Pkt. 25 cts., oz. 75 cts.



THORBURN'S GILT-EDGE GOLDEN SELF-BLANCHING CELERY

Thorburn's Big Boston Lettuce

Our strain of this well-known and most popular sort is without doubt the finest in existence. It is too well known to require any lengthy description. It is sufficient to say that it is equally valuable for growing in greenhouses for winter use, in frames for spring, or for sowing the seed in the open ground for use in summer and fall. It is unequaled by any other variety for crispness and tenderness; produces large, solid heads with few outside leaves, and stands long before running to seed. See illustration of a head of Big Boston Lettuce on page 31. Pkt. 5 cts., oz. 20 cts., ¼lb. 50 cts., lb. \$1.50.

Golden Yellow Cos Lettuce

Produces bright golden yellow leaves and large, solid hearts, crisp and tender and of excellent flavor. It stands a long time before running to seed. Pkt. 5 cts., oz. 20 cts., 1/4 lb. 50 cts., lb. \$1.50.

Red Cos Lettuce

A very attractive variety; productive and unusually slow in running to seed. The head of the full-grown plant is tall and entirely green, with the exception of a brown-red tinge on top. The outer leaves are long, rounded at the ends and deeply colored red-brown. It usually heads well without tying. Pkt. 5 cts., oz. 20 cts., ½lb. 50 cts., lb. \$1.50.

New Orchid Lettuce

The famous Orchid Salad used in many of the highest-class restaurants of New York. Golden yellow leaves with brown-red spots; solid and tender; the center leaves, just before making a head, strongly resemble orchid flowers on account of their coloring and formation. Should be cut as the orchid center develops, that is, when the plants have attained about one-quarter of their full growth. Pkt. 10 cts., oz. 40 cts., 1/1b. \$1.25, lb. \$4.

Muskmelon, Brockway's Sport

Slightly oblong, averaging 6 inches in diameter; flesh light red and of unsurpassed sweetness and flavor; surface lightly ribbed and beautifully netted. Pkt. 5 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.

Delicious Gold-Lined Rocky Ford Canteloup

Said to be the acme of perfection. Slightly oval; flesh thick, fine-grained and sweet; heavily netted over the entire melon. Pkt. 10 cts., oz. 25 cts., 1/4 lb. 75 cts., lb. \$2.50.

Winter Pineapple Muskmelon

An extraordinary melon. Can be kept in splendid condition for months after being pulled. For the South only, or for frames. Pkt. 5 cts., oz. 20 cts., 16. 60 cts., lb. \$2.

Denia Onion. GENUINE IMPORTED

We are again able to offer a small quantity of seed of this valuable Onion, which was offered by us

in 1911, for the first time in America.

It is generally conceded that this is the parent type of the well-known Prizetaker, of which, however, it is a far superior strain. It runs more uniform in size and is a more characteristic globe. The bulb is more compact and its rings or layers of growth are thinner. Generally the neck is smaller than Prizetaker, and it seems to ripen down somewhat earlier. Pkt. 15 cts., oz. 50 cts., 1/4lb. \$1.75, lb. \$6.

Onion, Marvel of Pompeii

A small white Italian sort, two weeks earlier than Barletta. Pkt. 10 cts., oz. 30 cts., 1/4lb. 80 cts., lb. \$2.50.

Gradus Pea

Finest of all extra-early sorts; pods very large and well filled with large, wrinkled, deep green Peas of the finest quality. Pkt. 15 cts., pt. 25 cts., qt. 45 cts., ½pk. \$1.50, pk. \$2.50.

Daisy or Dwarf Telephone Pea

A fine, second-early, dwarf, wrinkled Pea, with large pods and Peas. Pt. 20 cts., qt. 35 cts., $\frac{1}{2}$ pk. \$1.25, pk. \$2.

English Wonder Pea

Very prolific and early, wrinkled, dwarf Pea. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75.

Sherwood Pea

A fine, extra-early, wrinkled, dwarf Pea; a heavy yielder; large pods of a deep, rich green, filled with Peas of the finest flavor. Pt. 25 cts., qt. 45 cts., ½pk. \$1.50, pk. \$2.50.

Thomas Laxton Pea

A cross between Gradus and another extra-early sort. Very early and very productive; the pods are large and contain seven or eight large, wrinkled Peas of the finest quality. Pkt. 15 cts., pt. 25 cts., qt. 40 cts., ½pk. \$1.35, pk. \$2.25.

Thorburn's Deep Scarlet Forcing Turnip-Shaped Radish

Produces Radishes of a nice medium size, very tender and crisp and of a rich, deep scarlet. Very excellent forcing sort. Pkt. 5 cts., oz. 10 cts., $\frac{1}{4}$ lb. 20 cts., lb. 60 cts.

Thorburn's Scarlet Globe-Shaped Radish

This variety is fine for forcing or for the open ground. The Radishes are almost round, of a beautiful, rich scar. 1, very tender and crisp. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 20 cts., lb. 60 cts.

WE ARE IMPORTING FROM ENGLAND

SEA KALE ROOTS

Extra selected for forcing. Per doz. \$1.25

Thorburn's Improved Terra-Cotta Tomato

An improvement on this very valuable sort introduced by us a number of years ago. It is quite distinct as to color, the pronounced terra-cotta being carried through almost to the very heart of the fruit. It is of delightfully tender flesh with almost no core and nearly free from acidity. It produces medium-sized Tomatoes, solid and firm, particularly desirable for slicing. A very handsome sort. Pkt. 10 cts., oz. 40 cts., 1/4lb. \$1.25, lb. \$4.

Montesson Hardy White Winter Turnip

A splendid new, purple-top, pure white, winter variety, used very much by the market-gardeners of Paris and introduced there in 1907. Can endure a certain amount of frost and on that account can be left in the ground at least during the early part of the winter. The flesh is fine and sweet and of almost perfect quality. A very valuable table variety. Pkt. 5 cts., oz. 20 cts., ½lb. 55 cts., lb. \$1.75.

Flower Seed Novelties and Specialties of Merit

Elegance Aster (hA)

In Splendid Mixture

The first really beautiful single Aster. The growth is vigorous and the habit quite pyramidal. The flowers have very long, elegantly waved petals, and a very small yellow center only, each borne on a long, firm stem. It is astonishingly floriferous, and is extremely valuable either for bedding or for cut-flowers. The flowers last in water one to two weeks. Pkt. 15 cts.


Aster, Single Japanese (hA)

This Aster is of a branching habit, which is greatly in its favor as a cut-flower, it having a fine, long stem. The central disc of the flower is encircled by a wreath of long, quilled, ray petals either white or delicate rose. White. Pkt. 25 cts. Delicate rose, pkt. 25 cts.

Aster perennis hybridus semiplenus

Semi-double Michælmas Daisies or Hardy Asters

A fine new strain of semi-double varieties of this popular flower. It contains a mixture of beautiful shades. Pkt. 25 cts.



SINGLE JAPANESE ASTER



ELEGANCE ASTER

Asparagus plumosus Hatcheri

This is a great improvement on the old type, the fronds being closer together on the stems and of greater substance; it lasts longer when cut than the old type, and is equally adapted for strings or bunches. Pkt. of 15 seeds 25 cts.

For other Flower Seeds see pages 74 to 131.



ASTER PERENNIS HYBRIDUS SEMIPLENUS



CALLIOPSIS RADIATA, "TIGER STAR"

Calliopsis radiata, "Tiger Star"

(hA)

A rich and continuously blooming annual, with peculiarly colored dark brown and golden yellow tigered flowers, the petals of which are curiously twisted like the cactus dahlia. Of easy culture, growing in ordinary garden soil, and producing its strikingly colored flowers in great abundance all summer. Grows 8 inches high and forms a round, compact bush. Pkt. 15 cts.

Celosia, Ostrich-Plume, Pride of Castle Gould (hA)

(Celosia pyramidalis plumosa hybrida, Castle Gould)

Of upright, compact growth, 2 to 3 feet high, with large, fine, feathered heads in many variations of shades and self-colors. Among the more distinct colors will be found blood-red, carmine, deep scarlet, yellow, orange, etc. Valuable either as a pot-plant or for bedding for sunny situations. Pkt. 25 cts.

New Cardinal Climber (hA)

(Ipomæa Quamoclit bybrida)

This beautiful annual is the result of a cross between *Ipomæa coccinea* and the Cypress Vine

Ipomæa Quamoclit). It is one of the best introductions as regards an annual climber for many years. It is a strong and rapid grower, attaining a height of from 20 to 30 feet, and is of a branching habit. It flowers perpetually from July until frost, the foliage is deeply laciniated, and the flowers are borne in clusters of five to seven and are of a fiery cardinal-red. It is well worth trying. Pkt. of 20 seeds 25 cts.

Centaurea moschata rosea (hA)

This new, beautiful annual Sweet Sultan is 2½ to 3 feet high, with flowers of a very delicate rosy white, and light pink stamens and style; the flowers are about the same size as the white and purple varieties, and will make fine flowers for cutting. Pkt. 25 cts.

Delphinium chinense grandiflorum violaceum rubrum (hP)

This strain of Delphinium (chinense) has had only two colors up to this time, viz. blue and white. We offer a new color—violet-red. The flowers are large, and form in clusters on fine, long stems; the plant attains a height of 3 feet, and should gain the favor of many owners of gardens. Pkt. 25 cts.



CENTAUREA MOSCHATA ROSEA

Delphinium Belladonna (hP)

Beautiful sky-blue flowers. Handsome plants, blooming freely. Comes very true from seed. Pkt. 15c.

Dianthus Heddewigii nobilis, "Royal Pinks" (hA)

The petals of the large flowers are frilled and fringed. The colors are a deep, glowing blood-red, shading to carmine and pink and even white. The foliage is grayish blue. The plant grows vigorously and tall, and gives lots of first-class flowers, 3 to 4 inches in diameter, on long stems, lasting a whole week in water. The more the blooms are cut the more the plant will produce. Pkt. 15 cts.

Dianthus laciniatus punctatus, "Dark-Shaded

Princess Pink" (hA)

This novelty generally displays dark and quite peculiar colors, such as purplish violet, blood-red, dark salmon, etc. Many of the flowers show most effective markings, either by star designs or by light-colored, almost white, edgings. A decided acquisition. Pkt. 15 cts.

Dimorphotheca aurantiaca hybrida

fl. pl. (hA)

Double-flowering African Daisy

This is the double and semi-double form of the African Golden Daisy hybrids which we offered last season. As the single form gave such entire satisfaction, we feel sure that this novelty will do likewise. Pkt. 25 cts.



ERYNGIUM HYBRIDUM SPECTABILE



DIMORPHOTHECA AURANTIACA, HYBRIDA FL. PL.

Eschscholtzia Thorburni (hA)

The grandest of all Eschscholtzias and an improvement on our own original stock. In habit it is the same as the California Poppy, but it is decidedly distinct in its coloring. The unopened buds are of the richest possible crimson, toning down in the inner side of the flower, when fully matured, to bright flame-color and molten gold. The effect of a plant in bloom is simply gorgeous. The flowers are larger than those of other Eschscholtzias and are borne with equal profusion. Pkt. 10 cts.

Eryngium hybridum spectabile (hP)

This beautiful strain of "Silver Thistle" is a great improvement on the *Eryngium giganteum*, being of far more vigorous growth. This hybrid has some beautiful colors in it, ranging from ivory-white to light lilac, sky-blue and deep violet. The quaint, bizarre flowers are most interesting, and everyone who fancies perennial plants should try this. Pkt. 25 cts.

Gypsophila paniculata flore pleno (hP)

By repeated artificial crossing of the double-flowering variety and the single-flowering type, seeds of this handsome perennial have been obtained which produce about 50 per cent of double-flowering plants. The flowers are of the purest white, and are indispensable for bouquets and bases. Pkt. 50 cts.

Hollyhock, Rosette

This Hollyhock is, without doubt, the finest-formed double we have yet seen. It is a perfect double, surrounded by a row of petals on the edge, the center being like a rosette beautifully frilled; of a beautiful shade of red and of uniform growth; the flower-spikes reach a height of 6 feet, and one unique thing about this plant is that all the flowers on the spike open about the same time. Pkt. 25 cts.



LEUCANTHEMUM SECUNDUM GIGANTEUM

Leucanthemum secundum giganteum (hP)

Giant Shasta Daisy

This strain has flowers which measure 4 to 5 inches across, borne on strong stems, 2 to 3 feet high; the discs of this beautiful Daisy are very small, of a deep golden yellow, surrounded with extremely long florets of snow-white. Pkt. 25 cts.

Lupinus polyphyllus Moerheimii

A perennial plant that everyone should have

This New Perennial Lupin is of rather dwarf habit, with beautiful rose and white flowers, and blooms continuously during the summer. Pkt. 25 cts.

Myosotis alpestris elegantissima cœrulea flore pleno (hP)

Double Blue Forget-me-not

A new double-flowered variety of the blue pyramidal Alpine Forget-me-not, coming nearly true from seed. Height of the plant, 8 to 9 inches. The double flowers preserve their freshness for a long time. Pkt. 25 cts.

Virginia Poppy (hA)

Papaver somniferum


This new, large-flowering, single Poppy produces beautiful, large, white flowers with fringed, soft pink edges. They are especially recommended for cut-flowers, for they last long in vases, especially when cut in the morning before they are full-blown. Pkt. 15 cts., 2 pkts. 25 cts.

Primula Kewensis (gP)

The plant is a strong grower, with bright green leaves, numerous, erect flower-stems, 10 to 18 inches in length, producing flowers in whorls at intervals along their whole length. These are fragrant, bright yellow and nearly an inch in diameter. Pkt. 30 cts.

Primula malacoides (gP)

A Chinese species, with dainty flowers of soft lilacpink, blooming continuously through the autumn and



VIRGINIA POPPV

spring. A most useful and charming plant for greenhouse culture. Height, 18 inches. Pkt. 30 cts.

Schizanthus Wisetonensis Excelsior (hA)

This is a much larger-flowered strain of Wisetonensis, with beautiful markings and colors. All the dark ones have been carefully eliminated, the light colors being more showy. It makes a splendid potplant, as well as being fine for outdoor cultivation. Pkt. 30 cts.

Snapdragon, Double White (hP)

A new departure in the class of tall, large-flowering Snapdragons. The flowers are white and are borne on long spikes, which are literally covered. Out of the mouthlike aperture in the flowers between the upper and lower lips, emerge abnormal, fantastic petals which give a double and beardlike aspect to the very large blooms. This phenomenon is in evidence in from 50 to 60 per cent of the seedlings, the remainder producing perfect flowers of extra size. Of great value as cut-flowers for vases. Pkt. 25 cts.

Snapdragon, majus nanum Rembrandt

Rembrandt is a quite new addition to this popular flower. It makes a fine, large spike, bearing flowers of a fiery scarlet with white throats; the underlip is in three parts and each shows a distinct, sharply bordered, golden yellow spot. Pkt. 25 cts.


Stokesia cyanea alba

Everyone knows the blue form of this popular perennial. We are now offering the pure white form, which is just as hardy and has the same size flowers as the blue. Pkt. 30 cts.

Zinnia, Double Giant (hA) Zinnia grandistora robusta plenissima

A new and distinct class of this ever-popular flower, producing large, very double blooms, from 4½ to 6 inches in diameter. We offer four distinct colors, viz., Sulphur-Yellow, Crimson, Violet and Flesh-color. Each color and mixed, pkt. 15 cts.

Collections of Vegetable Seeds



Only the choicest sorts are put into these assortments, and they are picked out so as to give a continuous supply of vegetables from your garden all season.

The amount charged for these collections is considerably less than you would pay for the individual seeds, on account of the fact that we are able to put them up during the slack winter months.

Owing to this, we cannot permit any alterations in the varieties, and the reduced price will not be allowed unless the collection is taken in full and without change.

COLLECTION NO. A, \$1

By mail, \$1.10

This collection was gotten up primarily for rather small gardens, such as back-yard gardens and the like.

½ pt. Beans, Refugee
Green-Pod.
½ "Beans, Golden Wax.
I pa. Beet, Egyptian.

1 pa. Beet, Egyptian. † "Beans, Golden Wax.

I pa. Beet, Egyptian.

I "Cabbage, E a r l y
Wakefield. " Carrot, Half-Long. t pt. Corn, Early Bantam. pa. Cucumber, Imp.
White Spine. nip. I " Spinach, Viroflay. " Leek, Best Flag. I pa. Turnip, Snowball.

½ pt. Peas, Thorburn's Extra - E a r l y Market. 1 oz. Radish, Scarlet Tur-

COLLECTION NO. 1, \$2.50

By mail or express, \$2.75

Gotten up for a family of two or three persons. It is a rather complete list of varieties.

ı pt. Beans, Refugee Green-Pod.
Golden Wax. pa. Beet, Egyptian. "Globe. Cabbage, Early Wakefield. "Red, for pickling. Carrot, Half-Long. Cauliflower, Thor. Gilt-Edge. i "Celery, White Plume. 1/2 pt. Corn, Early Bantam

† pt. Corn, Cory.

Stowell's Evergreen.
White Sp pa. Cucumber, Imp. White Spine.

"Eggplant, Imp. N. Y. Purple.
"Kohlrabi, Early White Vienna. Leek, Best Flag. Lettuce, Big Boston. Cos or Romaine. " Melon, Long Island Beauty.
" Water, Black Spanish.

I pa. Onion, White Globe.

Large Red Globe. " Large Red Globe.

I " Parsley, Extra Curled.

I pt. Peas, Thor. Ex.-E'y Market.

" Wrinkled, Our Select'n.

I oz. Radish, Scarlet Turnip.

Spinach, Viroflay. I "Spinach, Viroflay. I pa. Tomato, Stone. I oz. Turnip, Snowball.

COLLECTION NO. 2, \$5

By mail or express, \$5.50.

ı pt. Corn, Country Gentleman.

This assortment is suitable for a family of approximately five persons.

ı pt. **Beans,** Refugee Green-Pod. Early Valentine. Stringless Green-Pod. Challenger Lima. 1 oz. Beet, Eclipse. " Egyptian.
" Globe. ı pa. Cabbage, Early Wakefield.

" "Ballhead. Thorburn Private Stock Flat Dutch. 1 oz. Carrot, Half-Long. I "St. Valery.
I pa. Cauliflower, Thor. Gilt-Edge. Celery, Giant Pascal. "White Plume.

I " " White Plume.
I " " Fin de Siecle.
I pt. Corn, Early Bantam.

" Metropolitan.
" " Stowell's Evergreen.

oz. Cucumber, Imp. White Spine.
pa. Eggplant, New York Purple.
" Kohlrabi, Early White Vienna. Leek, Best Flag. Lettuce, Big Boston. May King. Cos or Romaine. Giant Crystal Head. " Melon, Netted Gem. I " Meion, Netted Gem.
Long Island Beauty.
Water, Black Spanish.
Oz. Okra, Perkins' Improved.
Onion; White Globe.
Large Red Globe. i pa. Parsley, Extra Curled.

1 oz. Parsnip, Hollow Crown. 1 pt. Peas, Thor. Ex.-E'y Market. each **Peas**, Three Best Wrink-led, Our Selection. 1 pa. Pepper, Chinese Giant. I oz. Radish, White-tipped.
I "Scarlet Turnip.
I "Scarlet Globe. " Salsify, Thor.Imp.Thick-r't'd.

lb. Spinach, Viroflay.
I pa. Squash, E'y Bush Cr'kneck.
I "Hubbard. I pa. Tomato, Early June Pink. Stone.

I oz. Turnip, Snowball. Thor. Fam. Rutabaga Yellow Globe.

COLLECTION NO. 3. \$10

By mail or express, \$11.

Will make an excellent garden for a farm or country estate desiring to put about one acre under cultivation for vegetables.

```
1 ot. Beans, Refugee Green-Pod.
                Early Valentine.
ı pt.
ı ..
                Golden Wax.
т
                Stringless Green-Pod.
                Challenger Lima.
2 ozs. Beet, Egyptian.
               Half-Long.
       Brussels Sprouts, Dalkeith.
Cabbage, Early Wakefield.
"Thor. Private Stock.
r na.
1 oz.
       Carrot, Early French Forcing.
Cauliflower, Thor. Gilt-Edge.
"Thor. Snowball.
  na.
       Celery, Fin de Siecle.
 oz.
                 White Plume
                 Golden Self-blanching
ī na.
       Corn, Early Bantam.
ı qt.
               Corv
т
               Country Gentleman.
```

```
Corn, Stowell's Evergreen.
I qt.
ī oz.
        Corn Salad, Large-seeded.
        Cress or Pepper Grass.
Cucumber, Imp. White Spine.

I pa. Eggplant, Imp. N. Y. Purple.

2 oz. Endive, Green Curled.

"Broad-leaved.
        Kohlrabi. Early White Vienna
i pa. Leek, Best Flag.
       Lettuce, Big Boston.
  oz.
                  May King.
                  Cos or Romaine.
                  Giant Crystal Head.
  pa.
       Melon, Long Island Beauty.
                 Netted Gem.
i " Water, Black Spanish.
2 ozs. Okra, Perkins' Improved.
       Onion, Yellow Danvers.
2
                Large Red Globe.
т
                White Globe.
       Parsley, Extra Cuiled.
```

2	ozs.	Parsnip, Hollow Crown.
Ι	qt.	Peas, Thor. ExE'v Market.
I	pt.	each Peas, Four Best Wrink-
	_	led, Our Selection.
I	pa.	Pepper, Chinese Giant.
2	ozs	Radish, White-tipped.
2	"	" Scarlet Turnip.
2 2 I	**	" Scarlet Globe.
Ι	"	" Chinese Winter.
2	"	Salsify, Thor. Imp. Thick-r't'd.
1/2	lb.	Spinach, Viroflay.
	oz.	Squash, E'y Bush Cr'kneck.
I	pa.	" Hubbard.
1	oz.	" Boston Marrow.
I	pa.	Tomato, Early June Pink.
1	- "	" Stone.
Ι	oz.	Turnip, Thor. Fam. Rutabaga
Ι	44	" Snowball.
1	"	" Yellow Globe.
1	pa.	each Herbs, Five Varieties.

COLLECTION NO. 4, \$18

By mail or express, \$20

If your needs require quite a quantity of fresh vegetables, and you have around three acres that you wish made into a garden, you could not do better than to buy this collection. There are quite a number of private estates and farms that are now doing away with the trouble of going through lengthy lists of vegetables suitable to their needs, and are leaving the matter to our judgment. This collection represents our recommendation as to just what should be used, with the exact quantities for planting approximately three acres, and getting the most out of the land.

```
Beans, Refugee Green-Pod.
ı qt.
               Early Valentine.
Ι
               Stringless Green-Pod.
  ..
               Challenger Lima.
4 ozs. Beet, Eclipse.
             Egyptian.
4
             Globe.
  ..
             Half-Long.
      Brussels Sprouts, Dalkeith. Cabbage, Early Wakefield.
                 Early was Savoy. Early.
                  Stock Flat Dutch.
       Carrot, Early French Forcing.
4
               Half-Long.
   ..
      " Long Orange.
Cauliflower, Thorburn
                                  Gilt-
                         Edge.
                   Thor. Snowball.
I pa.
I oz.
      Celery, Fin de Siecle.
               White Plume.
               Golden Self-blanching
2 qts. Corn, Early Bantam.
             Cory.
```

```
2 qts. Corn, Country Gentleman.
                Metropolitan
               Stowell's Evergreen.
2
I oz. Cucumber, Imp. Long Green.
Imp. White Spine.
\frac{1}{2}
        Eggplant, Imp. N. Y. Purple.
   "
        Endive, Green Curled.
Broad-leaved.
1
   44
Ι
        Kohlrabi, Early White Vienna
1
   "
        Leek, Best Flag.
т
        Lettuce, Big Boston.
                   Cos or Romaine.
   "
                   Early Curled Simp'n
                   Giant Crystal Head.
1
   "
        Melon, Netted Gem.
2
   "
2
                  Long Island Beauty
       " Long Island Deauty.
" Water, Black Spanish
Okra, Perkins' Improved.
Onion, Yellow Danvers.
" White Globe.
" I am Pad Globe
   "
2
   ..
2
   "
4
   ..
                 Large Red Globe.
4
        Parsley, Extra Curled.
        Parsnip, Hollow Crown.
```

```
I qt.
      Peas, Thor. Ex.-E'y Market.
      Peas, Four Best Wrinkled,
                Our Selection.
½ oz. Pepper, Chinese Giant.
1 lb. Pumpkin, White Cushaw, or
               Jonathan.
4 ozs. Radish, White-tipped.
              Scarlet Turnip.
              Early White Turnip.
              Scarlet Globe.
4
  44
      Salsify, Thor. Imp. Thick-rt'd.
      Spinach, New Zealand Sum'r.
½ lb.
               Viroflay.
      Squash, E'y Bush Cr'kneck.
I oz.
              Hubbard.
Ι
        ..
              Boston Marrow.
Ι
      Tomato, Early June Pink.
  ..
               Stone.
         ..
i pa.
               Beauty
2 ozs. Turnip, Snowball.
2
              Yellow Globe.
              Thor. Fam. Rutabaga
I pa. each Herbs, Five Varieties.
```

Parcel-post rates do not apply on shipments of seeds, bulbs or roots. The postage on such, if sent by mail, is 8 cts. per pound throughout the United States.

Vegetable Seeds

Please notice that we pay postage or express charges on all garden seeds ordered by the packet, ounce and quarter-pound. If larger quantities are ordered, add postage or expressage at the rate of 8 cts. per pound. Parcel-post rates do not apply on shipments of seeds, bulbs or roots. See page 2.

See pages 14 and 15 of this Catalogue for COMPLETE ASSORTMENTS OF VEGETABLE

SEEDS of approved and choice sorts for from \$1 to \$18.

ARTICHOKE

ARTICHAUT

Alcachofa . Artischocke

Culture.—Deep, rich, sandy loam with plenty of well-rotted manure. Sow seeds in April or May, and when plants are large enough, transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in, bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in the spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbeds during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant, they will exhaust it, and no more will be produced that seeson. Heads are unfit for culinary nursees after the flowers expend that season. Heads are unfit for culinary purposes after the flowers expand.

110 French Green Globe. (Seed.) The standard sort. Pkt. 10 cts., oz.

30 cts., ¼lb. 85 cts., lb. \$3.

120 French Purple Globe. Pkt. 10 cts., oz. 30 cts., ¼lb. 85 cts., lb. \$3.

130 French Mammoth Laon. Pkt. 15 cts., oz. 50 cts., ¼lb. \$1.50, lb. \$5. Jerusalem Artichoke Roots. Qt. 25 cts. FRENCH GLOBE ARTICHOKE ROOTS. (Ready in April.) Each 15 cts., doz. \$1.50.



Esparrago

CULTURE.—Sow the seed thinly in rows I foot apart in April or May (4 or 5 lbs. to the acre), and keep down all weeds. To secure strong, healthy plants, thin the seedlings to 3 or 4 inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring in rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal-ashes to loosen it up, and also see that it is well underdrained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each I foot from the edge, and allow 18 inches between the rows; set the plants from 4 to 6 inches below the surface. If set out in autumn, top-dress with 6 inches of manure. For market, on a large scale, set out 4 by 1½ feet. Every fall apply a good dressing of coarse manure, after the tops have been cut, and in spring fork in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die. Slugs are easily destroyed by applying air-slaked lime or paris green. Asparagus from seed does not always applying air-slaked lime or paris green. Asparagus from seed does not always come true to name.

170	Colossal. The approved standard sort. Pk	st.	Oz.	¼1b.	Lb.
	The famous Argenteuil of the French				
	is identical with it\$0	05	\$o 10	\$0 20	\$o 5 o
180	Palmetto. Of southern origin; a very				
	desirable, bright green Asparagus	05	10	20	50
190	Bonvalette's Giant. An improved Pal-				
	metto, said to produce larger stalks and				
	is a stronger grower		10	25 .	75
200	Columbian Mammoth. Very large shoots.	05	10	25	7.5

ASPARAGUS ROOTS

Plant either in fall or spring.	Per 5	0 100	1,000
Plant either in fall or spring. Colossal. 2-year-old roots	.\$o 6	o \$1 (00 \$7 00
4-vear-old roots. For forcing		2 (30
Columbian Mammoth. 2-year-old roots	6	O I (00 7 00
Barr's Mammoth. 2-year-old roots	6	0 I (00 7 00
Palmetto. 2-year-old roots	6	O I (00 7 00

In France a business is now made of growing small, green, delicate shoots of Asparagus during the winter. Strong roots may be forced in hotbeds out-of-doors. They should be packed closely into the frames, and by making a new bed every five or six weeks these tiny shoots may be had all winter and are valuable served with omelets. green peas, etc.

BORAGE

BOURRACHE

COLOSSAL ASPARAGUS

Borraja

Borretich

The young leaves of this annual, which smell somewhat like a cucumber, are used as a salad, or boiled like spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, a foot apart, when of six weeks' growth. Pkt. 5c., oz. 10c., 1/4lb. 25c., lb. 75c.

BEANS

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in importance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in superior sorts, greatly extending the season of use, as well as varying the flavor.

CULTURE.—About the first of May, if the ground is perfectly warm, select a warm, dry, sheltered spot, dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession.

DWARF GREEN-PODDED SNAP BEANS

HARICOTS NAINS Frijoles Rrup-Bohnen
We supply packets of all Green-podded Snap Beans at 10 cts. each, postpaid; other quantities NOT prepaid;

add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart.						
310 Bountiful. Extra early, very prolific and long-bearing; flat, Pt. green pods, tender and stringless		½pk. \$1 00	Pk. \$1 75	Bus. \$6 oo		
314 China. White, pink eye; early, and bears long, flat pods	5 30	I 00	I 75	6 00		
320 Dwarf Horticultural. Late and productive; broad, flat, stringless						
pods 20	35	1 25	2 00	7 00		
322 Dwarf Horticultural, Carmine Pod	35	I 25	2 00	7 00		
340 Full Measure. Large, round pods, firm, tender, sweet and entirely	,					
stringless. Fine shipper and keeper	5 30	I 10	1 90	6 50		
343 Fulmer Forcing. A fine, dwarf forcing variety 30	50					
370 Green-seeded Flageolet. Used as a shell Bean when green for many						
exquisite French dishes. Beans tender and of fine flavor 30	50					
380 Hodson Green-Pod. A green-podded form of Hodson Wax 15	30	1 00	1 75	6 00		
390 Longfellow. Long, straight, round, solid green pods; very early 20	35	I 25	2 00	7 00		
400 Low's Champion. Large, flat pods, stringless; fine flavor; early 20	35	I 25	2 00	7 00		
410 Marvel of Paris. Long, slender, flat pods; very early 30	50					
420 Mohawk. Long, flat, straight pods; early; very productive 13	30	I 00	I 75	6 00		
430 Osborn's Forcing. Very scarce. A most superior English dwarf						
Bean for forcing	50					
440 Refugee Late, or 1,000-to-1. Medium to late, productive and						
tender; round pods	5 30	I 10	1 90	6 50		



EARLY VALENTINE BEANS

- 450 Refugee Thorburn Extra-Early. Has all the superior qualities of the famous Refugee, and is fully two weeks earlier in podding. Beans extra fine and borne profusely. Pt. 15 cts., qt. 30 cts., ½ pk. \$1.10, pk. \$1.90, bus. \$6.50.
- 470 Refugee, Stringless. Stringless at all stages of development. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.10, bus. \$7.50.
- 480 Six Weeks, Long Yellow. Early; full, flat pods. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 490 Stringless Green-Pod. Extra early; stringless; prolific; round pods. Pt. 15 cts.; qt. 30 cts., ½pk. \$1.10, pk. \$1.90, bus. \$6.50.
- 500 Stringless Green-Pod Giant. Improved long-podded strain of above. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 520 Valentine, Extra-Early. Round, thick, solid pods; tender; fine flavor. Pt. 15 cts., qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 540 Valentine, Black. Resembles the Valentine, but with black seed; long, round, solid pods; very early. Pt. 20 ct., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

ENGLISH DWARF BEANS

FEVE DE MARIAS HabaGroße Bohnen


CULTURE.—Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as peas), in order to get them into pod before the heat of summer. When in pod, break off the top of the plant to check the growth. Plant and hoe the same as for Dwarf Beans. A strong soil suits them best.

Properly cooked, these Beans form one of the most delicious vegetables. To each half gallon of water allow one heaped tablespoonful of salt. The Beans should be young and freshly gathered. After shelling, put them into boiling water, salted as above. Boil rapidly for fifteen or twenty minutes, then serve with a sauce of parsley and butter. Boiled bacon is often served with the Beans.

Pt. Qt. ½pk. Pk. Bus. 650 Broad Windsor. Largest and best of the class......\$0 15 \$0 30 \$1 00 \$1 75 \$6 oo I 00 30 I 75 6 00

DWARF WAX BEANS

We supply packets of all Dwarf Wax Beans at 10 cts. each, postpaid; other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart.



THORBURN'S IMPROVED GOLDEN WAX BEANS

750 Black Wax Improved Prolific. Very early and prolific. The pods are round, full, stringless

25

85

I 50

5 00

profile: The pous are round, thin, stringless and of fine quality. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

770 Black Wax, Currie's Rust-proof. Flat pods; early; productive. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

780 Black Wax, Pencil-Pod. Slender, long, round pods. Pt. 20 cts. qt. 25 cts. Lipk. \$1.25, pk.

pods. Pt. 20 cts., qt. 35 cts. ½pk. \$1.25, pk. \$2, bus. \$7.

790 Davis Kidney Wax. Long, handsome, waxy white, flat pods. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

792 Detroit Wax. Very much like Golden Wax; flat

pods. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

794 Flageolet Red Wax. Flat, yellow pods of large size; prolific. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

800 Golden Wax Improved. Very early; flat pods; stringless; prolific. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7. 810 Golden Wax, Keeney's Rustless. Semi-round

pods; medium early. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

820 Golden-eyed Wax. Hardy and prolific; flat, yellow pods; early and free from rust. Pt. 15 cts., qt. 30 cts., ½pk. \$1.10, pk. \$1.90, bus. \$6.50. 830 Hodson Wax. Very large, brittle and tender wax

pods; enormously productive; late. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7. 834 Horticultural Dwarf Wax. On same style as

the green-podded variety of the same name but with wax pods; stringless. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

850 Refugee Wax, Thorburn's Stringless. A perfect Refugee, with brittle wax pods; for early or late sowing; immense yielder; late. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

860 Round-Pod Kidney Wax (Brittle Wax). Same as Wardwell's Kidney, but with round pods; late; stringless. Pt. 20 cts., qt. 35 cts., 1/2 pk. \$1.25,

pk. \$2.25, bus. \$8. 880 Valentine Wax, Thorburn's. Round pod; prolific. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.10, bus. \$7.50.

890 Wardwell's Kidney Wax. Early; long, flat, purely wax pods; stringless. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.10, bus. \$7.50.

900 White Wax, Improved Stringless. Round pods; Beans pure white and of finest quality; strong grower; stringless. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

DWARF WHITE BEANS

We supply packets of these Beans at 10 cts. each, postpaid; other quantities, A	IOT pre	pard; ade	transp	ortation
charges at the rate of 5 cents per pint, 10 cts. per q	uart.			
Pt.	Qt.	₩pk.	Pk.	Bus.
1000 Thorburn's Dwarf Lima. (The True Kumerle Strain.) The dwarf				
form of our famous Challenger Lima—the finest of all Limas.				
It possesses the flavor of the genuine Challenger Lima\$0 25	\$0 45	\$1 50	\$2 50	
1010 Burpee's Bush Lima. A bush form of the large, flat Pole Lima,				
growing only 18 to 20 inches high	45	I 50	2 50	\$9 00
1020 Burpee's Improved Bush Lima. An improved strain of Burpee's				
Bush Lima having much larger pods and Beans 30	50	1 65	2 85	10 00
1030 Fordhook Bush Lima. Immense pods and Beans	60	2 00	3 25	12 00
1040 Henderson Bush Lima, or Dwarf Sieva. Productive 20	35	I 25	2 25	8 oo
1060 Wood's Prolific Bush Lima. The Early Sieva, or Butter Bean of				
the South. Very productive	35	I 25	2 25	8 00
1070 White Kidney. Excellent, either green or ripe, as a shell Bean 15	25			
1080 White Marrow. Good, either as a string or shell Bean 15	25			
1090 White Princess. An improvement upon the White Kidney and				
White Marrow 15	25	85	1 50	5 00

POLE or RUNNING BEANS

Stangen-Bohnen HARICOTS A RAMES Frijoles de Bejuco

We supply packets of Pole Beans at 10 cts. each, postpaid; other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart.

-Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will plant about 100 hills, allowing four or five beans to a hill, and of the smaller sorts, about 200 hills. Poles 8 to 10 feet long should be firmly set in the hills before planting seed.

1200 Lima. Challenger. Thick and productive; best of all. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1204 LIMA, CARPINTERIA POLE. Large; thicker than ordinary Pole Limas. Vigorous grower. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1210 Lima, Ideal Pole. Large, tender and of fine flavor; productive. Like Large White Lima. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1214 Lima, Early Jersey. Very early: Beans large and

tender and average three to a pod. Pt. 20 cts.,

qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1230 Lima, King of the Garden. Large. Pt. 20 cts.,
qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1240 Lima, Siebert's Early. Very early; immense

yielder; large-sized Beans, finest quality. Pt.

20 cts., qt. 35 cts., ½pk.\$1.25, pk.\$2.25, bus.\$8.

1250 Lima, Small Sieva, or Carolina. Early. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

1260 Black German Wax. Yellow pods. Pt. 20 cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

1270 Dutch Case-Knife. Pods long, green and flat; can be often capped or shelled. Pt. 20 cts. can be either snapped or shelled. Pt. 20 cts.,

qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

1280 Horticultural Pole. Good as a snap or as a shell Bean. Pt. 15 cts., qt. 30 cts., ½pk. \$1.10, pk.

\$1.90, bus. 6.50.
1300 Golden Cluster Improved. Long, golden yellow pods in clusters. Pt. 25 cts., qt. 45 cts., ½pk.

\$1.50, pk. \$2.50, bus. \$9.

1310 Kentucky Wonder (Old Homestead). Pods green; very long and flat. Pt. 20 cts., qt.


35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.

1320 Kentucky Wonder, Golden Wax Pods. Pt. 25
qt. 45 cts., ½pk. \$1.50, pk. \$2.50, bus. \$9.

1340 Scarlet Runner. (Very scarce.) A popular English Pole Bean; very ornamental. Pt. 30 cts., qt. 50 cts., ½pk. \$1.65, pk. \$2.85, bus. \$10. 1352 Southern Prolific. A continuous bearer. Pt. 20

cts., qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7. 1390 Yard-Long French. Slender pods sometimes 2 to

3 feet long; curious; should be grown on pea brush. Pt. 25 cts.



THORBURN'S CHALLENGER LIMA BEANS

BEET

BETTERAVE

Remolacha

Salatrübe

CULTURE.—Sow as early in the spring as the ground can be worked (5 or 6 lbs. to the acre), and every two weeks after for a succession up to the first week of July. For general crop, sow about the middle of May. The soil should be light, sandy loam, well enriched with stable manure and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin to from 4 to 6 inches. The young Beets, with their tops, pulled out of the row, are excellent used as a spinach. For this purpose, sow frequently and use who of the size of a hickory nut. Pkt. Ōz.



1620 Long Smooth Blood. (Out of ground.)

150	Daggana Farly Link	м.	Oz.	/410.	L	υ.
130	D Bassano. Early; light color; good sort\$0	05	\$o 10	\$o 3o	\$ 1	00
152	O Crimson Globe. Globu- lar shape; flesh rich, deep crimson; ten-			. 0		
	der and sweet	05	15	40	1	50
154	Detroit Dark Red Tur- nip. Round; skin dark blood-red; flesh					
	bright red	05	15	40	I	50
155	Dewing Early. Of fine form and flavor; good					
- A 150	for market	05	15	40	1	50
136	D Early Blood Turnip. Dark red; fine flavor; good for winter	05	15	25		25
156	4 EARLY YELLOW TUR-	9	13	35	1	25
	NIP. Very early; flesh deep orange- yellow; sweet and					
	tender	05	15	40	I	50
	D Eclipse. Early; round; bright red	05	15	35	I	25
158	O Edmand Blood Turnip. A market-gardeners' strain; regular in shape and of best					
	quality	05	15	35	1	25
159	Egyptian. Extra early; flat	O.E	10	30	T	00
160	Egyptian, Crosby's. Ex-	03	10	30	•	00
	tra early; round; dark blood-color	05	15	40	т	50
A 161	Half-Long Blood. Fine	0,5	-3	40	•	50
(6)	dark strain for winter.	05	15	35	I	25
CRIMSON GLOBE BEET	8 Lentz. Extra early; large; round; light	-	_			
	red; small tops	•	10	30	I	00
1620 Long Smooth Blood. (Out of ground.) A good	l late variety for winter	05	15	40	1	50
1630 Long Blood		05	10	20		60
1644 Trevise (Columbia). Red; early; flat; tender. 1650 Witham Fireball. Brilliant red flesh, solid, sw		05	15	40	I	50
globe-shaped very early		05	TE	40	т	50

15

15

1 50

FOLIAGE BEET

flavor, dark green; pure white ribs...... 05

1700 Swiss Chard, or Silver Beet, Lucullus. Large leaves; tender and of fine

These varieties are grown only for their handsome foliage, which is very ornamental and decorative.						
·	Pkt.	Oz.	¼lb.	L	b.	
77270 Golden-veined Brazilian	\$o o5	\$ 0 20	\$ 0 40	\$1	25	
77280 Scarlet-veined Brazilian		20	40			
77290 Crimson-veined Brazilian	05	20	40	I	25	
77300 Scarlet-ribbed Chilian	05	20	40	I	25	
77310 Yellow-ribbed Chilian	05	30	40	I	25	
77330 Dracæna-leaved	05	20	40	1	25	
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound.						

MANGEL-WURZEL AND SUGAR BEET

Runkelrüben

CULTURE.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June, in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 or 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone meal and 400 lbs. salt to the acre. As soon as frost occurs, dig the crop. In order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and, as the cold increases, this should be replaced by about 6 inches of either salt hay, straw, seaweed or cornstalks, with a light layer of earth on top. As soon as this surface soil becomes frozen, about 6 to 8 inches more of earth should be placed over it. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from 5 to 8 pounds to the acre.

MANGEL-WURZEL Oz.	* /11	
1850 Giant Half-Sugar Red-skinned. Longish ovoid; red skin; white flesh\$0 10	⅓lb. \$0 25	Lb. \$0 70
1860 Giant Yellow Intermediate. Very large	20	50
1870 Golden Tankard Mangel-Wurzel. Bright yellow; handsome, sweet, productive 10	20	50
1874 Golden Flesh Globe. Very handsome strain	25	75
1880 Red Globe Mangel-Wurzel. Similar to Golden Globe; productive 10	25	75
1910 Mammoth Long Red Mangel-Wurzel. Very large; enormously productive		
under careful culture	15	40
1930 Orange Globe. Productive and of good size	20	50
1940 Yellow Globe. Productive and of good size	15	40
1950 Yellow Ovoid. Of distinct shape; one of the most productive sorts	15	40
SUGAR BEET		
We recommend 5 to 10 lbs. to the acre.	¼lb.	Lb.
2000 Klein Wanzleben	\$o 15	\$0 40
2010 Vilmorin Improved	15	40
2020 White, Rose-Top	15	40
2030 White, Green-Top	15	40
2040 Lane's Imperial	15	40

BROCCOLI

BROCCOLI

Broculi

Spargeltohl

CULTURE.—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as cabbage, in rich soil, and use the same remedies for insect attacks. The following are sorts best adapted to this climate; they are excellent and deserve much wider culture than is usual in this country.

	Pkt.	Oz.	¼lb.	Lb.
2100 Early White	\$о 10	\$o 3o	\$o 85	\$3 00
2110 Mammoth White	10	35	I 00	3 50
2120 Purple Cape, Early	10	35	I 00	3 50
2130 Veitch's Self-protecting				

BRUSSELS SPROUTS

CLOU DE BRUXELLES

Berza de Brusels

Rosenkobl

Culture.—Sow in May, in the same manner as cauliflower, and transplant in July, I foot apart in the rows which should be I½ feet apart. The Brussels Sprout is, without exception, the very best winter vegetable that can be grown. Not the least valuable point connected with it is that it is as hardy as the common curled greens. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. Strip off the outer covering, cook them whole, and serve them in that fashion. When cooked through and no more, such Sprouts melt in the mouth like the tenderest cauliflower, and are equally good.

2160 HERCULES.	Early; dwarf	habit, ro	bust growth,	with	large,	solid Fkt.	Oz.	₹41b.	Lb.
Sprout	s					\$о 10	\$0 40	\$1 15	\$4 00
2190 Dalkeith. Of	dwarf growth,	producing !	large, solid Sp	routs.		o5	15	35	I 25

BURNET

PIMPERNELLE Pimpinela

Pimpernelle

The leaves have a warm, piquant taste, and are useful for salads and soups. Sow early in the spring, half an inch deep, thinly in rows.


2230 Garden. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 80 cts.

CAULIFLOWER

CHOU-FLEUR Colif

Coliflor Blumenkohl

CULTURE.—The same as for cabbage, except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and, if the plants have a heavy mulch of hay or straw, it will keep the soil moist, and they will not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out the same time as cabbage.



THORBURN'S GILT-EDGE CAULIFLOWER

- 2250 Thorburn's Extra-Early Dwarf
 Erfurt. The best and earliest for forcing; very dwarf
 and compact, with short
 stem and small leaves.
 Should not be confounded
 with entirely different sorts
 advertised. Pkt. 50c., oz. \$5.
- 2260 Large Early Erfurt. (Thorburn Selection.) Justly popular with market-gardeners for late crop. Pkt. 25 cts., oz. \$2.25, ¼lb. \$8, lb. \$30.
- 2270 THORBURN'S GILT-EDGE. Large, heavy sort, maturing immediately after our Large Snowball. Best of all. See Novelties. Pkt. 25 cts., oz. \$2, ½\d1b. \$7.50, lb. \$28.
- 2280 Thorburn's Extra-Early Snowball. Our strain of this popular variety is unequaled. It is one of the best for forcing under glass or for open ground. Pkt. 25 cts., oz. \$2, ½1b. \$7.50, lb. \$28.
- 2290 Thorburn's Large Early Snowball. A large strain of the above. Pkt. 25 cts., oz. \$2, ½4lb. \$7.50, lb. \$28.

Pkt.	Oz.	⅓lb.	Lb.
2300 Denmark. On the style of Large Erfurt; very fine	\$ 1 50	\$5 50	\$20 00
2310 Extra-Early Paris. Heads of medium size; first-class	50	1 75	6 00
2320 Lenormand Short-Stem. Has very large heads; white and firm 10	50	I 75	6 00
2330 Large Algiers. Market-gardeners' popular late sort for the South 10	50	I 85	7 00
2340 Thorburn's Nonpareil. A first-class standard sort	50	I 75	6 00
2350 Early London. Large and hardy	30	85	3 00
2360 Autumn Giant. Vigorous in growth; very large; late	25	75	2 50

CABBAGE

CHOU Berza de repollo Rohl

Culture.—Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall not too early, for the plants are liable to bolt in the spring, instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care in planting to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, lettuce or radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crop, the seed is sown in May, and the plants set out in July. In this case, they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm, an experienced grower says: "Take one ounce of saltpeter and dissolve it in twelve quarts of water; then take a short-handled whisk-broom, dip it in the solution and sprinkle the plants well. One application is sufficient unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above ground.

2390	COPENHAGEN MARKET. The finest large, round-headed, early F	kt.	Oz.	¼lb.	Lb.	
	Cabbage; very solid and of fine quality; short-stemmed\$0		\$o 5o	\$1 75	\$6 oo)
2394	All-Head. Very early and very solid; large	10	30	85	3 00)
2400	Baseball, Early. The finest early all-head Cabbage	10	30	85	3 00)
2410	Early Spring. Flat; extra early; medium size	10	30	85	3 00)
2420	Early York. The standard English sort. Splendid	05	15	35	I 25	5
2430	Large Early York. Larger than the above. Splendid	05	15	30	I 00)
2460	EARLY JERSEY WAKEFIELD, THORBURN'S. The most popular	•				
	early variety; heads very solid, pyramidal shape. See Novelties		30	85	3 00)
	117.2 has been been as been a subsection of the second of					



THORBURN'S EARLY JERSEY WAKEFIELD CABBAGE (see page 22)

CABBAGE, continued

2470	ENKHUIZEN GLORY. Large, early, white, solid, ball-shaped heads.	Pkt.	Oz. \$0 30	⅓lb. \$0_85	Lb. \$3 00
2480	Stein's Improved American Early Flat Dutch. Valuable for forcing or for		<i>"</i> 0	" O	<i>"</i> O
	general crop. One of the finest sorts	10	50		
2484	Early Winnigstadt. A standard second-early variety; very hard heads. A				
	valuable market Cabbage		20	40	I 50
2490	Early Summer. Second-early; produces large, solid heads of finest quality				
	and of fine flavor		30	85	3 00
	Filder Kraut. Pointed heads		20	60	2 OC
2500	Fottler's Brunswick. Of dwarf, compact growth; hard and solid heads.				
	Good for both intermediate and winter use		25	75	2 50
	Succession Improved. Excellent second-early sort; large, solid heads		35	I 00	3 50
	Louisville Drumhead		30	85	3 00
	Large Late Flat Dutch. A valuable sort for market	IO	30	85	3 00
2560	Thorburn Market-Gardeners' Private Stock Flat Dutch. Fine strain of				
	the immense winter Cabbage grown on Long Island for market. Of				
	the finest quality and flavor	10	30	85	3 00
2580	DANISH BALLHEAD WINTER. Short stem. Very round, solid winter			•	
	sort, largely grown in Denmark for the London market. A fine shipper.		25	75	2 50
2584	DANISH BALLHEAD WINTER. Long stem	10	25	75	2 50
	Green Glazed. Glossy green; suitable for hot climates		20	60	2 00
2608	Red Erfurt. Very dark red; very early	10	25	75	2 50
	Red Zenith. Very fine, dark red; solid head; medium early; finest of all		30	85	3 00
	Savoy, Early Vienna. Very small; of delicate flavor		25	60	2 00
	Savoy, Early Ulm. Medium size, round, deep green head; very early		30	85	3 00
2660	Chinese Cabbage (Pe-Tsai). Grows like Cos lettuce	05	15	35	I 25

CARDOON

CARDOON Cardo Carbon

CULTURE.—Sow early in spring, in rows where the plants are to stand, and thin them to 2 feet apart. When full size, bind them together with bast or raffia, and earth up like celery to blanch. The stems of the leaves are used for salads, soups and stews. The stems should be wintered in a cellar away from frost.

2770 Large Solid. Smooth; grows about 4 feet high; leaves nearly free from spines. Pkt. 10 cts., oz. 25 cts., 14lb. 75 cts., lb. \$2.50.



CARROT

CAROTTE

Zanahoria

Möhren

Culture.—Sow No. 2890 as early as the ground can be worked; or, for late crop, until the latter part of July or early in August for a winter crop. This is the finest and most tender for table use. For main crop sow other sorts from middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop, 6 to 7 inches, the rows to inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil should be light and loanly, richly manured and deeply dug. Sow at the rate of two to three lbs. to the acre. Carrot-tops cut from fairly young plants may be used for pretty indoor greenery. Put one cutting into each thumb-pot, or three or four into a larger pot around the sides. Fairly good and sandy soil should be used, syringing frequently until growth is well forward. About 1 inch of Carrot should be left to put in soil, but this should be surrounded with soil or moss to hide it. When fully grown it is very pretty, the long fronds hanging over gracefully. fronds hanging over gracefully.

2890 Parisian Forcing, Early. Tender and sweet; fine Profession for early and late crops and for frames \$0		Oz. \$0 2 0	¼1 b . \$0 60	Lb. \$2 00
2920 Oxheart Half-Short (Guerande). Very thick and				
short	05	15	35	I 25
2930 Scarlet Horn, Early. Very thick roots; fine for				
frames	05	15	30	I 00
2950 Half-Long Pointed. A well-known strain; pro-			_	
ductive	05	20	60	2 00
2960 Half-Long Stump-rooted. An excellent sort of				
good quality	05	15	40	1 50
2970 Half-Long Stump-rooted, Nantes Strain. One of				
the most popular sorts	05	15	40	I 50
2972 Half-Long Stump-rooted, Nantes Strain, Im-				
proved	10	25	7 5	2 50
2980 Carentan Half-Long Stump-rooted. Coreless; red			,	
flesh	05	20	60	2 00
2990 Chantenay Half-Long Stump-rooted. Style of				
Nantes, broader shoulder	05	20	60	2 00
3020 Danvers Half-Long. Large; of good quality;				
productive	-	15	35	I 25
3030 St. Valery. A thick, intermediate long red	-	10	25	75
3040 Long Orange. Best for stock-feeding	05	10	30	1 00
3070 Long White Belgian. Very large; one of the best				
varieties for stock	05	10	25	75

CELERY

Sellerie CELERI A pios

CULTURE.—Sow the seed in a light, rich, dry border as early as the ground can be CULTURE.—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills 8 to 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 to 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking wth water in dry weather will do the plants good. Early in July in the North, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench; or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case.


they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be I foot apart, and the plants about 8 inches apart in the rows. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times, and, in doing this, care should be taken not to let the earth get into the heart earthed up two or three times, and, in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture, the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken up and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground, I foot wide, and at a depth of a few inches less than the height of the Celery. The plants are then lifted and set close together. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. The turnip-rooted Celery (Celeriac) needs no earthing up, and may be planted in rows I foot apart. Early spraying with bordeaux mixure is extremely efficacious in case of Celery blight or rust.

1/41b. Lb. 3200 Thorburn's Fin de Siecle. We consider this the largest, hardest, solid-Pkt. We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound.

CELERY, continued

- 3210 Improved White Plume. Naturally white or light foliage; requires but little banking up to blanch; very early and extensively grown for market. Pkt. 10 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.
- 3230 GOLDEN SELF-BLANCHING, THOR-BURN'S GILT-EDGE. Our finest strain.

 See Novelties Pkt. 15 cts., oz. 85 cts., 1/4lb.
 \$3,25, lb. \$12.
- 3240 Rose-ribbed Golden Self-blanching. Very handsome, rose-striped ribs. Fine. Pkt. 10 cts., oz. 30 cts., ½lb. 85 cts., lb. \$3.
- 3260 Perfection Heartwell. One of the finest and largest of winter varieties, either for family or market-garden. The heart is golden yellow. Pkt. 5 cts., oz. 20 cts., 16. 82.
- 3270 Thorburn's Schumacher. Solid and crisp; firm, golden yellow heart. Pkt. 5 cts., oz. 20 cts., ¼lb. 60 cts., lb. \$2.
- 3300 Giant Pascal. An easily blanched and fine-keeping, large, late sort. Pkt. 5 cts., oz. 20 cts., ¼lb. 60 cts., lb. \$2.
- 3310 Kalamazoo. A fine, half-dwarf, solid white variety. Pkt. 5 cts., oz. 20 cts., 1/4 lb. 60 cts., lb. \$2.
- 3344 Giant Golden Heart. Very large, solid and fine-flavored; vigorous grower. Pkt. 5 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.
- 3384 Winter Queen. Very large, solid, green, winter sort; blanches well. Pkt. 5 cts., oz. 20 cts., ½ lb. 60 cts., lb. \$2.
- 3400 Celeriac, Giant Prague. Very large roots, for soups and stews; when cooked and sliced makes fine winter salad. Pkt. 10 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.



THORBURN'S GILT-EDGE GOLDEN SELF-BLANCHING

Celeriac may be stored like beets, and will keep all winter

CORN, SWEET or SUGAR

We supply packets of Corn at 10 cts. each, postpaid; for other quantities, NOT PREPAID, add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart.


CULTURE.—Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side-shoots. Make the ground rich with well-rotted manure. If sown thinly in drills, a greater yield from a given surface will be obtained.

Most Corns can be furnished on ears at 5 cts. each, transportation extra

EXTRA-EARLY

3700	THORBURN'S NORDHEIM EXTRA-EARLY. Earliest and P finest of all. See Novelties\$0		Qt. 0 50	½pk. \$1 50	Pk. \$2 50	Bus.
3710	Early Red-Cob Cory. A very early variety with good-sized ears.					
	Very sweet, tender and of fine flavor	15	25	75	1 30	\$4 50
3720	White Cory. Resembles the ordinary Cory, but with white cob.	15	25	75	1 30	4 50
3740	Mammoth White Cory. Ears double the size of the old Cory	15	25	75	1 30	4 50
3750	Metropolitan. Large, handsome ears of fine quality; very early	15	25	75	1 30	4 50
	Golden Bantam. Extra-early; yellow; very sweet and tender	15	30	I 00	I 75	6 00
3764	Seymour's Sweet Orange. A vigorous grower, attaining a height of 6 to 7 feet, and producing generally two good-sized ears to a stalk. It matures about a week later than Golden Bantam and is fully equal to it in the deliciousness of its flavor	15	30	I 00	I 75	6 00
	We pay postage or express charges on all garden seeds bought by the po	•	0		, ,	

EXTRA-EARLY CORN, continued Pt.	Ot.	½pk.	Pk.	Bus.
3769 Early Fordhook. Large-eared; extra early; pure white\$0 15	\$0 25	\$o 75	\$i 30	\$4 50
3780 Peep-o'-Day. One of the earliest; very sweet and of delicate				
flavor 15	25	75	I 30	4 50
3790 Minnesota. Nearly as early as Cory, but with larger ears 15	25	75	I 30	4 50
3800 Perry Hybrid. Very early and of large size; valuable for market 15	25	75	1 30	4 50
3860 Extra-Early Adams. Not a Sugar Corn but grown for early use.				
Tender and sweet; fine for the table	25	75	1 25	4 00
SECOND-EARLY or INTERMEDIATE	CORN			
3900 Thorburn's Early White Perfection. A valuable second-early Pt. sort, producing good-sized ears. The cob is small and the	Qt.	½pk.	Pk.	Bus.
grain is almost white. It is a heavy yielder, very sweet and an almost perfect type without flint or glaze\$0 15	\$ 0 25	\$o 85	\$1 50	\$5 50
3910 Early Champion. Very large ears, considering its earliness 15	25	75	I 30	4 50
3930 Early Mammoth. Very large ears; fine quality; not very late 15	25	75	I 30	4 50
3940 Crosby. Matures after Minnesota; fair-sized ears of good quality. 15	25	75	1 30	4 50
3950 Potter Excelsior. Good-sized ears of fine quality	25	75	1 30	4 50
3960 Moore Concord. Of strong growth; ears large and well filled 15	25	75	I 30	4 50
3970 Early Evergreen. A week earlier than Stowell Evergreen 15	25	75	1 30	4 50
3980 Early Adams. Not a Sugar Corn, but grown extensively for market. 15	25	75	I 25	4 00
GENERAL-CROP CORN				
4020 Hickox Improved. Handsome ears; very white and of rich flavor 15	25	75	I 25	4 00
4040 Stowell Evergreen. One of the most popular varieties 15	25	75	I 25	4 00
4060 White Evergreen. A strain of Evergreen with pure white grains. 15	25	75	I 25	4 00
	U	••	U	•



THORBURN'S NORDHEIM EXTRA-EARLY SWEET CORN

80

CHERVIL

CERFRUIL

Perifollo

Bensenlauch

CULTURE.—Cultivate and use the curled variety of Chervil like parsley. Sow at any time in the spring in						
shallow drills, I foot apart, in well-prepared ground. The seed of the tuberous Chervil should be sown in						
September, and it will appear the following spring.						
4240 Curled. Leaves used for flavoring soups and stews and for gar-Pkt.	Oz.	¼lb.	Lb.			
nishing\$0 05	\$0 10	\$0 25	\$o 8o			
4250 Plain. Like above, but not curled	10	25	70			

CHICORY			
4300 Common, or Wild. Used in Barbe de Capucin, a salad much made in Pkt. France. Sown in June, the roots are transplanted in autumn into sand in a cellar. The young shoots form the Barbe de Capucin\$0 05	Oz.	¼lb.	Lb.
4310 Witloof. Known in restaurants as French endive. Sown in May and June in drills. Transplant or thin to 6 inches; treat as endive, except that late in summer or fall it should be gradually banked up like celery. The stalks, when blanched, make a delicious salad. It is also used by	<i>5</i> 0 15	50 35	\$1 00
the French as a boiled vegetable	20	40	1 50
4320 Magdeburg. Roots are the Chicory of commerce 05	10	30	90
See also, Endive, the Chicory of the French, page 29			

COLLARDS

CULTURE.—Sow seed as for cabbage, in June, July and August for succession. Transplant when a month old in rows a foot apart each way and hoe often. 4380 Georgia. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

CORN SALAD, or FETTICUS

Macha o Valerianilla

CULTURE.—Sow during August or early in September, in drills one-fourth of				
If the weather is dry when the seed is sown, tread it lightly to insure germination	on. Kee	p weeds	down wi	th hoe.
Just before the winter cover thinly with straw or leaves.	Pkt.	Oz.	¼lb.	Lb.
4430 Large-seeded	.\$o o5	\$0 10	\$0 25	\$o 65
4440 Small-seeded	05	10	20	60

CRESS

Cresson

Bara o Mastuerzo

Rreffe

CULTURE.—Sow No. 4520 thickly in shallow drills, every two or three weeks. It should be cut often and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 4550 and 4570 should be sown in damp soil; or, if a stream of water can be utilized, they will be much finer. They will alwap hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to sow with Water Cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the

frame, where it is always cool.	Pkt.	Oz.	¼lb.	Lb.	
4520 Curled, or Pepper Grass	\$0 05	\$o 10	\$0 20	\$0 50	
4530 Common, or Plain-leaved					
4540 Broad-leaved Winter, or Upland. Gray seed					
4550 Erfurt True Sweet Water Cress. Very mild and tender					
4570 True Water Cress					

DANDELION

PISSENLIT

Amargon Bardeblume

CULTURE.—Dandelion is a hardy perennial, and one of the most desirable early spring salads. Sow in early spring in drills one-half an inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender and destroys, to some extent, their bitter taste without impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus: A. This excludes the light and improves the greens, rendering them far superior to those found growing wild.

Pkt.	Oz.	741b.	Lb.
4630 French Garden	\$0 10	\$0 30	\$1 oo
4650 Improved Thick-leaved Fullheart	35	I 00	3 50
4670 Montmagny. The popular Paris quick-blanching sort	35	I 00	3 50



EXTRA-LONG PERFECTED WHITE SPINE CUCUMBER

CUCUMBER

CONCOMBRE Pepino Gurf

Culture.—For very early, sow in hotbeds upon pieces of sod, or in small pots. They can be readily transplanted with a gain of about six weeks over those sown in the open ground. Plant out in rich soil when danger of frost is over, or protect by hand-glasses, or by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and every two weeks for a succession. For pickles, sow from middle of June to first week in July. Sod land, turned over in fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.


	Cumberland. One of the best pickling sorts yet introduced, being very Pk handsome and productive, with flesh firm, but very crisp and tender. Davis Perfect. Fine for forcing or for outdoors. The fruit is long and straight,	t. 05 \$	Oz. ? 50 15 \$		Lb. \$1 (
4//0	and, being a comparatively shy seeder, is very valuable for slicing	0.5	15	30	1 (20
4780	Early Green Cluster. Fruit small and in clusters; very prolific		10	25		30
4790	Early Russian. Very early, short; fine for pickles	05	10	25 25	٤	
	Giant Pera. Very long; one of the best for table use		15		1 2	
	Fordhook Pickling. Very prolific; medium size; fine pickling strain		15	35	1 2	
4820	Thorburn Everbearing. Small-sized; very early and enormously produc-	٥5	13	35	1 4	دع
1020	tive; valuable as a green pickler	05	10	35	1 2) =
4830	Cool and Crisp. Extra early and very prolific; long, straight, slender and	03	10	33		-3
1000	very dark green; good either for pickling or slicing	05	15	35	I 2	> 5
4850	Fordhook Famous. Long, straight and well formed; vigorous grower, very	٥,	-3	33		- 3
1000	productive; does not turn yellow	05	15	35	I 2	25
4860	New Orleans Market. For forcing or open ground; very productive	05	15	35	I 2	
4864	White Spine Extra-Early. An extra-early strain of the popular White Spine.	05	15	35	1 2	
4870			15	30	I	
4880		05	15	30	1 (
4890	" THORBURN'S NOROTON SELECTED. A selection of Im-	0	-0	0 -		
	proved White Spine. Earlier, more perfect in shape and					
	more prolific; best slicing variety; splendid either for home					
	garden or market	IO	20	50	Ι :	50
4900		05	15	35	1 2	25
4905		IÕ	20	50	Ι :	50
4920	Improved Long Green. Long and crisp; a popular variety for pickles	05	15	35	1 2	25
4930	Long Green Turkey. Fruit very long and rather slim	05	15	30	1 (oo
	Green Prolific Pickling. One of the best for pickling; dark green		15	30	1 (00
4960	Tailby Hybrid. Very long, and superior for table use	05	15	30	1 (00
4970	Japan Climbing. Good for frames or open ground	10	20	50	1 5	
4980	Small Gherkin. Very small bur; used for pickles	10	20	50	Ι :	50
4990	Lemon Cucumber, or Garden Lemon. Almost round; yellow and green					
	markings; tender and of sweet flavor. Resembles a lemon in appearance.	10	20	50	I 5	50

ENGLISH CUCUMBER FOR FRAMES

(Concombre espèces Anglaises pour couches)

Culture.—Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam, lightened and enriched with old manure; give plenty of air and water. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with brown paper until the seeds germinate. Afterward uncover and ventilate to insure sturdiness of habit. More seeds should be sown than plants required, as some may fail to grow and others may be weaklings. Only strong plants should be employed. It is necessary to fertilize the pistillate flowers with the staminate to render the vines productive, as, owing to the absence of insects, they will not produce a crop under glass as in open ground.

owing to the absence of insects, they will not produce a crop under glass as in open ground.	Pkt.
5096 Hurst's Monarch. Splendid sort	\$0 25
5100 Lockie's Perfection. Fine color.	25
5110 Marvel. (Hurst's.) Fine shape; heavy cropper	25
5120 Rochford's Market. Fine variety	25
5130 Telegraph. Free-bearing; handsome	25
5160 Veitch's Sensation. Fine dark variety	25
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pou	



GREEN CURLED WINTER ENDIVE

ENDIVE. or CHICORY

Escarola o Endivia CHICOREE Endinie

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart and water well, if dry. When the leaves are 6 to 8 inches long, blanch by tying together near the top with yarn or raffia. (They must be quite dry, or they will rot.) At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar. They must be kept dry and have plenty of air.

5210 Green Curled Winter. Standard sort for fall and winter crop. Pkt. 5 cts., oz. 15 cts., 1/4lb. 35 cts., lb. \$1.25.

5220 Large Green Curled (de Ruffec). Broad ribs: fine for fall and winter. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25.

5230 Broad-leaved (Escarolle). A sweet variety; fall and winter. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25.

5240 White Curled. For early use. Pkt. 10 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

See, also, Witloof (French Endive) under Chicory, page 27

EGGPLANT

AUBERGINE

Berengena

Gierpflanze

Culture.—Sow in hotbeds very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until weather is perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting, in case of weather changing unexpectedly. Set out plants 3 feet by 2.

5310 Improved New York Spineless. The standard; largest and best; oval; deep purple; early and

productive. Pkt. 10 cts., oz. 40 cts., 14lb. \$1.25, lb. \$4. 5320 BLACK BEAUTY. As large as the New York Improved but about

ten days earlier; very rich purplish black. See Novelties. Pkt. 10 cts., oz. 40 cts., ¼lb. \$1.30, lb. \$4.50.

5330 Early Dwarf Purple. Dwarf; very early; small, ovoid fruit. Pkt.

10 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.

5340 Florida High Bush. Purple, though not so deep as the New York Spineless, which it resembles in shape. Very productive, of vigorous growth, and can stand more cold than that va-

riety. Pkt. 10 cts., oz. 35 cts., ¼lb. \$1, lb. \$3.50. 5350 Long Purple. Of distinct shape and fine quality.

Pkt. 10 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50. 5360 Round Purple. Of good quality, fine color and shape. Good variety for market. Pkt. 10 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

5370 Black Pekin. Round, blackish purple fruit; flesh

tender, of fine flavor; dark foliage. Pkt. 10c.,

oz. 35c., ¼lb. \$1, lb. \$3.50. 5380 Scarlet Chinese. Small and ornamental.

10 cts., oz. 35 cts., 1/4lb. \$1, lb. \$3.50.

5390 Round White. Small and ornamental. Pkt. 10 cts.,

oz. 25 cts., ¼lb. 75 cts., lb. \$2.50. 5400 Long White. Small and ornamental. Pkt. 10 cts., oz. 25 cts., 1/4 lb. 75 cts., lb. \$2.50.

5410 Striped. Purple and white. Pkt. 10 cts., oz. 25 cts.,

1/4lb. \$1, lb. \$3.50.

FENNEL, FLORENCE or 14180 NAPLES

FENOUIL DE FLORECE

Finocchio di Napoli

CULTURE.—Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles celery, but has a sweet taste and a more delicate odor. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 25 cts., 1/2 lb. 25 cts., 1/4 lb. 2 lb. 80 cts.

See, also, Herbs

FLORIDA HIGH BUSH EGGPLANT



KALE, or BORECOLE

CHOU VERT FRISE Col Rraustobl

CULTURE.—Nos. 5600 to 5620 are cultivated and grown exactly like cabbage. Sow No. 5600 in August and September for early greens. Sow 5700 early in the spring in a hotbed and when 1 or 2 inches high transplant into a bed or border that has been highly manured and deeply dug. Sea Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand.

5600 Curled Dwarf Green Scotch. Very dwarf and spreading; best strain; largely grown in the South, being sown

in August and September. Pkt. 5 cts., oz. 10 cts., 1/4lb. 30 cts., lb. \$1.

5610 Curled Tall Green Scotch. A taller growth of No. 5600. Pkt. 5 cts., oz. 10 cts., 14lb. 30 cts., lb. \$1.

5620 Curled Dwarf Brown. Very hardy. Pkt. 5 cts., oz. 10 cts., 1/4lb. 30 cts., lb. \$1.


5630 Curled Siberian Thorburn Improved. Green curled; hardy. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

5635 Emerald Isle. Very fine. Pkt. 5 cts., oz. 15 cts., 1/4lb. 50 cts., lb. \$1.50.

5640 Thousand-headed, Valuable for cattle. Pkt. 5c... oz. 10 cts., ¼lb. 25 cts., lb. 75 cts.

5650 Jersey Winter Kale, or Cow Cabbage. For feeding cattle; very hardy. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

5700 Sea Kale. Fine; resembles celery. Pkt. 10 cts., oz. 20 cts., 1/4 lb. 60 cts., lb. \$2.



WHITE VIENNA KOHLRABI

KOHLRABI

CHOU-RAVE ColinaboRohlrabi

CULTURE.—Sow in spring, in rows 18 inches apart, afterward thinning the plants to 8 to 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. Cook same as turnips.

OHCC,	being tought when out. Cook builte up	cuii	··PO·						
5800 Early White Vienna. Handsome in Pkt. Oz.					¼lb.		Lb.		
	appearance and very delicate						_		
	in flavor; white ball\$0	05	\$О	15	\$ 0	50	\$1	50	
5810	Early White Vienna. Fine flavor and								
	appearance. For frames	10		25		75	2	50	
5820	Early Purple Vienna. Purple ball;								
	a very good sort			15		50	I	50	
	Early Purple Vienna. For frames.	10		25		75	2	50	
5840	Large White, or Green. Forms a								
	large ball; not so fine in flavor								
	but more productive	05		15		35	Ι	25	


LEEK

Porree, oder Lauch Poireau Puerro

CULTURE.—Sow very early in spring in drills 6 inches apart and I inch deep. Thin out to I inch. When about 7 inches high, transplant in rows 12 inches apart, as deep as possible, but do not cover the young center leaves. Water thoroughly if dry when planted out. Draw earth up to them as they grow; rich soil is required a Take up and store in earth in a cool cellar before winter weather also be sown in September, and the young plants are the said and in spring to where they are to remain spring to where they are to remain.

5910		BURN'S								
	FLAC	3. Hardy	and pro	oductiv	e.\$o o <u>5</u>	5 \$c	50	50	\$1	75
594 0		Carentar								

dark-colored leaves; stout in 20 5960 Prizetaker. Very large......05



THORBURN'S LARGE FLAG LEEK

5950	Musselhurgh	Similar to above	

LETTUCE

LAITUE

Lechuga

Salat

CULTURE.—Sow 6030, 6090, 6114 and 6230 in hotbeds in March, and in the open ground as soon as it can be worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again for a succession; also Cossorts. Latter part of August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thinly and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 to 8 inches apart. Cos Lettuce may be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. Lettuce requires good ground, enriched with thoroughly rotted manure, and well pulverized. The after-culture should be close and careful, to secure the best results. Lettuce seldom, if ever, heads well in hot weather.

	w. s. stands for white-seeded; b. s. stands for black-seeded	kt.	Oz.	¼lb.	Lb.
6020	American Gathering. Twisted and curled leaves; fine early or late. w. s\$0				
6030	THORBURN'S BIG BOSTON. Fine for forcing in coldframes or for open				
	ground. w. s	05	20	50	1 50
6040	Buttercup. Yellow, solid, small heads; for forcing or outdoors. w. s	05	20	50	1 50
6050	California Cream Butter. Very large, solid heads; inside very white. b. s	05	15	35	1 25
6060	Coldframe White Cabbage. For starting in coldframes and setting out				
	early. w. s	05	15	35	1 25
	Deacon. Large, solid, summer cabbage variety. w. s		15	35	1 25
6080	Denver Market. Very curly heads; good for forcing or outdoors. w. s	05	15	35	1 25
6090	Emperor Forcing Improved. Yellow; earliest of all; only for frames. w. s	05	20	50	1 50
6100	Giant Crystal Head. A splendid cabbage Lettuce; large, solid; outside leaves				
	bright green, inside crystal-white; yellow heart; crisp, tender. w. s		15	35	1 25
6114	Glasshouse, Thorburn's. For forcing under glass. w. s	05	20	50	1 50
	Grand Rapids Forcing. Large, tender; one of the best for forcing. b. s		15	35	1 25
6130	Gray-seeded Butter. One of the best; large head	05	15	35	I 25
6140	Hanson Improved. Very large and solid; tender and of fine quality; with-				
	stands the hot sun well. w. s		20	50	I 50
6160	Hubbard Market. A large cabbage variety, with crisp, tender leaves; for				
	forcing or open ground. w. s	_	20	50	1 50
	Iceberg. Large, solid, curled heads; yellow heart; crisp and tender. w. s		15	35	1 25
6200	Mammoth Black-seeded Butter, Thorburn. A selected strain; large, solid,				
	yellow heads. Favorite variety of New York market-gardeners	-	15	35	I 25
6210	Market-gardeners' Private Stock, Thorburn. A selected strain; solid,		20	50	T 50
	large heads, resisting the sun for a long time before shooting. b. s	05	20	50	1 50

6220 Maximum, Thorburn. The largest and best; solid; crisp; leaves tender and particularly fine in flavor. b. s. Pkt. 5 cts., oz. 20 cts., 16. \$1.50.

6230 MAY KING. Large, round, solid heads. w. s. Pkt. 5 cts., oz. 20 cts., ½lb. 50 cts., lb. \$1.50.

6240 Mignonette. Distinct russet colored; very solid and compact. b. s. Pkt. 5 cts., oz. 20 cts., ¼1b. 60 cts., lb. \$2.

6250 New York Cabbage. Large, solid heads; inside very white. w. s. Pkt. 5c., oz. 20c., 1/4lb. 50c., lb. \$1.50.

6255 New Orchid. The famous Orchid Salad, used in many of the highest-class restaurants of New York; should be cut as the orchid center develops; that is, when the plants have attained about one-quarter of their full growth.

w. s. Pkt. 10 cts., oz. 40 cts., 1/1b. \$1.25, lb. \$4.



HEAD OF THORBURN'S BIG BOSTON LETTUCE

	LETTUCE, continued p	kt.	Oz.	¼lb.	T.	b.
6260 Oak Le	af. A curled-leaf variety of bright green color. w. s					
6270 Passion	a. A medium-sized cabbage variety, with tender, crisp and fine-flavored					
	ves; popular in the South. b. s		15	35	I	25
6290 Rheing	old. Large, solid heads; pure golden yellow; tender, delicious and				_	
	sp leaves. Fine forcer		20	50	1	50
	ists summer heat. b. s		15	35	т	25
	Il Brownhead. Large, handsome, tender heads, crisp, and of fine flavor;		-0	33	•	-5
	ry hardy. b. s		20	50	I	50
-	n Early Curled. A leading early sort; very tender. w. s	-	15	35	I	25
	n Black Seed. A superior variety; large, and of light color, tender					
	d crisp. b. s.		15	35	I	25
6340 Tennis	ball White Seed (Boston Market). A well-known forcer; large heads; sp and tender. w. s	05	15	35	т	25
	ball Black Seed. Forms close, hard heads, leaves very crisp and	-	13	33	1	23
	nder; for forcing. b. s		15	35	I	25
	ero. Hardy; for spring or summer; green, tinged russet; very tender,	_	Ŭ	00		·
cri	sp and fine-flavored. w. s	05	20	55	I	75
6380 French	Yellow Winter. The finest of all coldframe sorts. $\emph{b. s.}$	05	20	55	I	75
					-	
	ROMAINE, or COS LETTUCE					
	os, Black-Seeded. Pale green leaves, slightly tinged with brown.					
	arly and productive and of fine flavor. b. s	_	20	50	I	50
	Paris Cos. Of upright growth; fine. w. s		20	50	I	50
6460 Trianor	1 Cos. Resists heat well. w. s	05	20	50	I	50
6470 Expres	s Cos. A fine, very dwarf early sort, requiring no tying up. w. s	05	20	50	I	50
6480 Balloor	Cos. Fine sort. b. s	0,5	20	50	I	50
	EN YELLOW COS. Long-standing; solid;					
	en yellow. Pkt. 5 cts., oz. 20 cts., 1/4lb. 50				37 (
CLS.,	lb. \$1.50.		Ash S		100	

MUSTARD

cts., ¼lb. 50 cts., lb. \$1.50.

MOUTARDE MostazaSenf

CULTURE.—Sow thickly during early spring, in shallow drills, and press the earth well down. For fall salad, sow in September, or in frames or boxes during winter.

6650 Black. These seeds form the mustard of commerce. Oz. 5 cts., 1/4lb. 10 cts., lb. 25 cts.

6660 White London. Leaves used for salads while young; grows very rapidly. Oz. 5 cts., 1/4lb. 10 cts., lb. 25 cts.


6670 Giant Southern Curled. Very large leaves. Pkt. 5 cts., oz. 10 cts., 1/4lb. 15 cts., lb. 40 cts.

6680 Chinese Broad-leaved. Leaves of agreeable flavor when cooked like spinach. Pkt. 5 cts., oz. 10 cts., ¼lb. 15 cts., lb. 40 cts.

6684 Elephant's Ear. Immense, light green leaves. Pkt. 5 cts., oz. 10 cts., 1/4lb. 15 cts., lb. 40 cts.

6690 Fordhook Fancy. Very ornamental; plants of vigorous growth; leaves dark green, curved outwardly. If used as a vegetable, cook like spinach. Pkt. 5 cts., oz. 10 cts., 1/4lb. 15 cts., lb. 40 cts.

5700 Ostrich Plume. Leaves curled and frilled like an ostrich plume. Pkt. 5 cts., oz. 10 cts., ¼lb. 15 cts., lb. 40 cts.



ROMAINE, OR COS LETTUCE

MUSKMELON (Cantaloup)

MELON MUSCADE Melon Muscatel Cantelupe

Culture.—Select a light, rich, sandy soil, and, after all danger of frosts is over and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, six to twelve seeds to a hill. When up and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust, are excellent to sift over young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out-of-doors under hand frames or glasses. It is quite important that proper soil be selected for growing Muskmelons.

	SALMON-FLESHED VARIETIES PARIETIES	ct.	Oz.	¼lb.	Lb	١.
6790	Banquet. Beautifully netted, medium size; rich salmon flesh; fine quality. \$0	05	\$0 15			
6800	Burrell's Gem. Reddish orange flesh; fine-grained and spicy	05	15	35	1	00
6804	Defender. One of the very best yellow-fleshed sorts; medium size, oval in					
	shape; flesh very firm and rich. Very vigorous and productive	05	15	35	1	25
6810	Emerald Gem. Small; extra early; dark green skin, orange flesh; very sweet.	05	15	35	1	00
6812	Long Yellow Cantaloup. Yellow flesh; late	05	15	35	1	00
6814	Osage. Cocoanut-shaped: yellow flesh; light green, netted skin	05	15	35	I	00
6820	Paul Rose. Handsome oval variety; rich orange flesh; very sweet	05	15	35	1	00
6824	Shumway Giant. Round; light green; flesh deep salmon; very late	05	15	35	I	25
6830	Surprise. Oblong; rich orange flesh of fine quality; early	05	15	35	I	25
6834	New Fordhook. Firm, thick, deep salmon flesh; very sweet	05	15	35	I	25
6840	Nutmeg Tip-Top. An improved strain; very sweet, salmon flesh	05	15	35	I	25
6850	Thorburn's Orange Christina. Fine orange sort. Round, very sweet and					
	very early		15	40	I	50
6860	Yellow-meated Japan	05	15	40	I	50
	GREEN-FLESHED VARIETIES					
6870	Baltimore Market. Oblong; green flesh of fine quality; intermediate	05	15	35	1	00
6880	Bay View Hybrid. Prolific; very large; late; green flesh	05	15	35	1	00
6904	HYBRID CASABA. A vigorous grower and an enormous yielder; produces melons of large size and of unsurpassed flavor; skin is green until the fruits begin to ripen, when it turns to a light yellow; white flesh, rich					
	and luscious and from 2 to 3 inches thick. Splendid for warm climates	•	15	40	Ι.	•
	Champion Market. Large, slightly elongated; netted; flesh light green; early.	05	15	35	Ι (00
6914	Eden Gem. The popular shipping melon at Rocky					


6914 Eden Gem. The popular shipping melon at Rocky Ford. Flesh deep green, very solid and firm. Skin heavily netted. Pkt. 5c., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25.

6920 Hackensack. Large, round and of good quality; a popular variety; early. Pkt. 5 cts., oz. 15 cts., ½ lb. 35 cts., lb. \$1.25.

6930 Hackensack Extra Early.
Ripens ten days earlier
than the Hackensack.
Pkt. 5 cts., oz. 15 cts.,
½lb. 35 cts., lb. \$1.25.

6940 Jenny Lind. Old favorite. Small, green - fleshed; very early; good quality. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.

6950 Long Island Beauty. On style of Hackensack. The earliest and finest in quality, and the most beautiful of all Muskmelons. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25.




NUTMEG MUSKMELON

GREEN-FLESHED MUSKMELONS, continued Ph		0-				
6970 Montreal, Green. Large, round, netted; flesh thick and light green; late\$0 6980 Netted Gem, Round. Very early; small and of fine flavor; green flesh 6990 Netted Gem, Oblong. Same as above, save in shape	05 \$ 05	15 15	35 35	5 \$1 5 I 5 I	00 00	
7000 Nutmeg. Sweet, green flesh; very early; named from its shape	05	15 15 15	35 35 35		00	
MISCELLANEOUS MUSKMELONS				18.1		
 7110 Banana Citron. Cucumber-shaped; highly perfumed; late 7115 BROCKWAY'S SPORT. Slightly oblong, averaging 6 inches in diameter; flesh light red and of unsurpassed.sweetness and flavor; lightly ribbed and 		15	3.	5 1	25	
beautifully netted		20	60) 2	00	7
preserving or for pickling	05	15 20	4º 60		50 00	."
dition for months after being pulled. For the South only	-	20	60) 2	00	
IMPORTED VARIETIES OF MUSKME	LO	N	. '			
ENGLISH FRAME VARIETIES					kt.	
7220 Eclipse. Green flesh	 	 .		\$0 	25 25	
7250 Monroe's Little Heath. Scarlet flesh			25	
7270 Gunton Scarlet					25	
7290 Windsor Castle. Green flesh		. .			25	
FRENCH VARIETIES						
These sorts ripen outdoors here, and are well worthy of cultivation						
7300 Delight of the Table. 7310 Trevoux.					25	
7320 Noir des Carmes		· · · · ·			25	
7330 Tours Sugar						
7330 Tours Sugar						
7330 Tours Sugar						
7330 Tours Sugar These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Baffermelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 t		••••			25	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Baffermelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best.	0 10 1	••••	oart, a	ccord	25	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Wassermelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pshipper	o 10 f	feet ap Oz. \$0 10	vart, a 1/41b. \$0 2	ccord	25 ding	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Majjermelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pshipper	o 10 f	feet ap	oart, a ¼lb. \$0 2	ccord I 5 \$0 5	25 ding b. 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Baijermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate	o 10 f	Oz. \$0 10 10 10	part, a 1/41b. \$0 2 2 2 2	ccord 5 \$0 5 5 5	25 ding b. 75 75 75 75	
These are four of the latest Paris market sorts. **WATERMELON** Melon d'Eau Zandia Baffermelone** Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pshipper	0 10 f	Oz. \$0 10 10 10	part, a ¼lb. \$0 2 2 2 2 2	ccord 5 \$0 5 5 5	25 ding 2b. 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine shipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 These are four of the latest Paris market sorts.	o 10 f	Oz. \$0 10 10 10	part, a 1/41b. \$0 2 2 2 2	ceord 5 \$0 5 5 5 5 5	25 ding b. 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval.	0 10 f	Oz. \$0 10 10 10 10 10 10	part, a 1/2 lb. \$0 2 2 2 2 2 2 2 2	ccorc 5 \$0 5 5 5 5 5 5 5 5 5 5	25 dling 2b. 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Baffermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long.	0 10 f	Oz. \$0 10 10 10 10 10 10 10 10	part, a 1/4 lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ccorc 5 \$0 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling Lb. 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round	%tt. 05 05 05 05 05 05 05 05 05 05 05 05 05	Oz. \$0 10 10 10 10 10 10	part, a 1/2 lb. \$0 2 2 2 2 2 2 2 2	5 \$0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling Lb. 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7540 Florida Favorite. A superior strain; oblong; red flesh; intermediate.	kt. 05 05 05 05 05 05 05 05 05 05 05 05 05	Oz. SO 10 10 10 10 10 10 10 10 10 10 10 10 10 1	part, a 1/2 1/2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 \$0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling Lb. 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Baffermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7540 Florida Favorite. A superior strain; oblong; red flesh; intermediate. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet.	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10	wart, a 1/4 lb. \$60 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 \$0 5 \$5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling 75 75 75 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7480 Black Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7480 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7530 Florida Favorite. A superior strain; oblong; red flesh; intermediate. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$0 7560 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly	0 10 f kt. 05 05 05 05 05 05 05 05 05 05 05 05 05	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10 1	wart, a 1/2/15/20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 \$0 5 \$5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling Lb. 75 75 75 75 75 75 75 75 75 75 75 75 75 7	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. \$0 7530 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$1 7550 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh.	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10 1	wart, a 4/lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3	ccord 55 \$0 55 55 55 55 55 55 55 55 55 55 55 55 55	25 dling Lb. 75 75 75 75 75 75 75 75 75 75 75 75 75 7	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7500 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$0 7560 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh. \$0 7570 Ice Cream, White Seed (Peerless). Very early; red flesh. Oval. \$0 7580 Icing, Dark. Solid, dark green skin; red flesh of superior quality; white seed;	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. Oz. 10 10 10 10 10 10 10 10 10 10 10 10 10	wart, a 1/2 lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 \$0 5 \$5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 dling 75 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7460 Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7500 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$0 7560 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh. \$0 7570 Ice Cream, White Seed (Peerless). Very early; red flesh. Oval. \$0 7580 Icing, Dark. Solid, dark green skin; red flesh of superior quality; white seed;	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10	wart, a % % % % % % % % % % % % % % % % % %	55 \$0 55 \$5 55 55 55 55 55 55 55 55 55 55 55 55 55	25 25 25 25 75 75 75 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. Oz. 10 10 10 10 10 10 10 10 10 10 10 10 10	wart, a 1/2 lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55555555555555555555555555555555555555	25 dling 75 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7540 Florida Favorite. A superior strain; oblong; red flesh; intermediate. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$0 7560 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh. \$0 7570 Ice Cream, White Seed (Peerless). Very early; red flesh. Oval. \$0 7580 Icing, Dark. Solid, dark green skin; red flesh of superior quality; white seed; early; nearly round. \$0 7590 Icing, Light. Round; pink flesh of fine quality. \$0 7600 Jordan Gray Monarch. Largest grown; crimson flesh; late. Long. \$0 7600 Jordan Gray Monarch. Largest grown; crimson flesh; late. Long. \$0 7600 Jordan Gray Monarch of excellent flavor. Very large, almost globular in	0 10 1 0 10 1 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5	Oz. Oz. 10 10 10 10 10 10 10 10 10 10 10 10 10	art, a % lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55555555555555555555555555555555555555	25 dling Lb. 75 75 75 75 75 75 75 75 75 75 75 75 75 7	
These are four of the latest Paris market sorts. WATERMELON MELON D'EAU Zandia Bassemelone CULTURE.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine Pashipper. \$0 7430 Black Diamond. Dark green, tough skin; large size. Round. \$0 7440 Black Spanish. Roundish; nearly black; dark red flesh; early. \$0 7450 Boss. Oblong; dark green; flesh deep scarlet; rind thin; intermediate. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7480 Bradford. Long and of dark color; red flesh, sweet and tender. \$0 7490 Cole's Early. Medium size; red flesh; green skin. Oval. \$0 7500 Cuban Queen. Solid and heavy; skin marked regularly; excellent; early. Oval. \$0 7510 Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long. \$0 7520 Duke Jones. Large; handsome, dark green; red flesh of fine flavor. \$0 7530 Early Fordhook. Extra-early; good-size; green skin; red flesh. Oval. \$0 7540 Florida Favorite. A superior strain; oblong; red flesh; intermediate. \$0 7550 Halbert Honey. Dark, glossy, green skin; flesh crimson, luscious and sweet. \$0 Strong, vigorous grower and free fruiter. Long. Fine for northern states. \$0 7560 Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh. \$0 7570 Ice Cream, White Seed (Peerless). Very early; red flesh. Oval. \$0 7580 Icing, Dark. Solid, dark green skin; red flesh of superior quality; white seed; early; nearly round. \$0 7590 Icing, Light. Round; pink flesh of fine quality. \$0 7600 Jordan Gray Monarch. Largest grown; crimson flesh; late. Long. \$0 7600 Jordan Gray Monarch. Largest grown; crimson flesh; late. Long. \$0 7600 Jordan Gray Monarch of excellent flavor. Very large, almost globular in	0 10 1 0 10 1 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10 1	%lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55555555555555555555555555555555555555	25 25 25 25 75 75 75 75 75 75 75 75 75 75 75 75 75	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pshipper	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10 1	art, a 4/1b. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	secord I \$0 5.55.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	25 dling b. 75 75 75 75 75 75 75 75 75 75 75 75 75 7	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassemelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pshipper	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. \$0 10 10 10 10 10 10 10 10 10 10 10 10 10 1	wart, a 4/lb. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	second 555555555555555555555555555555555555	25 dling b. 75 75 75 75 75 75 75 75 75 75 75 75 75 7	
These are four of the latest Paris market sorts. WATERMELON Melon d'Eau Zandia Bassermelone Culture.—Treat the same as Muskmelons, except that they should be planted 8 to variety. Light soil is best. 7410 Alabama Sweet. Dark green skin; red flesh, tender and sweet. Long. Fine pshipper	0 10 10 10 10 10 10 10 10 10 10 10 10 10	Oz. SO 10 10 10 10 10 10 10 10 10 10 10 10 10 1	art, a 4/1b. \$0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55555555555555555555555555555555555555	25 75 75 75 75 75 75 75 75 75 75 75 75 75	

WATERMELONS, continued 7640 Mammoth Santiago. Light green skin, striped darker: deep blood-red flesh of sweet flavor: uniformly large and long; a good shipper. Pkt. 5c., oz. 10c., 1/4lb. 25c., lb. 75c. 7650 Mountain Sweet. Red flesh; late; dark green; long, tapers to stem end. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts. 7660 Phinney, Early, and of fine quality; large; solid; red flesh; intermedi-ate. Oblong. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

7670 Pride of Georgia.



CUBAN	QUEEN	WATERMELON
-------	-------	------------

	Round; large; CUBAN QUEEN WATE	ERMELON			
	crisp; bright red	Pkt			Lb.
	flesh; intermediate			\$0 25	\$o 75
	Nattlesnake, Southern. Oblong; dark and striped; bright red flesh;			25	75
	Seminole. Very large; quality first-rate; red flesh; intermediate. O			25	75
	Sugar Stick. Light green; oblong; luscious rich red flesh. Strong gr			25	75
7720	Sweetheart. Very large; bright skin; fine quality. Oval		5 10	25	75
7724	From WATSON. Produces melons 16 to 22 inches long and 8 to	10 inches			
	in diameter. The dark green rind is thin but tough; stands	shipping			
	well. The flesh is deep red, crisp, and melting and of finest flavor			25	75
	Triumph. Bluish green skin; red flesh; large; good shipper. Oblong			25	75
7740	Wonderful Sugar. Very sweet; handsome. Oblong		5 10	25	75
7750	Ocitron, Green Seed. Used for preserves		05 10	25	75
7760	O Citron, Red Seed. Round and handsome; for preserving	C	05 10	25	75

NASTURTIUM

Nasturtium CAPUCINE Maraneula

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for capers.

	Pkt.	Oz.	¼lb.	Lb.
7900 Tall Crimson	\$0 05	\$0 15	\$0 35	\$1 00
7910 Tall Yellow	05	15	35	I 00
7920 Tall Mixed	05	10	20	60
7930 Dwarf Mixed	05	70	25	75

OKRA, or GUMBO

Safran GOMBAUD Quimbombo


CULTURE.—Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted. For keeping, they should be picked whilst small and tender.

		Oz.		
8020 Long Green. Tall; very productive; moderately long green pods				
8030 White Velvet. Tender long white pods; smooth and velvety in appearance	e 05	10	20	50
8040 Dwarf Green Prolific. Short thick pods	05	10	20	50
8050 Perkins' Mammoth. Fine strain; very long pods	05	10	20	50

ORACH, or FRENCH SPINACH

ARROCHE Armuella

CULTURE.—Sow early in spring; cultivate and use like spinach.	Pkt.	Oz.	¼lb.	Lb.
8100 Red. Distinct; dark red leaves	.\$0 05	\$0 15	\$0 35	\$1 00
8120 White. Pale green leaves, almost yellow	05	15	35	1 00
We pay postage or express charges on all garden seeds bought by the packet, of				



-MUSHROOM SPAWN

BLANC DE CHAMPIGNON Seta Champignonbrut

Culture.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse-manure, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed the required size. Three to 4 feet wide, 8 inches deep and any length desired are the proper proportions for a bed, but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, and about one inch deep, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From our experience with English, French and American Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the other two; but, if the bed is not in the right state, it will often rot. The American and English Spawns, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing their vitality. It is well to keep these points in mind in ordering spawn. The French Spawn should be slightly moistened by sprinkling with water for two or three days before planting.

8170 American Spaw	n. In bricks		\$16 00
	In bricks		
	In bulkPer lb.		

Transportation charges extra.

MARTYNIA (For Pickles)

GemBenborn

CULTURE.—Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or the seed may be sown in a hotbed, and the seedlings afterward transplanted. These varieties are productive and fine for pickles. Pick when small and tender, and preserve the same as cucumbers.


	PK	τ.	Oz.	741D.	T4D	,.
8250 Craniolaria	. \$o	05	\$o 25	\$0 75	\$2	50
8280 Proboscidea		05	25	75	2	50

ONION

OIGNON Cebolla Awiebel

CULTURE.—Sow in rich, sandy soil, in drills I foot apart, as soon as the ground can be worked in spring—at the rate of 4 to 5 lbs. to the acre. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds. The finest Onions are produced by the new method of sowing the seed in hotbed in February and March and transplanting the seedlings to the open ground. Oz. 8320 White Early Barletta. A small white Italian sort: very early............\$0 05 \$0 20 \$0 60 \$2 00 8330 Queen. Pure white; small, flat; extra-early; fine for pickling...... 05 20 60 2 00 8334 Very White Pearl (Resina). Extra-early: round: very white: fine flavor..... 05 20 60 2 00 20 8360 Large Portugal. The standard large flat sort of the New York markets. 05 20 60 2 00 8370 Large Globe (Southport Strain). Very large and handsome...... 10 30 80 2 50 Mammoth Garganus, or Silver King. Large, silvery white Italian.... 05 8380 2 00 8390 20 50 I 75 8400 80 2 50 30 8410 75 Tripoli (El Paso, or Mexican). Large, white Italian variety...... 05 8420 50 I 50 8430 20 50 I 75 " 8440 Marvel of Pompeii. Small Italian sort, two weeks earlier than Barletta 10 30 2 50 VAUGIRARD WINTER. Fine pickling sort. Sow in September 8450 20 60 2 00 8520 Welsh. The leaves are used for salad early in spring. Sow in fall... 05 60 2 00 20 50 I 50 8550 Globe Danvers. Of more globular shape; keeps well............ 05 20 50 I 50 Large Globe (Southport Strain). The finest large yellow...... 05 8560 20 50 I 50 8564 Globe Michigan. True globe-shape; fine keeper...... 05 20 50 I 50 8570 Globe Spanish, or Prizetaker. Immense size; globe-shaped....... 05 20 50 I 50 8574 **DENIA.** Imported from Spain. It is generally conceded that this is the parent type of the well-known Prizetaker, of which, however, it is a far superior strain. Denia runs more uniform in size and is a more characteristic Globe, the bulb is more compact, and its rings or layers of growth are thinner, the neck is generally

smaller than Prizetaker, and it seems to ripen down somewhat



THORBURN'S GLOBE ONION, SOUTHPORT STRAIN

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

ONIONS, continued Pkt. Oz.		¼lb.	T L
8576 Yellow Giant Rocca. Productive and mild; of large size; Italian\$0 05 \$0 2	o \$	5410. 50 50	Lb. \$1 50
	о "		1 50
8600 "Ailsa Craig. A splendid Yellow Globe variety; grown largely for			
exhibition purposes. The great forcer	0	1 25	4 00
8700 Red Australian Brown. Medium size; hard; solid; very early 05	o	60	2 00
8710 "Bermuda. (Teneriffe-grown.)	0	80	2 50
8720 "Large Wethersfield. Half-early, and a good keeper; large size 05	O	50	1 40
8730 " Large Globe. (Southport Strain.) The finest large red sort 05	5	40	1 25
8750 "Early Flat. Medium size; very early; deep red; mild flavor 05	5	40	1 25
8760 Chives Seed 10 4	О	I 25	4 00
` ,	5	I 00	3 50
8820 Shallot Seed 10 4	О	I 25	4 00
ONION SETS			
Plant in drills about 12 inches apart and 4 inches in the rows. They must have high culture	е.		

 Plant in drills about 12 inches apart and 4 inches in the rows. They must have high culture.

 These are the prices ruling in January; later on they may be higher.
 Qt.
 ½pk.
 Pk.

 Yellow Onion Sets.
 \$0 20 \$0 60 \$1 00

 White Onion Sets.
 25 75 1 25

 Red Onion Sets.
 20 60 1 00

For Parsley and Parsnip, see pages 40 and 41

PEAS

Pois Chicharos o Guisantes Erbsen

CULTURE.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as the 20th of August. Medium and Late Peas must be planted early; Extra-Earlies may be planted again in August. Sow in single or double rows, from 4 to 6 feet apart according to the different heights, about an inch apart in the row (except such sorts-as we note to sow thinly) and 4 inches deep. In this climate, the O'Rourke Pea, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like bush beans, with rows about the same distance apart.


The holes which are sometimes found in Peas are caused by the Pea weevil (Bruchus pisi). The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods and into the nearest Peas. If the new aphide attacks the Peas, spray the vines every day with clear water of the same temperature as the atmosphere.

as the atmosphere.


Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be

sown thicker than the round Peas and not until the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas. Those marked thus (†) are large-podded sorts.

We supply packets of Peas at 10 cts. each, postpaid, except where quoted otherwise; other quantities NOT prepaid; add transportation charges at the rate of 5 cts. per pint, 10 cts. per quart.



	EXTRA-EARLY PEAS						
8900	Thorburn Extra-Early Market. Our standard market-garden extra-infeet pi	er nt	Per quart	Pe ½1			er k.
	early Pea; productive and profitable to grow 2½ \$0	15	\$o 3o	\$ī	00	\$ī	75
	Daniel O'Rourke, Improved. Extra-early; favorite sort 2½	15	30		00		75
	First-of-All. First-class selected strain of extra-earlies	15 15	30 30		00		75 75
	*†Thomas Laxton. A cross between Gradus and one of the extra-	13	30	•	00	Ť	13
	early sorts. Ripens within a day or two of the earliest round						
	varieties; very productive. The pods are large and contain 7	25	40		25	_	25
8950	or 8 large, wrinkled Peas of the finest flavor. pkt. 15 cts 3 *†Gradus, also called Prosperity. One of the finest extra-early Peas.	25	40	1	35	2	25
0,50	Ready to pick about four days after 8900. Pods very large,						
	filled with large, wrinkled Peas of finest quality. pkt. 15 cts 3	25	45		50		50
	Carter's First Crop	15	30		00		75
	*American Wonder. Early and productive; fine quality 1 *English Wonder. Very prolific and early	15 15	30		00		75 75
	*Sherwood. Pods large, deep green color	25	45		50		50
	*Sutton's Excelsior. As early as American Wonder, with much broader	v	10		•		U
	pods, filled with large Peas of finest flavor; very prolific I	25	40		25		25
9000	*Nott's Excelsior. Splendid early wrinkled sort; very prolific I Pedigree Extra Early. One of the finest extra-early sorts 2½	20	35		25		00
	*Premium Gem. Early; straight pods, well filled	15 15	30 30		00		75 75
	*Little Gem. Early; straight pods	15	30		00		75 75
	*Little Marvel. A few days earlier than English Wonder and with		O				• •
	larger pods. This variety is an improvement on English			_			
9040	Wonder and in habit is very similar. Remarkably prolific 2 †*Laxtonian. Very large, dark green, curved pods and Peas of finest	25	40	1	35	2	25
7010	flavor; great yielder; very early	30	50	1	75	3	00
	TADI W AND MEDILIM DEAC						
0120	*Advancer. A fine standard sort of excellent quality 2½		40		00	Ţ	
9160	*Abundance. Long, round, well-filled pods. Sow thinly	15 15	30 30		00		75 75
	*Horsford's Market-Garden. On the style of Advancer; very prolific. 2½	15	30		00		75
9180	*Everbearing. Long pods; large Pea. Sow thinly 2½	15	30	I	00		75
9190	†Pride of the Market. Very large pods; green peas. Sow thinly 2	15	30		00		75
9200	*Champion of England. A well-known standard sort. Sow thickly 5 *Dwarf Champion. A dwarf form of the popular Champion of England,	15	30	Ι	00	I	75
7210	with large pods; very productive; finest quality 2	15	30	I	00	I	75
9220	†*Duke of Albany (American Champion). Immense pods on style of	v	Ü				,,
9260	Telephone; very superior	20	35		25		00
	†*Heroine. Large, full pods; enormously productive 2½ †*Daisy. Dwarf wrinkled, with large pods and Peas	15	30		00		75
9274	*Prince of Wales. Early and prolific	20 20	35 35		25 25		00
9280	†*Sutton's Dwarf Defiance. Straight, long dark green pods, closely	20	33	•	-5	-	00
	packed with large Peas of superior flavor. Very productive 2½	15	30	1	00	I	75
9284	*The Lincoln. Long, curled deep green pods, well filled with Peas of finest flavor. Very productive	20	25		25	2	00
9300	*Yorkshire Hero. A spreading variety; productive. Sow thinly 2½	15	35 25	1	25 85		00 50
		v	Ü		-0		0 -
9400	†*Admiral Dewey. Enormous pods; large, wrinkled Peas of fine						
7.100	flavor; very productive	20	35	I	25	2	00
9410	†*Juno. Large, straight pods; fine quality; very productive 1½	15	30		00		75
9420	†*Stratagem. Very large pods; Peas of finest quality 1½	20	35	1	25		00
9430	Potlatch. A large-podded Stratagem	20	35		25		00
9450	†Telegraph (L. I. Mammoth)	15 20	30		00		75 00
9460	White Marrowfat. A favorite; heavy yielder	15	35 25		25 80		25
•	We supply packets of Peas at 10 cts. each, except as noted, postpaid.						
	SUGAR PEAS (EDIBLE PODS)				•		
5	Sugar Peas have edible pods which are eaten when young.					-	
9540	Mammoth Gray-seeded Sugar. Immense pods 5	30	50	I	75	3	00
9550	Dwarf White Sugar. Very early	25	45		50		50
9564	Luscious Sugar	30	50	I			00
7370	Melting Sugar4	30		Ι		3	00
	We pay postage or express charges on all garden seeds bought by the packet, ound	e or	quarter	-po	und		



20 cts., ¼lb. 60 cts., lb. \$2.

9790 Sweet Mountain. Large size; regular, handsome shape; mild flavor. Pkt. 5 cts., oz. 25c., ¼lb. 75c., lb. \$2.50. 9800 Sweet Spanish. Large, mild; used for salad. Pkt. 5 cts., oz. 20 cts., ¼lb. 65 cts., lb. \$2.25.
9810 Tabasco. True. Bush 3 feet high; small, long, bright

red fruit in clusters; very hot; best for pepper-sauce and pickling. Pkt. 10c., oz. 45c., ¼lb. \$1.35, lb. \$4.50.

9840 UPRIGHT SWEET SALAD. Finest of all. Handsome, productive and of finest quality; bright scarlet; flesh


thick, mild and very sweet. The Peppers are as large as Ruby King, and are all borne upright, clear of the ground. The flesh is so thick and the skin so tender that it may be fried like a beefsteak, and so sweet that it may be eaten like an apple. Pkt. 10 cts., oz. 30 cts., 1/4 lb. 85 cts., lb. \$3.

PARSLEY

Peterfilie Perijil PERSIL

CULTURE.—Soak the seeds a few hours in lukewarm water, and sow early in spring and until the middle of July, in drills I foot apart. Have the soil thoroughly pulverized, and, after sowing the seed, pat it down lightly with the spade. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 9970 should be thinned out while young, and managed in after-cultivation the same as carrots and parsnips. The roots are edible either raw or cooked.

9920 Thorburn Extra Curled. Superior. Pkt. 5 cts., oz. 10 cts., 1/4lb. 30 cts., lb. \$1.



PARSLEY, continued

9930 Thorburn Champion Moss Curled. Pretty. Pkt. 5 cts., oz. 10 cts., ¼lb. 30 cts., lb. \$1.

9940 Fern-leaved. Fine curled. Pkt. 5 cts., oz. 15 cts., 1/4lb. 35 cts., lb. \$1,25.

9950 Plain. The ordinary form. Pkt. 5 cts., oz. 10 cts., 14lb. 30 cts., lb. \$1.

9970 Hamburg, or Thick-rooted. Pkt. 5c., oz. 10c., 1/4lb. 30c., lb.\$1.

9980 Glory of Erfurt. Turnip-rooted. Pkt. 5c., oz. 20c., 1/4lb. 60c.,

9990 Turnin-rooted (Thick Sugar). Pkt. 5c., oz. 15c., 1/4lb, 35c., lb. \$1.25.

PARSNIP

PANAIS Chirijia Rastinafe


CULTURE.—Sow as early in the spring as the ground can be worked. in rich soil, in drills 18 inches apart. The ground should be well and deeply dug. Thin to 6 or 8 inches in the rows. Hoe and cultivate often to keep down weeds.

10030 Thorburn Hollow Crown. A market-gardeners' strain. Pkt. 5 cts., oz. 10 cts., 1/4lb. 20 cts., lb. 50 cts. 10050 Early Round. Pkt. 5 cts., oz. 10c., 1/4lb. 20 cts., lb. 60c.

PUMPKIN


POTIRON CalabazaGroße Rurbif

CULTURE.—May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects is cultivated in same manner as melons and cucumbers. Avoid planting near other vines.





CONNECTICUT FIELD PUMPKIN



THORBURN'S HOLLOW CROWN PARSNIPS

25

7.5

10240 Calhoun. Very superior quality. Yellow flesh. Fine for pies. Pkt. 5 cts., oz. 10 cts., ¼lb. 20 cts., lb. 60 cts. 10244 Japan Crookneck. Fine keeper. Qual-

ity excellent. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

10250 Red Etampes. Medium size; flat; very productive. Pkt. 5 cts., oz. 15 cts., 1/4lb. 40 cts., lb. \$1.25.

10260 Mammoth King. Grows to an enormous size. Pkt. 5 cts., oz. 15 cts., 1/4 lb. 40 cts., lb. \$1.25.

10270 Mammoth Tours. A very large French variety. Pkt. 5 cts., oz., 10 cts., ¼lb. 25 cts. lb. 75 cts.

10280 Quaker Pie. Very prolific and a good

keeper; fine for pies. Pkt. 5 cts., oz. 10 cts., ¼lb. 25 cts., lb. 75 cts.

10290 Winter Luxury. A fine keeper and one

of the best for pies. Pkt. 5 cts., oz.

10 cts., 1/4 b. 25 cts., lb. 75 cts.

10300 Connecticut Field. Grown in cornfields for stock. Pkt. 5 cts., oz. 10 cts., ¼lb. 15 cts., ½lb. 25c., lb. 40c.


We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

POTATOES, Grown Expressly for Seed BARRELS)

Pomme de Terre Patatas Rartoffeln

CULTURE.—Three to four barrels to the acre. In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets 1 foot in the rows. If wood ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado Potato-beetle makes its appearance, the vines must be dusted with paris green mixed with about 80 parts of plaster; or what is better, mix the paris green in water, one small tablespoonful to a pailful, and apply with a small brush or broom. Take care to stir the mixture often, or else the paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

EARLY POTATOES



THORBURN'S NOROTON BEAUTY POTATOES

SCARLET GLOBE

RADISHES

RADISH

RADIS ET RAVE Rabanos y Rabanitos

Radies und Rettig

CULTURE.—Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. They should be sown in light, rich soil, as a crisp Radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 lbs. to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast and small turnip-shaped sorts.

Varieties marked with an asterisk (*)

are best suited for market-gardeners.

10680*Turnip, Early Scarlet. Very early. The French favorite. Pkt. 5 cts., oz. 10 cts., ¼lb.

20 cts., lb. 50 cts.

10690*Turnip, Early Scarlet Forcing. Crisp; very early. Pkt. 5 cts., oz. 10 cts., 1/4lb. 20 cts., lb. 60 cts.

10710*Turnip, Early Scarlet Whitetipped. Very early; for frames or outdoors. Pkt. 5 cts., oz. 10 cts., 1/4lb. 20 cts., lb. 50 cts.

10720 Turnip, Early Scarlet White-tipped Forcing. Pkt. 5 cts., oz. 10 cts., ¼lb. 20 cts., lb. 60 cts.

10740 Turnip, Early Deep Scarlet. Very early; crisp. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 20 cts., lb. 60 cts.

10760 TURNIP, EARLY DEEP SCARLET FORCING. Very tender and crisp, rich deep scarlet color, very excellent forcing sort. Pk. 5 cts., oz. 10 cts., 1/4 lb. 20 cts., lb. 60 cts.

10764 Turnip, Early Deep Blood-red. Fine deep color

Pk. 5 cts., oz. 10 cts., ¼lb. 20 cts., lb. 60 cts.	Pkt.		¼lb.	Lb.
10764 Turnip, Early Deep Blood-red. Fine deep color	0 0 5	\$0 IO	\$0 20	\$0 60
10780 Extra-Early Yellow Ball. Root is perfectly round, of an attractive yellow	V			
ocher color. Very smooth			20	60
10800 Turnip, Early Triumph (Speckled Beauty). Striped or mottled	. 05	10	25	75
10810* " SCARLET GLOBE-SHAPED. Fine for forcing or ope	n			
ground. The Radishes are almost round, of a beautiful	1			
rich scarlet, very tender and crisp	. 05	10	20	60
10820 " CRIMSON GIANT, or Giant Butter. Desirable for forcin				
or outdoor planting. Will produce Radishes nearl	<i>y</i>			
twice the size of other red forcing varieties and, in spit	е			
of their large size, will retain their crispness and solidity	. 05	10	20	60
Non Plus Ultra. Extra-early scarlet forcing	. 05	10	20	6 0
white, or box. For forcing; nesh pure white and sweet	. 05	10	20	6 0
10900* "Golden Summer. Smooth and bright skin	. 05	10	20	6 0
11000*French Breakfast. Pink and white; early	. 05	10	20	6 0
11060*Olive-shaped White Forcing (White Rocket). A forcing strain of above	. 05	10	20	6 0
11080* "Deep Scarlet Forcing (Red Rocket). A forcing strain of				
the above		10	25	75
11090 "Golden Yellow. A good sort of very fine quality		10	20	6 0
11094 " Scarlet	. 05	10	20	50
11110 "Scarlet White-Tip Forcing (White-Tip Rocket)	05	10	25	75
11140 Half-Long Deep Scarlet (Paris Beauty). Flesh bright and crisp	. 05	10	20	60
11144 " " Forcing. Fine	. 05	10	20	60
11150 " Delicacy. Half-long, smooth, snow-white; fine forcer	. 05	10	20	50
11160 "White Forcing. Splendid, pure white; fine forcer		10	25	75
11180*Long Scarlet Short Top. Very long, crisp; for frames or outdoors		10	20	50
				_

RADISH, continued	Pkt.	Oz.	¼lb.	Lb.
11190 Long Brightest Scarlet or Cardinal, White-tipped	\$o o5	\$o 10		\$0 60
11210 "White Naples, or Shepherd. Slender; for summer use	05	10	20	6 o
11220* "White Vienna, or Lady Finger. Crisp and tender in summer	., 05	10	20	60
11230 " Icicle. Pure white, of fine flavor; suitable for forcing	05	10	20	60
11240 "Cincinnati Market. An improved strain of Long Scarlet	05	10	20	50
11250* "Wood's Frame. Long, red, crisp and good forcer	05	10	20	60
11290 Round Scarlet China. Fine for winter or summer. Matures in 6 to 8 week	ks. 05	10	20	60
11320*White Strasburg Summer. Very large; the German's favorite	05	10	20	60
11330* "Stuttgart Summer. Very early and very large	05	10	20	60
11380*Winter Scarlet Chinese. Oblong. Very handsome and distinct and ke	eps			
well	05	10	20	60
11390 "Long Black Spanish. The popular winter sort			20	60
11400 "Half-Long Black Spanish. Very fine strain	05	10	20	60
11410 "Oval Black Spanish. Shorter and more oval than the above	05	10	. 20	60
11420 "Round Coal-Black Spanish. Fine for winter	05	10	25	75
11440 "Celestial. Very large; white; solid and crisp. Fine winter sort	05	10	25	75
11450 "California Mammoth (Russian Mammoth). Very large wir				
variety		10	20	60
11480 Sakurajima (Mammoth Japan). The largest sort in cultivation. Searly in rich soil. In Japan it grows as much as 21 inches long and				
inches in circumference. Thin well to allow of proper development.		15	40	I 25
		-		_

RAMPION

Raiponce Reponche Rapunzel=Rübe

11590 ROQUETTE

CULTURE.—Sow early in spring, in rows, and thin out to 8 to 10 inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange-blossoms. Pkt. 5 cts., oz. 10 cts., 1/4 lb. 25 cts., lb. 80 cts.

RHUBARB

11740 SCOLYMUS

The roots resemble a small parsnip, and will keep through the winter like a turnip. It is cultivated exactly like the carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled like salsify. Pkt. 10 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.

11780 SCORZONERA

CORZONERE Escorzonera Scorzionwurzel

Culture.—Cultivate the same as salsify. It is cooked in the same manner, but, on account of being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to salsify. It is also called Black Salsify. Pkt. 10 cts., oz. 25 cts., ¼lb. 75 cts., lb. \$2.50.

SALSIFY, or VEGETABLE OYSTER

Salsifis Ostion Vegetal Haferwurgel

CULTURE.—Sow as early as the ground can be worked in the spring, in drills 12 inches apart, I inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as carrots and parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces ½ inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like parsnips, and have a sweet and agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow eight to ten pounds to the acre.

11840 Giant Mammoth. Pkt. 10 cts., oz. 30 cts., 1/4lb. 85 cts., lb. \$3.

11850 Mammoth Sandwich Island. Large. Pkt. 5 cts., oz. 15 cts., ¼lb. 40 cts., lb. \$1.25.

11880 Thorburn's Improved Thick-rooted. Thick and smooth. Pkt. 10 cts., oz. 30 cts., 1/4 lb. 85 cts., lb. \$3.

SKIRRET. See page 47.

SORREL

Oseille Acedera Sauerampfer

CULTURE.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flower-stems cut off as they appear. It remains in the ground year after year, and needs to be taken up and divided only once in four or five years. To be cut and cooked precisely like spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds spinach. It is also used for soups. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

11930 Garden, Large French. Pkt. 5 cts., oz. 15 cts., 1/4lb. 40 cts., lb. \$1.50.

11934 "Large Belleville. Very large. Pkt. 5 cts., oz. 15 cts., 1/4|b. 55 cts., lb. \$1.75.


11940 "Mammoth Lyons. Extra-large improved strain. Pkt. 5 cts., oz. 25 cts., 1/4lb. 75 cts., lb. \$2.50.

11944 "Golden-leaved Lyons. Pkt. 5 cts., oz. 20 cts., 1/4lb. 60 cts., lb. \$2.

11950 " Large-leaved German. Pkt. 5 cts., oz. 20 cts., 1/4lb. 55 cts., lb. \$1.75.



THORBURN'S IMPROVED THICK-ROOTED SALSIFY



SWISS CHARD, or SILVER BEET

1690 Silver Leaf. This is a Beet producing leaves only, of a quality superior to those of the ordinary Beet, and excellent as greens. Cultivate about the same as spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will increase the delicacy and tenderness of the leaves. Pkt. 5 cts., oz. 10 cts., 1/4lb. 25 cts., lb. 75 cts.

1700 Giant Lucullus. Large, crinkled leaves; tender and of fine flavor; dark green; pure white ribs. Pkt. 5 cts., oz. 15 cts., ¼lb. 35 cts., lb. \$1.25.



GIANT LUCULLUS SWISS CHARD

SPINACH

EPINARD Espinaca Spinat

CULTURE.—Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks for a succession, and, as it grows, thin out for use. For fall use, sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves after the weather becomes quite cold. Keep clear of weeds. Sow the seeds of New Zealand in hills 2 feet apart each way, three or four seeds in a hill.


12000 Round Viroflay (Thick-leaved). Has very large, thick, dark green leaves; Pkt. the favorite market-gardeners' sort for fall or spring sowing\$0 o	Oz.	¼lb.	Lb.
the favorite market-gardeners' sort for fall or spring sowing\$0 o	5 \$0 IO	\$o 15	\$0 35
12010 Long Season, Thorburn's, Stands longer before running to seed than			
any other sort except New Zealand	5 10	15	35
12020 Round-leaved Flanders. A standard sort o	5 10	15	35
12040 Lettuce-leaved. Popular French sort	5 10	15	35
12050 Curled-leaved Savoy, or Bloomsdale. Large curled and wrinkled leaves;	-		00
tender and of finest flavor	5 10	15	35
12060 Long-standing (Round Thick-leaved). Dark green; leaves large and thick;			
very long-standing. Best for spring growing o	5 10	15	11 35
12070 Victoria. Extra-dark, black-green color. Two or three weeks later than			- 115
the ordinary "Long-standing." A fine variety for spring sowing o	5 10	15	35
12080 Prickly, or Winter. Vigorous and hardy; recommended for fall sowing o	5 10	15	35
12090 Eskimo Giant. Dark green; large leaves o	5 10	20	40
12100 Triumph. An improved long-standing sort o	5 10	15	35
12120 New Zealand Summer. Not a Spinach, but used as such. Grows 1½ feet high and is very prolific; does well in hot summer weather; valuable for			
hot climates. Soak the seed in hot water before using o	5 10	25	75
	,	-0	13

SQUASH

Courge Calabaza Speife Rurbiß

CULTURE.—Sow in hills in the same manner and at the same time as cucumbers and melons, the bush varieties 3 to 4 feet apart, the running kinds from 6 to 9 feet apart.

BUSH VARIETIES	kt.	07	¼1b.	1	b.
12200 Early Golden Bush. Fine for summer; not so early as the White Bush\$0		\$0 10	\$0 25	\$o	
12210 Golden Custard. Mammoth strain of the Golden Bush. A valuable va-					
riety; golden yellow flesh; fine quality		10	25		75
12220 Early White Scallop Bush. A good early shipping variety	05	10	25		75
12224 Mammoth White Scallop Bush. Not so early as the former but it produces					
larger fruits	05	10	25		75
12230 Long Island White Bush. An improved strain of Early White Scallop Bush; very prolific	05	10	25		75
	_	10	U		75
12234 Fordhook, White Bush. Oblong fruits, smooth, thin yellow skin		10	25 25		75
12270 Summer Crookneck. Yellow fruit; distinct, best for summer	-	_	25 25		75 75
· · · · · · · · · · · · · · · · · · ·	-	10	25		75
12280 Giant Summer Crookneck. Double the size of the above	05	10	25		75
marbled yellow or pale green	05	. 10	30		90
marbled yellow of pale green	00		30		,,,
DIMINING MADIEMER					
RUNNING VARIETIES					
12400 Bay State. Hard, blue shell; for fall or winter	05	10	30	Ι	00
12410 Boston Marrow. Oval; bright orange; flesh yellow and fine	05	10	30	I	00
12440 Delicata. Orange-yellow, striped green; small size, but very prolific; it					
is extra early, solid, and a good keeper; flesh dry and of fine quality	_	10	30	I	00
12450 Delicious. Green skin; orange flesh, fine-grained, sweet and dry	-	10	35	I	25
12460 Essex Hybrid. A good fall and winter sort; fine-grained; rich flavor; very					
prolific		10	30		00
12470 Fordhook. One of the best winter sorts; fine quality	-	10	30		oò
12490 Golden Bronze. Skin green; flesh yellow, fine-grained and sweet	-	10	30		00
We pay postage or express charges on all garden seeds bought by the packet, ounce	or	quarte	r-pound	!	




THORBURN'S SELECTED SQUASHES

RUNNING VARIETIES OF SQUASH, continued	-+	Oz.	¼lb.	Lb.			
12500 Hubbard. Well known and liked for late use; an excellent sort for pies \$0							
12510 "Golden. Same as above, but with orange-red skin	05	15	35	I 2	25		
12530 "Mammoth Warted. Immense size, covered with warts	05	10	30	I O	0		
12540 Mammoth Chili. Rich orange flesh; grows to an enormous size	05	10	30	I O	0		
12550 "Whale. Enormous size; solid; bright orange flesh of fine quality.	05	10	35	I 2	25		
12560 Marblehead. Grey skin; very productive; fine keeper	05	10	30	I 0	Ю		
12570 Orange Marrow. Quite distinct; very early, and of most delicate flavor;							
suitable for fall and winter							
12580 Perfect Gem. Round; white; fine quality; good for fall or winter 05 10 30 1							
12610 Warren. Superior quality. A type of the Essex Hybrid							
VEGETABLE MARROW							
12680 English. The true English strain; cream-color, merging into deep yellow; white flesh; about 9 inches long	05	10	30	I O	0		
12700 Italian (Cocozelle di Napoli). Grows about 20 inches long, with a diameter of 3 or 4 inches. Skin smooth, dark green, marbled yellow or paler green. In Italy it is eaten when quite young	05	10	30	9	o		

SKIRRET

CHERVIS Zuckerwurzel




TOMATO

Томато TomateLiebesapfel

CULTURE.—Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window when one does not wish to have the trouble of making a hotbed. Transplant to the open ground when all danger of frost is past, setting the plants 3 to 4 feet apart each way. Fruit may be had several weeks earlier by sowing seed quite early and transplanting to small pots. Tomatoes that have not ripened at the end of the season may be taken from the vines and placed in empty coldframes, or wrapped in tissue paper, and carefully packed in flat boxes—where a large proportion of them will ripen from time to time, frequently until Christmas.

		-			
	Pkt.			Lb.	
12740 Acme. Medium size; smooth and good; purplish pink	\$0 05	\$o 2 0	\$o 65	\$2 25	,
12750 Atlantic Prize. Extra early; smooth, bright red; good size	05	20	65	2 25	j
12770 Beauty. Large, smooth, dark pinkish red; thick flesh; regular form	05	20	65	2 25	;
12780 Buckeye State. Very large and productive; smooth, uniform, good qua	lity. 05	25	75	2 50)
12794 Carter's Sunrise. Early and productive; medium-sized, bright so fruits; smooth and solid. For forcing or for outdoors		40	1 25	4 00	,
12800 Chalk's Early Jewel. Fine, large, solid, smooth, bright red; simila Stone; early		20	65	2 25	,
12810 Coreless, Livingston's. Almost round; bright red; very produc Ripens all over at once and being almost free from green core	it is		6-	2 25	
an exceptionally fine slicing sort			65	2 25	
12830 Crimson Cushion. Extra large; handsome; bright crimson	10	35	1 00	3 50	
We puy postage or express charges on all garden seeds hought by the packet.	ounce or	· quarte:	r-bound	i	

TOMATOES, continued Pk 12840 Dwarf Champion. Quite distinct; early; fruit like the Acme, purplish	t.	Oz.	1/4	lb.	I	٠b.
pink, of medium size; good quality\$0	05	\$o 25	\$ 0	75	\$2	5C
12844 Dwarf Giant. Largest-fruited of all dwarf sorts. Rich purplish crimson; firm flesh of delicious flavor. Compact and vigorous grower	τo	25	т	00	2	50
12850 Earliana. Extra early; bright red; smooth		35 25	1	00 75		50 50
12900 Favorite. Large; smooth; productive; very solid and of fine flavor. A	93	-5		13	-	50
good shipper	05	20		65	2	25
12910 Fordhook First. Smooth; solid; deep pink; medium size; early; very pro-	·			Ū		Ü
fuse bearer	05	25		75	2	50
12920 Frogmore Selected. Medium size; bright, deep red; smooth; very solid						
and fine-flavored. An excellent sort for forcing under glass	10	40	I	25	4	00
12930 Freedom. Early; regular and uniform; bright scarlet	05	20		65	2	25
12940 Globe, Livingston's. Glossy rose-color, tinged with purple; very early,						
smooth and of large size; very productive and a good keeper. A						
standard variety which retains its popularity	05	25		75	2	50
12950 Golden Queen. Smooth; golden yellow; about size and form of Beauty; of						
good flavor and solid	05	25		75	2	50
12960 Ignotum. Early for so large a sort; deep red; smooth; very prolific. Plant vigorous in growth and productive	o =	۰			_	
12970 Imperial. Early; large; smooth; solid; fine quality; color of Beauty—a dark	05	25		75	2	50
pinkish red	05	25		75	2	50
12980 June Pink. A very early market sort; smooth and of a bright pink color;	٥5	25		75	2	50
medium size	05	25		80	2	75
12990 Lemon Queen, Thorburn's. Most desirable of the yellow Tomatoes. Skin	- 0	-0			_	,,
and flesh lemon with a faint rose blush	05	25		75	2	50
13000 Lorillard. Bright glossy red; smooth; of fine flavor and very early. Very						
productive and satisfactory	IO	30		85	3	00
13020 Magnus. Purplish pink, firm flesh; large; uniform; early; productive.						
Good sort for the home garden	05	20		60	2	00
13030 Matchless. Extra large, smooth and handsome; bright red; very solid.				_		
Plant of vigorous growth and prolific		20		60		00
13040 Mikado. Purplish red, large, smooth and solid		25		75		50
13060 Paragon. Bright red; round; very productive	_	20		60 60		00
13080 Ponderosa. The largest variety in cultivation.	_	20 35	т	00		00 50
13084 RED ROCK. An improvement on the well-known Stone. Exceedingly firm-	10	33	-	00	3	30
fleshed; very large size, and ripens evenly without cracking. The vine						
is a strong, vigorous grower and produces its fruit in great profusion	05	25		75	2	50
13100 Royal Red. Intense bright red; good main-crop variety		25		75		50
13110 Ruby Early. Very early; large size; color bright scarlet	05	25		75		50
13114 Station Dwarf. For pots		40	1	25	4	00
13130 Stone. Very large; perfectly smooth; fine bright scarlet	05	20		60	2	00
13140 Stone, Dwarf. In growth resembling Dwarf Champion, but with much lar-						
ger fruits. Color bright scarlet; perfect shape; very solid and of the						
best quality	05	25		75	2	50
13150 Success. Large bright scarlet; smooth and solid; productive. Plant strong	o =	2 =			_	
and thrifty in growth	05	25		75	2	50
color and of excellent quality	τO	25	т	00	2	50
13170 Table Queen. Large; smooth; round; solid		35 30	1	85		00
13180 TERRA-COTTA, THORBURN'S IMPROVED. Distinct in color and		30		- 0	3	
flesh; pure terra-cotta. See Novelties	10	40	I	25	4	00
13194 Thorburn's Long-Keeper. Bright red; early and productive; fine keeper		25		75		50
13200 Trophy. Very solid; standard late; fine canner; dark scarlet. A particularly	-	Ü				
vigorous and thrifty grower	05	25		75	2	50
13210 Trucker's Favorite. Large, smooth and very regular in form. Purplish red;						
solid	05	25		75	2	50
We pay postage or express charges on all garden seeds bought by the packet, ounc	e or	quarte	r-po	ounc	l	



THORBURN'S RED CHERRY TOMATOES

SMALL-FRUITED TOMATOES

For pickling and preserving. Also invaluable for garnishing.			
Pkt.	Oz.	¼lb.	Lb.
13300 Red Cherry. Small fruits, used for pickles; very handsome\$0 05	\$o 25	\$0 75	\$2 50
13310 Red Currant. Resembles the currant. Useful for preserves, pickles and ex-			
hibition purposes	25	75	2 50
13320 Red Peach. Resembling a peach; for preserves, pickles and exhibition o5	25	75	2 50
13330 Red Pear. Fruit handsome and solid; fine for preserves	25	75	2 50
13340 Red Plum. Bright red; round; regular; for pickles	25	75	2 50
13350 Strawberry (Winter Cherry, or Husk Tomato). Makes fine sauce 05	25	75	2 50
13360 Yellow Cherry. For pickles and preserves	25	75	2 50
13370 Yellow Peach. Beautiful clear yellow; perfectly resembles a peach 05	25	75	2 50
13380 Yellow Pear. Handsome, yellow, pear-shaped fruits	25	75	2 50
13390 Yellow Plum. Round and regular; bright yellow; used for pickles 05	25	75	2 50
13400 Yellow Husk	25	75	2 50


WITLOOF. See Chicory, page 27.

TURNIP

NAVET Nabo Rübe

CULTURE.—For early Turnips, sow as soon as the ground opens in spring. Nos. 13844 to 13890 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from the middle of July to the end of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Rutabagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills, one pound to the acre; broadcast, two to three pounds to the acre.

WHITE VARIETIES	Pkt.	Oz.	¼lb.	Lb.
13500 Cow Horn. Long, white, in shape resembling a cow's horn	.\$o o5	\$0 IC	\$o 25	\$o 75
13510 Early Snowball. Small, and of rapid growth; pure white	05	IO	20	50
13520 German Teltow. Smallest of all; early; distinct flavor; best for pickling.	05	10	20	60



THORBURN'S RED-TOP WHITE GLOBE AND STRAP-LEAF TURNIPS

WHITE TURNIPS, co	ontinued Pkt.	Oz.	¼lb.	Lb.				
13530 Globe-shaped Red-Top. A standard sort in the New	v York market\$0 o5	\$o 10	\$0 20	\$o 5o				
13540 Globe, Pomeranian White. Good either for table or	stock 05	10	20	. 50				
13560 Half-Long White. For frames or outdoors; tender w	hen young; fine quality							
and of superfine flavor		10	25	80				
13570 Jersey Lily (White Model). Snow-white; globular			20	50				
13580 Kashmyr Scarlet. Bright, handsome color; small;	flat; extra early; pure			Ü				
white flesh of finest quality		10	20	60				
13590 Milan, Early Purple-Crown. Earliest of all; white,	with purple top. Flesh							
of fine quality and tender		15	35	I 25				
13600 Milan, Early Pure White. Very handsome; pure w		- 5	00	Ü				
as early as above		15	35	I 25				
13610 MONTESSON WHITE WINTER. Valuable new s		- 5	00	- 0				
tender. See Novelties		20	55	-I 75				
13620 Norfolk White. Globular; late; solid			20	50				
13630 Stone, Thorburn Gray. Solid and sweet; good keepe	`		20	50				
13640 Strap-Leaf, White. A good early, white, flat sort	`	,	20	60				
13650 Strap-Leaf Red-Top. The popular fall flat sort		10	20	60				
13680 White Egg. Oval; handsome and sweet		10	20	60				
13710 White Tankard. Fine keeper; long shape	•		25	75				
• • • •		•	Ü	, ,				
YELLOW VAR	IETIES							
13750 Aberdeen Yellow. Hardy, productive and a good ke	eper o	, 10	20	50				
13770 Globe, Yellow. Fine, sweet, light yellow sort		, 10	20	60				
13780 Golden Ball. Very handsome; keeps fairly well			20	60				
13800 Stone, Thorburn Yellow. Fine, hard winter sort	O	10	20	60				
13830 Seven-Top. Tops used for greens		, 10	20	60				
13840 Tankard Yellow. Long-shaped; good keeper; fine qu	ality o	, 10	20	60				
RUTABAGA								
13844 Champion Purple-Top. A desirable yellow garden va	ariety o	5 10	20	60				
13850 Thorburn Family. A fine strain for family use; fin	nest-quality flesh, crisp,							
tender and of extra-good flavor	o,	5 10	20	60				
13854 Budlong's White		10	20	60				
13860 Thorburn Purple-Top, Improved. (L. I. strain)			20	60				
13880 White-fleshed Large and productive; of fine qualit			20	60				
13890 Laing's Improved Strap-leaved		, 10	20	60				
We pay postage or express charges on all garden seeds be	ought by the packet, ounce o	r quarte	r pound	ł				









PEPPERMINT

LAVENDER

RENNET.

SACE

SUMMER SAVORY

Seeds of Pot, Sweet and Medicinal Herbs

	20045	-		211000	MIL	T11.	Juio			. •		, 5		
4 4 0 0 0								m	Per	pkt.	~ (Oz.	Lb	١.
14000	Agrimony. F	or med	icinal pur	poses		Agr	rmonia e	officinalis	. 5 0	15	# I	00		
14010	Angelica. Ga	arden.	For flavor	ing wine and c	akes	Arc	hangelic	a officina	lıs	05		15	∌ I	00
14020	Anise. Seeds	aroma	tic and ca	rminative		Pin	npinella	anisum.		05		10		75
14 030	Arnica. Tine	ture of	Arnica is	made from it		Arr	iica mon	tana	.	15	I	50		
14040	Balm. For c	ulinary	purposes.			Me	lissa offic	cinalis		05		20	2	00
14050	Basil, Sweet.	. Culin:	ary herb ı	used for flavori	ng soups, et	cOci	mum $ar{B}$ a	silicum.		0.5		10	I	25
14060	" Dwarf	or Bus	h. Culina	ırv herb		Oci	mum mi	nimum		05		15		50
14070	Belladonna.	Is used	for medi-	cine		Atr	oba Bell	adonna.		10		40		00
14080	Bene. The le	eaves 119	sed for dv	senterv		Sesi	amum or	rientale		05		io		.75
240	Borage, Lea	ves use	das a sala	ad flavoring liquo		Bos	rago offic	inalis		05		10		75
14100	Caraway For	r sowing	x Used in	flavoring lique	re and brea	d Car	um Cari	ui		05		10		50
14110	Catnin Has	medici	al qualiti	iec indvorning inque	no and brea	Ne.	beta cata	via		10		30	2	00
1/110	Chamomile	medicii	iai quant	les		Ma	tricaria	Chamann	:110	7.5		00	3	00
14120	Corionder S	inda or	omotio I	For sowing		Con	incaria	Chamom	ma.	13	1	10		40
14134	Corrander.	ii ai	omatic. I	For sowing	• • • • • • • • • • •	Cor	ianarum	sawum		05				40
	Q			For flavoring	• • • • • • • • • •	Cor	ianarum	sauvum	• • • •	05		10		25
14140	Cumin					Cur	nınum C	yminum	• • • •	05		10		80
14150	Dill. For sov	ving. S	eeas usea	for flavoring v	ınegar	An	etnum gr	aveoiens .	• • • •	05		10		75
14154	Mamm	oth. W	luch large	r than above		$\dots An$	ethum gr	aveolens.	• • • •	05		20		50
14160	Elecampane.	Has to	onic and e	expectorant qua	ılıtıes	$\dots Ini$	ıla Hel <u>e</u> r	nium		05		15	Ι	25
14170	Fennel, Swee	t. Seed	is aromat	ic; for flavoring		An	ethum F	œniculun	ı	05		10		40
14180	" Flore	ence. I	n flavor re	esembling celer inal qualities.	y 	$\dots An$	ethum F	æniculun	ı	05		10		80
14190	Foxglove, Pu	ırple. F	Ias medic	inal qualities	. :	$\dots Dig$	zitalis pu	ırpurea		05		15	1	00
14200	Fumitory. A	. medici	nal herb.			Fu1	maria off	ficinalis.		10	I	25		
14210	Hemlock. H	as med	icinal qua	lities; poisonou	s	Cor	iium mā	culatum.		10		75		
14220	Henbane. H	las med	icinal qua	lities; poisonou	s	$\dots H_{\nu}$	oscvanus	s niger		05			· I	50
14230	Horehound.	Has m	edicinal o	ualities		$\dots Ma$	rrubium	vulgare.		05		15		50
14240	Hysson, Ha	s medic	inal quali	ties distilled water		H_{ν}	ssobus o	fficinalis		05		15		50
14250	Lavender. T	rue. F	or oil and	distilled water		Las	pandula s	vera		15		50		00
14260	" p	nesessir	or qualitie	es as above in a	lesser dear	ee La	andula	strica		05		15		50
	Marchmallox	w Hae	medicina	qualities	resser degr	4 I t	han offic	inalis		05		25		50
14280	Marigold P	ot Sin	rle For	medicinal purp		Cal	londula a	fficinalis		05		10		00
1/200	Mariorom S	woot 1	gic. Tor.	seasoning	Jaca	Ori		Maiorano		05		15		25
14294	mai joram, 5	Weel. I	is used in	asoning		Out	ganum 1	majorana	····	70		75	•	23
	Mint Curls	d Mine	useu iii se	Pkt. of 200 s		M	ganum C	hucs		10		15		
	Willia Curie	u wint		PKt. 01 200 S	eeds, 25 cts	IVI E	mina cris	spa	• • • •					
14310	" Spear	rmint .		Pkt. of 200 se	eds, 25 cts.	<i>wie</i>	nina pip	erna						
14314	Spcar.	mint		Pkt. of 200 se	eeds, 25 cts.	IVI e	nina viri	ais					_	
14320	Pennyroyai.	Has m	edicinai q	ualities		не	aeoma p	uiegioiae,	S	15		75		00
14330	Rosemary.	Y ields a	n aromat:	ic oil and water		Kos	smarınus	s _, officinal	<i>is</i>	10		30		0,0
14340	Rue. Said to) have i	nedicinal	qualities	:	Ku	ta graveo	iens		10		30	3	00
14350	Saffron. Is a	ised in	medicine,	and also in dye	ing	Car	thamus	tınçtorıus	5	05		10		75
14360	Sage, Broad-	Leat. A	A culinary	herb; also used	l in medicin	.e <i>Sal</i>	via offici	nalıs		05		15	I	25
14370				ary herb; also i								10		75
14380	" Purple	. Is us	ed as a cu	linary herb; als	so in medici	ne <i>Sal</i> a	via Horr	nimun		05		10		75
14390	Savory, Sum	mer. Is	s used as a	a culinary herb		Sat	ureja hoi	rtensis		10		15	I	50
14400	" Win	ter. Is	used as a	culinary herb.	. 	Sat	ureja mo	ontana		10		30	3	00
14410	Tansy. Gene	erally u	sed in bit	ters		$\dots Ta$	nacetum	vulgare		10		25	2	50
14420	Tarragon, T	`rue. D	oes not p	roduce seed. R	oots in fall			_						
•	and spri	ng	35	cts. each. \$3.50	per doz	Art	emisia I	Dracuncu	lus					
14430	Thyme, Bros	id-leave	d English	cts. each, \$3.50 . Is used as a	seasoning.	Th	vmus vul	garis		10		35	3	50
14440	Fren	ich.				Th	vmus mul	garis.		10		35		
14450	Woodruff (W	/aldmei	ster or M	[aitrank]		Asi	berula on	lorata.		10		75	- 0	J-
14460	Wormwood	Hasm	edicinal o	ualities		Art	emisia a	hsinthin	n	05		20	1	50
														J-
1	Ne hay bostaa	o or ort	wees chara	es on all aarden	seeds hough	it ha tl	ne backet	ounce o	7 014	urten	トーカハ	und		

TOBACCO SEED

•	All 10 cts. per pkt. Not less than 10 cts. worth sold	z.	L	b.
14610	Climax. A cross between Burley and Sterling; fine bright variety	30	\$3	00
14620	Connecticut Seed Leaf. The popular sort, used for cigar wrappers	25	2	50
14622	Conqueror. Superb bright yellow	30	3	00
14626	Gold Finder. A cross between Yellow Oronoka and White Burley	30	•	00
14628	Gooch, Long-Leaf Improved. Fine for sandy soils	30	-	00
14630	Havana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo."	40	4	00
14034	Hester Improved. Yellow; fine for cigars. Adapted to a greater variety of soils and to a	20	_	00
14640	wider range of latitude than most other yellow sorts	30	3	00
11010	type. A healthy and vigorous grower.	30	2	00
14644	type. A healthy and vigorous grower	30	3	00
	Lobacco it has no equal	30	3	00
14650	Kentucky Yellow. Leaf of large size, handsome shape, excellent quality and of surpris-	Ü		
	ingly fine texture, taking size into consideration	30	3	oc
14662	Oronoka White Stem, Improved. Plants are large, with long, medium-broad leaves of			
14664	handsome shape, fine texture and good body	30	_	00
14668		30	3	00
14000	"Sweet. Plants of medium size; leaf is long and somewhat narrow, fine-grained and of sweet flavor	30	2	00
14670	Pennsylvania Seed Leaf. A first-class standard cigar variety	30		00
14680	Persian Rose. Fine; may be relied upon to make fine cigars	35		50
14690	Pryor, Blue. The genuine James River favorite	30		00
14700	"Yellow. Preferred by many for brights; succeeds where the other yellow sorts fail.	30	3	00
	Safrano. Rich saffron-yellow color; soft silky texture and fine flavor		3	00
14720	Sterling. The newest and brightest of the yellow type, and the earliest to ripen	30	_	00
14724	Sumatra. Home-grown; well-known sort; needs no description	55		50
14730	Tuckahoe. Extra-fine, long leaf; fine for wrappers	30		00
14734	Turkish. Home-grown. Needs no description	60	-	00
14740	Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and	00	U	00
11/10	habit. Unsurpassed in delicacy of fiber	30	2	00
14750	Virginia "One-Sucker." Large, wide, lance-shaped leaf; rather coarse than fine	30	_	00
14756	White Burley, Improved. Leaf is large and broad, with yellowish white stem and ribs	30	_	00
	Yellow Mammoth. Large yielder		3	00

BIRD SEED, ETC.

Prices of Bird Seed fluctuate considerably throughout the year. The prices now quoted are those ruling as we go to press, and may be higher or lower as the season advances. Bags and transportation charges extra.

	Per lb. 100 lbs.
Canary Seed. Best grade\$0 10 \$8 00	Millet, White French\$0 12 \$8 00
Canary Seed, Mixed 10 8 00	
Hemp 10 6 00	" German 10 7 00
Sorghum, Mixed (Kaffir Corn). For	Rough Rice 10 8 00
pigeons, etc25 lbs. 90c., 50 lbs. \$1.50. 2 50	Gravel for Cagesper qt., 6 cts
Lettuce Seed	Cuttle-fish Bone 30
Maw, Blue Poppy 20	Sunflower Seed for Parrots 10 8 00
Millet, Golden 10 5 00	Teasels 35

VEGETABLE PLANTS

We shall have some of the standard sorts at their proper seasons


ESCULENT PLANTS AND ROOTS

Asparagus Roots. Plant either in fall or spring.	Doz.	10	00	1,0	00
Colossal. Two years old; in bundles of 50		\$1	00	\$7	00
Palmetto. Two years old; in bundles of 5050 for 60 cts		I	00	7	00
Columbian Mammoth. Two years old		Ι	00	7	00
Barr's Mammoth. Two years old50 for 60 cts		I	00	7	00
Chive Plants. Plant early in springper bunch, 25 cts					
Cinnamon Vine Roots (Dioscorea Batatas; Chinese Yam)each, 6 cts	\$0 50	3	00		
Horse-Radish Roots. Cut in pieces. Plant in spring	20		75		
"Maliner Kren." In bundles of 50		Ι	00	7	00
Artichoke Roots, Jerusalemper qt., 25c					
" Globe	I 50				
Rhubarb Roots. Strongeach, 15 cts	I 50				
Tarragon Plants (Estragon)each, 35 cts	3 50				
We have hostage or entress charges on all garden seeds hought by the backet ounce or	quartes	r-100	unc	7.	

HORTICULTURAL BOOKS ALL CAREFULLY SELECTED STANDARD WORKS

Kindly Order by Number

3	Alfalfa. Its growth, uses and feeding value.	1	153	Hardy Plants, A Plea for. By J. W. Elliott.		
_	Illustrated, 164 pages. Cloth. F. D. Coburn. \$0 5	50	- 6 -	50 illustrations	5 I	75
5	Asparagus. By Dr. F. M. Hexamer. Cloth.		101	Hedges, Windbreaks, Shelters and Live Fences. By E. P. Powell. The planting,		
0	Illustrated. 150 pages 5 Bees, How to Keep. By A. Botsford Com-	50		growth and management of hedge plants		50
9	stock. Full details 1		т7т	House Plants. By Parker Thayer Barnes.		3,
т2	Botany. The Story of Plant-Life. By Julia		- / -	Cloth. Illus	т	20
-3		50 :	T75	How Crops Grow. By Prof. S. W. Johnson	Ť	50
Т7	Cabbage, Cauliflower and Allied Vege-	,	-73 T77	How to Grow Vegetables. By Allen French.	-	3.
-,	Cabbage, Cauliflower and Allied Vegetables. By C. L. Allen. Cloth. Illustrated.	50	-//	Practical from the ground up. Cloth.		
2 T	Celery-Culture. Complete cultural direc-	, ,		12mo. 304 pages. 150 illustrations	T	00
	tions; cost and running expenses; estimate		T 70	How to Plan the Home Grounds. By		,
	of returns from one acre. Prof. W. R.	- 11	- 12	Samuel Parsons, Jr. Cloth. 56 illus	T	T
		50 1	т85	How to Know the Wild Flowers. By Mrs.	ā	
25	Children's Gardens, for Pleasure, Health	. ا "	_ 5	William Starr Dana. Illus	2	00
-5	and Education. By H. G. Parsons, Secre-		т8о	Insects and Insecticides. By Prof. C. M.	_	
	tary of the International Children's School-	'	,	Weed	I	50
	Farm League. Cloth. 12mo. Illus 1 c	00 1	103	WeedLandscape Gardening. By S. Parsons, Jr.		,
20	Clovers and How to Grow Them. By		- > 0	late Superintendent of Parks, N. Y. City	2	0
	Thomas Shaw. Cloth. Illus. 337 pages I o	00 :	107	Lawns and How to Make Them. By		
33	Corn, The Book of. By Herbert Myrick. I	50		Leonard Barron	I	20
37	Cotton. By C. H. Burkett and C. H. Poe.	. :	205	Lessons and Manual in Botany. By Prof.		
٠.	The only book dealing adequately with			Asa Gray. Illus. 800 pages	2	50
	this important subject. Illustrated 2 2	20 2	200	Mushrooms, How to Grow. Falconer		
41	Cyclopedia of American Horticulture. By			Nursery Book, The. By L. H. Bailey. Bud-		
•	L. H. Bailey, of Cornell University, as-		•	ding, grafting, seed-sowing, etc	I	5
	sisted by Wilhelm Miller and many experts.	1 2	210	Onion-Culture, The New. By T. Greiner		50
	4 vols. Over 2,000 original engravings22	00 2	225	Orchard and Fruit-Garden. By E. P.		
45	Daffodils—Narcissus and How to Grow			Powell	I	20
	Them. By A. M. Kirby 1 2	20 2	220	Ornamental Gardening for Americans.		
49	Farm Animals. By E. V. Wilcox 2 2		-	Long	I	50
5.5	Farm-Book, The New American. Allen 2 of	00 2	231	Plant Breeding. By L. H. Bailey. Treats		П
61	Farm Grasses of the United States. By			of crossing, hybridizing, pollination, etc Potato, The. By Fraser. Cloth. 200 pages.	Ι	2
	Prof. W. J. Spillman. A practical treatise;	1 2	237	Potato, The. By Fraser. Cloth. 200 pages.		7
	seeding and management of meadows and	1 2	24I	Practical Potato-Culture. By E. A. Rogers		5
	pastures, etc. Cloth. Illus. 250 pages 1 of	00 2		Practical Garden Book, The. Directions		
67	Farm and Garden Rule Book. By L. H.			for growing the commonest plants of house		
	Bailey. A manual of ready rules and refer-			and garden. Flexible cloth. Illus. 12mo	Ι	00
	ences. Indispensable to every farmer and	1 2	249	Principles of American Forestry. By Samuel		
	gardener, fruit-grower, stockman, dairy-			B. Green Principles of Plant-Culture. By Prof. E.	Ι	50
	man, forester, etc. Cloth, 587 pages 2 of Farm Management. By F. W. Card. Ac-	00 :	255			
71	Farm Management. By F. W. Card. Ac-			S. Groff. A first-class instruction book in		
	counts, business, marketing, comparative			horticulture	Ι	00
	value of products, etc. Crash-cloth. Illus. 2 2	20 :	259	Pruning Book, The. A manual of pruning		
77	Farming, The First Book of. By C. L.			and training. Cloth. 540 pages	Ι	50
_	Goodrich. A practical handbook I	10 :	265	Roses and How to Grow Them. By many		
83	Ferns and How to Grow Them. By G. A.			experts. Deals with American practice,	_	
0 -	Woolson. Cloth. Illus 1 2	20		outdoors and under glass. Cloth. Illus	Ι	20
89	Fertilizers. By Prof. E. B. Voorhees. Very	3	271	School Garden, How to Make a. By H. D.	-	
	practical. Cloth. 8vo. 335 pages 1 2	25		Hemenway. 26 illustrations	1	10
95	Fertility of the Land, The. By Prof. I. P.	:	277	Small-Fruit Culturist. By A. S. Fuller	1	U
	Roberts, Cornell University		203	Soiling Crops and the Silo. By Shaw.		
101	Flowers, How to Grow Them. Rexford Flower-Garden, The. By Ida D. Bennett.	50		Cultivating and harvesting. How to build and use a silo. Cloth. Illus. 364 pages	т	=
105	A handbook of practical garden lore 1			Soils, How to Handle and Improve. By	-	٥,
T 00	Flower-Garden, The American. By Neltje	20 .	209	Fletcher. Crash-cloth. 100 photographs.	2	20
109	Blanchan. An authoritative work. Over		205	Spraying of Plants, The. By E. C. Lodeman.	T	21
		FO :		Survival of the Unlike, The. By L. H. Bailey.	-	
TTS	80 illustrations 5 5 Flower-Garden, How to Make a. By	٠ ٠	301	A collection of evolution essays	2	00
3	many experts. 200 illustrations I	80 3	2 T T	Sweet Peas and Their Culture. By C. H.	_	
тто	Flowerless Plants. By E. H. Hale. Illus. I of	00	3	Curtis, Secretary National Sweet Pea		
T 2 3	Flowerless Plants. By E. H. Hale. Illus. 1 of Forage Crops Other Than Grasses. By			Society of Great Britain		5
5	Thomas Shaw. Practical. Illus. 287 pages. 1	00 3	3 T 5	Tobacco-Culture. Full practical details		2
127	Forcing Book, The. By L. H. Bailey. How			Tree Book, The. By Julia Ellen Rogers.		
,	to grow vegetables under glass. Cloth I a	25		Manual of North American trees. Cloth.		
T 20	Fruit-Garden, How to Make a. By S. W.	-2			4	40
	Fletcher. 182 illustrations 2 2	20 3	327	Illus. 16 color plates and nearly 350 photos Trees of Northeastern America, The. By	•	•
131	Fumigation Methods. By Willis G. John-		J-1	Chas. S. Newhall. With illustrations	1	75
•	son. A practical treatise on simple and		33I	Truck Farming at the South. Oemler	I	00
	effective means of exterminating insect		339	Vegetable-Garden, The. By Ida D. Bennett.		
	pests in field, nursery, greenhouse, etc 1 (no l		Cloth, Illus	1	65
135	Garden Profits. By E. L. D. Seymour, B. S.		343	Vegetable-Garden, How to Make a. By		
	A. An efficient help to the amateur gar-	- 1		E. I. Fullerton. 250 illustrations	2	20
	dener whether he sows for pleasure or for		349	Vegetable and Garden Herbs, A Book of.		
	profit. Cloth. Illus. 247 pages 1 of	00		By Allen French. A practical handbook		
141	The Garden Week by Week. 200 illus-			and planting table. Cloth. 12mo	Ī	75
	trations 2 2	20 3	355	Water-Lilies and How to Grow Them. By		
147	Garden-Making. All the information wanted	- 1		H. Hus and H. S. Conard	I	20
	by everyone who buys a single packet of	1 3	365	Woman's Hardy Garden, A. By Helena		
		75		Rutherfurd Ely	1	75
	All books sent pos	tpaid	on			
	-	-				



LAWNS LIKE THIS CAN BE PRODUCED BY SOWING THORBURN'S LAWN GRASS SEED

About Lawns and Lawn Grass Seed

FORMATION OF LAWNS FROM SEED

The ground should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but the surface should be as much alike in quality as possible and thoroughly pulverized. After sowing, the ground should be rolled and cross-rolled in order to press the seed firmly into the soil, and ten days or so thereafter a light application of Thorburn's Lawn Fertilizer, mixed with an equal quantity of good loam or sand, will serve to stimulate the growth of the young grasses. The best time to apply this is just before a rain, the idea being to have the fertilizer washed into the roots. The proper time to sow grass seed depends, of course, upon the latitude. In the central and eastern states from March 15 to the middle of May is the best time; but in favorable seasons the sowing may be done up to July 1. Seed may also be sown in the fall, from the latter part of August to the end of September. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent rolling is always advisable. As to weeds in newly made lawns, it may not be generally known that many weed seeds actually lie dormant in the ground for six or seven years and will germinate and make their appearance when the soil is turned up. The annual wild grasses, such as crab grass or summer grass, must be pulled up by the roots before they ripen their seed in the fall. This is the only sure way to rid lawns of these pests.

Rolling.—As soon as the frost is out of the ground in the spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. Roll frequently.

Mowing.—All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot summer months, when the roots require some top-growth to protect them from the burning sun. A good top-growth is also necessary to protect the roots from severe winter frosts.

To Grass a Bank or a Terrace.—For each square rod, take a pound of Terrace Lawn Grass Seed and mix it thoroughly with 6 cubic feet of good dry, garden loam; place in a tub, and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, making it as even and thin as possible.

It is a good plan to sow on good land, in any out-of-the-way place, strips for sod to be used for patching poor parts of the lawn, or for grass borders, etc. The best mixture of seed for this purpose is Agrostis stolonifera, Cynosurus cristatus and Poa pratensis.



BY SOWING THORBURN'S LAWN GRASS SEED MIXTURE FOR SHADY SPOTS, RESULTS LIKE THIS CAN BE OBTAINED

Lawn Grass Seed Mixture

THE THORBURN LAWN GRASS SEED

Practically all the finest lawns in America were produced from this mixture. It is composed exclusively of permanent grasses that make a finer and thicker turf the older they become, and yet give a rich greensward in three or four weeks from the time of sowing. The ordinary Central Park Lawn Grass Seed, as usually sold, is not to be compared with this superior mixture. It should be sown at the rate of 4 bushels to the acre (20 pounds to the bushel). One quart of our Lawn Grass Seed will sow a plot 15 x 20 feet, or 300 square feet. Per pt., 15c.; qt., 25c.; 2 qts., 45c.; ½pk., 75c.; pk., \$1.40; bus., \$5.

Thorburn's Lawn Grass Seed for the South

A mixture of grasses that stand extremes of heat and drought well, and that are therefore peculiarly adapted for southern lawns. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bus. of 20 pounds \$6.50.

Thorburn's Lawn-Restoring Grass Seed

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots. The best time to re-sow them is very early in the spring; but seed may also be sown in the fall from first of September to first of October. Some Lawn-Restoring Grass Seed should also be sown before every summer rain on thin places. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bushel of 20 pounds, \$6.

Thorburn's Grass Mixture for Under Trees and Shady Spots on Lawns

A mixture of grasses that thrive in shaded situations, under trees, or close to walls where there is little sun. Per qt., 40 cts.; 2 qts., 70 cts.; ½pk. \$1.25; pk., \$2; bushel of 22 pounds, \$7.

Thorburn's Lawn Grass Mixture for the Seashore

A mixture of fine grasses peculiarly suited to seaside lawns. Per qt., 30 cts.; 2 qts., 50 cts.; ½pk., 85 cts.; pk., \$1.50; bushel of 18 pounds, \$5.

Terrace Lawn Grass Seed

A mixture of fine stoloniferous grasses peculiarly adapted to terraces. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bushel of 20 pounds, \$6.



Permanent Grass Seed for Golf-Links, Tennis-Courts, Polo-Grounds, etc.

We have devoted much attention to the seeding and preservation of golf-links, tennis-courts and polo-grounds, and offer the following mixtures, which have been used on most of the finest links, etc., in the country, with very satisfactory results.

Polo-Grounds Mixture

A mixture of fine-leaved and deep-rooting grasses, forming a strong and lasting turf that will stand hard usage Per bushel of 20 pounds, \$4.

Tennis-Court Mixture

A mixture of extra-fine grasses peculiarly adapted to tennis-courts. This mixture will make a firm, green and lasting turf of the finest texture, that will improve with the trampling it receives. Per qt., 35 cts.; 2 qts., 60 cts.; ½pk., \$1; pk., \$1.75; bushel of 20 pounds, \$6.

Fair-Green Mixture

For the grounds in general. Per bushel of 20 pounds, \$4.

Putting-Green Mixture

Far superior to any other similar mixture offered

Our own special formula as furnished all the leading golf clubs in America. A mixture of extra-fine highest-grade grasses, that will make a close, firm, green and lasting turf, which will improve with trampling. Per qt., 40 cts.; 2 qts., 70 cts.; ½pk., \$1.25; pk., \$2; bushel of 24 pounds, \$7.

Grass Mixture for Railroad Banks, etc.

A mixture of grasses with long, interlacing, matting roots that will bind steep embankments, gravelly or sandy slopes, etc., preventing washouts by rainstorms and covering with permanently green turf. Per qt., 30 cts.; 2 qts., 50 cts.; ½pk. 80 cts.; pk., \$1.25; bushel of 18 pounds, \$4.50.

Ants in Lawns. A good way to get rid of ants is by the use of bisulphid of carbon. Observe where the ant-hill is, then with a stick make several holes in the ground about 12 inches deep. Into each hole pour an ounce of the bisulphid and immediately press the earth down tight with the foot. The poisonous gas from the bisulphid spreads all through the ant-hill and is quickly fatal. It is rarely that more than one application is needed. One important point to remember, in using this substance, is that it is extremely inflammable.

Grass Mixtures for Meadows and Pastures

It is a well-ascertained fact that a thicker and more prolonged growth is produced by a mixture of many sorts of grasses than by only one or two. For every different kind and condition of soil there are grasses that are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early and others so late that from the beginning of spring until winter sets in there is no time when one species or another is not at its best. Grass seed may be sown either early in spring or in fall from the first of September to the middle of October in this latitude.

For about a hundred years our house has made a specialty of grasses. We were probably the first to introduce to this country, for commercial distribution, the many valuable natural and cultivated foreign species that now take such an important part in our agricultural economy. The formation of permanent pastures and meadows, has, for many years, been a subject of careful study with us, and the following formulæ for seeding grass-lands have received universal recognition. The quantities given are the minimum, and may often be increased to advantage.

MEADOW MIXTURES FOR ONE ACRE

No. 1. On Good Land, neither	No. 2. On High and Dry Land.	No. 3. On Wet Late Land
Too Dry nor Too Wet	4 lbs. Red-Top.	12 lbs. Red-Top.
6 lbs. Red-Top.	3 " Tall Meadow Oat Grass.	6 " Orchard Grass.
1/2 " Perennial Sweet Vernal.	I " Meadow Brome Grass.	I ". Tall Meadow Oat Grass
2 " Tall Meadow Oat Grass.	3 " Crested Dog's-tail.	3 " Meadow Fescue.
2 " Hard Fescue.	2 " Orchard Grass.	½ " Tall Fescue.
2 " Sheep's Fescue.	2 " Hard Fescue.	I " Meadow Soft Grass
10 " Perennial Rye Grass.	6 "Sheep's Fescue.	10 " Perennial Rye Grass.
15 " Timothy.	I "Meadow Soft Grass.	5 " Timothy.
2 " Red Clover.	12 " Timothy.	I " Red Clover.
1/2 " Alsike Clover.	3 " Canada Blue Grass.	½ " Alsike Clover.
	2 " Red Clover.	
	1 "Kentucky Blue Grass.	
40 lbs. \$4 per bushel of 20 lbs. Sow 2 bushels to the acre	40 lbs. \$4.50 per bushel of 20 lbs. Sow 2 bushels to the acre	40 lbs. \$4 per bushel of 20 lbs. Sow 2 bushels to the acre

PASTURE MIXTURES FOR ONE ACRE

No. 4. On Good Land, neither	No. 5. On Dry Land.	No. 6. On Wet Land.
Too Dry nor Too Wet.	2 lbs. Red-Top.	8 lbs. Red-Top.
2 lbs. Tall Meadow Oat Grass.	2½ " Tall Meadow Oat Grass.	8 " Orchard Grass.
6 " Red-Top.	1 " Meadow Brome Grass.	2 " Meadow Fescue.
7 " Orchard Grass.	5 " Orchard Grass.	I " Tall Fescue.
4 "Sheep's Fescue.	2 " Hard Fescue.	3 " Meadow Soft Grass.
2 " Hard Fescue.	5 "Sheep's Fescue.	10 " Perennial Rye Grass.
I "Meadow Soft Grass.	7 "Timothy.	1 " Meadow Foxtail.
9 "Perennial Rye Grass.	10 " Perennial Rye Grass.	2 " Timothy.
1 " Meadow Foxtail.	1½ "Red Clover.	I " Rough-stalked Meadow
4 " Kentucky Blue Grass.	4 " Canada Blue Grass.	Grass.
2 " Timothy.		3 "Kentucky Blue Grass.
2 " Red Clover.		ı " Alsike Clover.

40 lbs. \$4.25 per bushel of 20 lbs. 40 lbs. \$4.25 per bushel of 20 lbs. 40 lbs. \$4.25 per bushel of 20 lbs. Sow 2 bushels to the acre Sow 2 bushels to the acre

The various grasses used in the above mixtures are fully described on the following pages.

We are always glad to make up Special Mixtures, and are pleased to answer inquiries as to the best grasses for different purposes and for sowing on various soils under varying climatic conditions.

Grass Seeds

We desire to call particular attention to the fact that Grass Seeds are sold in the trade by sample, and each sort is divided into three or four grades of quality, according to purity, germination and weight. The price of the best grade is often double that of the ordinary. The Grass Seeds here offered by us are in every case the VERY HIGHEST GRADE.

25 lbs. and up of any one sort at the 100-lb. rate. Not less than one pound of any one sort sold. Prices ruling at this date are sure to fluctuate during the season. The weight per bushel is average actual weight.

AGROSTIS CANINA (Rhode Island Bent Grass). Resembles Red-Top (A. vulgaris, described below), but is of dwarfer habit, with shorter and narrower leaves. It makes a beautiful, close, fine turf, and is one of the very best grasses for lawns in mixture with other sorts. It adapts itself to almost any soil, rich and moist, or dry, sandy and sterile. It is a native of Europe, but has been cultivated in the eastern states for many years. 60 lbs. of seed to the acre is recommended for lawns. Height, I to 2 feet. (16 lbs. to the bushel.) Per lb., 40 cts.; 10 lbs., \$3.75; 100 lbs., \$35.


AGROSTIS STOLONIFERA, TRUE (Creeping Bent, or South German Fiorin). The only true Creeping Bent Grass. The distinctive feature of this species is, as the name implies, its compact, creeping, rooting stems. It is of rapid growth and spreading habit, and the stoloniferous roots which it sends down into the soil form a strong, enduring turf that is positively improved by constant trampling. The other varieties of Agrostis are distinguished from this sort by their flattened, parallel surface roots. Being of fine texture, it is most valuable for lawns and putting-greens. If sown alone, 60 lbs. to the acre should be used. (18 lbs. to the bushel.) Per lb., 50 cts.; 10 lbs., \$4.50; 100 lbs., \$40.

AGROSTIS VULGARIS (Red-Top; Herd's Grass). A very hardy, native perennial grass, succeeding best on moist land. It accommodates itself to a variety of soils, however, even to dry situations, and stands our hot climate admirably. It is, perhaps, the most permanent grass we have, and it enters largely into the composition of our best natural pastures. It remains green for the greater part of the year, and its long, trailing stems form a very close, matting turf that is not affected by trampling. The seed, as usually sold, weighs 15 to 18 lbs. to the bushel, in the chaff, and 4 bushels of it is required to sow an acre. Per lb., 25 cts.; 10 lbs., \$2.25, 100 lbs., \$20. (The absolutely clean or "fancy" seed offered weighs about 36 lbs. to the measured bushel; 36 lbs. of it is sufficent to sow an acre.)

Fancy Heavy Red-Top Grass. Absolutely clean and free from chaff. About 36 lbs. to the acre. (36 lbs. to the bushel.) Per lb., 50 cts.; 10 lbs. \$4.50; 100 lbs., \$42.

AIRA CÆSPITOSA (Hassock Grass). A coarse grass, preferring stiff and marshy bottoms and thriving in moist and shady woodlands. In England, door-mats are formed of it by the cottagers. 30 lbs. to the acre. (18 lbs. to the bushel.) Per lb., 23 cts.; 10 lbs., \$2; 100 lbs., \$18.

AIRA FLEXUOSA (*Wood Hair Grass.*) Delights in high and rocky hills; it is of little agricultural value except for sheep pasture. 30 lbs. to the acre. Per lb., 22 cts.; 10 lbs., \$2; 100 lbs., \$18.



RED-TOP GRASS (Agrostis vulgaris)

ALOPECURUS PRATENSIS (Meadow Foxtail). One of the best permanent pasture grasses for rich, moist soil. Its chief characteristics are its earliness and its faculty of standing high summer heats without burning. It prefers moist, low grounds, but it accepts drier situations, and makes an earlier spring verdure than any other variety. Sow only in connection with other grasses, 3 to 4 lbs. to the acre; if sown alone, 25 lbs. to the acre. Height, 2 to 3 feet. Per lb., 40 cts.; 10 lbs., \$3.75; 100 lbs. \$35.

AMMOPHILA ARUNDINACEA (Beach Grass). Valuable on the sandy seashore, canal and railway banks, etc. Its strong, creeping, matting roots bind the drifting sand into natural embankments against the action of winds and waves. This grass is usually propagated by transplanting in the fall. Where it is necessary to use seed, it should be sown in spring, and ground covered with brush to hold the seed in place until it has taken firm hold. Height, 2 to 3 feet. Per lb., 70 cts.; 10 lbs., \$6.50; 100 lbs., \$60.

ANTHOXANTHUM ODORATUM (True Perennial Sweet Vernal Grass). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the autumn. For meadows, its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 3 lbs. to the acre, when mixed with other grasses. Per lb., 50 cts.; 10 lbs., \$4.50.

ANTHOXANTHUM ODORATUM PUELLI (Annual Sweet Vernal Grass). Much smaller than the perennial, and of much less value, lasting one year only. 20 to 25 lbs. to the acre. Per lb., 28 cts.; 10 lbs., \$2.65; 100 lbs., \$25.

AVENA ELATIOR (Tall Meadow Oat Grass). Most valuable for pasture on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle early and late. For hay it may be cut twice a year, and for green soiling it may be cut four or five times in favorable seasons. It is very hardy, and withstands extreme drought and heat and cold. It is very valuable for our southern states, where it is extensively cultivated for winter grazing and for hay. Height, 2 to 4 feet. 50 lbs. to the acre. Per lb., 26 cts.; 10 lbs., \$2.40; 100 lbs., \$22.

AVENA FLAVESCENS (True Golden Oat Grass). Will not thrive well when sown alone, but with other species it becomes desirable for dry meadows and pastures. About 25 lbs. to the acre. Per lb., \$1.

BEACH GRASS. See Ammophila arundinacea.

BERMUDA GRASS (Cynodon dactylon). A most valuable grass for our southern states, both for pasture and lawns. It is of dwarf habit, with long, creeping stems rooting at the joints and covering the ground with a matting of fine turf, which no amount of trampling will impair. It is also useful for binding drifting sand and for steep embankments subject to wash. When established it is difficult to eradicate, and is therefore unsuitable for temporary pastures. It requires heat and moisture to start it. As it cannot endure frost, it is of no value north of Virginia. It thrives in the poorest and sandiest soil, and resists extreme drought and intense tropical heat. It should be sown at the rate of 15 lbs. to the acre. Per lb., 80 cts.; 10 lbs., \$7; 100 lbs., \$65.

BLUE GRASS, Canada. See Poa compressa.
"English. See Festuca pratensis.

" Kentucky. See Poa pratensis.

BROMUS INERMIS (Awnless or Smooth Brome Grass). An erect perennial, 3 to 5 feet high, native of Hungary, where it is considered one of the best hay grasses, yielding a good return in the arid and silicious soil. The nutritive quality of its hay, however, is generally inferior to that of our standard native sorts, so that we should recommend it only for dry, arid soils where the better and more delicate grasses would not grow. It is strongly stoloniferous, its creeping rootstocks spreading rapidly under ground and giving out new plants. It is on this account undesirable for temporary meadows, being difficult to eradicate when once established. Sow 35 to 40 lbs. to the acre. Per lb., 25 cts.; 10 lbs., \$2.35; 100 lbs., \$20.

BROMUS PRATENSIS (Meadow Brome Grass). A hardy perennial, 2 to 3½ feet high, much used in mixtures for meadows, both for mowing and pasture. It is not recommended to be sown alone except in poor soil, on dry, stony hillsides, where better grasses will not grow. It withstands extreme cold and drought, and, if cut before flowering, it makes a good hay. If left to grow older, it becomes very tough. 30 lbs. to the acre. Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$17.

CALAMAGROSTIS ARENARIA. See Ammophila arundinacea.

CYNOSURUS CRISTATUS (Crested Dog's-tail). A stoloniferous perennial, forming a smooth, compact and lasting turf. It thrives best on rich, moist land, but it can accommodate itself to almost any soil. Its roots penetrate deeply into the ground, which enables it to stand severe droughts. It makes a good bottom grass and is therefore valuable in mixtures for lawns and putting-greens. It thrives well in the shade. The color is the same as that of the Kentucky Blue Grass, and it is, therefore, excellent in mixture with that sort. If sown alone, 30 pounds to the acre is none too much, but it is recommended only in mixture with other sorts. Height I to 2 feet. Per lb., 30 cts.; 10 lbs., \$2.75; 100 lbs., \$25.

DACTYLIS GLOMERATA (Orchard Grass; Cocksfoot). One of the grasses most employed in permanent meadows, either for pasture or for mowing. It is very hardy and succeeds well anywhere in the United States. It is very productive and makes excellent hay. If cut before it flowers it is less hard and the pith of the stem is soft and sweet. It blossoms about the same time as Red Clover, and is therefore desirable in mixture with that plant. Stock of all kinds are very fond of it, either dry or green, and it endures constant cropping better than any other grass. After being mown, it grows up quickly and yields a heavier aftermath than any other variety. It can stand considerable shade, and is recommended as a pasture grass for woodlands. Its tendency to grow in tussocks is diminished if it is sown with other grasses, and also by heavy rolling in the spring; but it is quite unsuitable for lawns. Height 3 feet. (14 lbs. to bushel.) Sow 3 to 4 bushels to the acre. Per lb., 25 cts.; 10 lbs., \$2.25; 100 lbs., \$18.

DOG'S-TAIL. See Cynosurus cristatus.

ELYMUS ARENARIUS (*Lime Grass*). Valuable on the sandy seashore, canal and railroad banks, etc. It tends, with its tough, wide-spreading and thickly matting roots, to form natural and permanent embankments, thus serving to prevent the drifting of the sand and to protect an exposed shore from wind and waves. It is of no agricultural value. Per lb., 80 cts.

FESTUCA DURIUSCULA (Hard Fescue). This is a variety of F. ovina, dwarfer and less vigorous in growth, but possessing all the other valuable characteristics of that variety. It is emphatically a grass for dry lands, doing well on sandy and shallow silicious soils. It is exceedingly hardy and withstands extremes of heat and cold, and also long periods of drought. For permanent pastures on poor lands it is especially valuable; but it may also be used in meadow mixtures for well-manured clayey lands. In the latter case it

Festuca duriuscula, continued

has been known to yield a good crop of excellent hay and a very large aftermath. On account of its stooling habit, it is not recommended for lawns. Height, I to 2 feet. 30 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3; 100 lbs., \$28.

FESTUCA ELATIOR (Tall Fescue). This grass is a native of Europe, but was long ago introduced in this country, and is now naturalized, and widely grown here. It succeeds best in moist, alluvial, and strong, clayey soils. It is very productive and of long duration, and is especially valuable for permanent pasture. Stock of all kinds eat it readily, and its nutritive value is said to be very great. On rich, moist lands it yields a large amount of hay of excellent quality. It is not suitable for lawns. Height, 3 to 4 feet. 40 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3; 100 lbs., \$28.

FESTUCA HETEROPHYLLA (Various-leaved Fescue). A very early, hardy perennial, 2 to 3 feet high, thriving best in cold, moist soils that are rich in humus and potash. In such soils it yields heavily, and is valuable in grass mixtures for permanent meadows either for mowing or grazing. Its great production of root-leaves makes it an excellent bottom grass. Its nutritive value is said to be very high. It grows very well in the shade, and is highly recommended for shaded lawns in mixture with other grasses. 40 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3.25; 100 lbs., \$30.

FESTUCA OVINA (Sheep's Fescue). A native both of America and Europe. In our northwestern states there are many varieties of it, some of which grow 2 to 3 feet high. It prefers dry uplands and thrives in poor, shallow, gravelly soils, where other grasses would fail. It is very hardy, resisting extreme heat and cold. Though of dwarf growth, it grows thickly, yielding a large amount of nutritious herbage. In grass mixtures, for pastures on high and dry lands, it is especially valuable. Though a "bunch grass," it may be included in lawn mixtures as well as in fair-green mixtures on account of its fine foliage and dwarf, dense growth. ½ to 1½ feet. 35 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3; 100 lbs., \$28.

FESTUCA PRATENSIS (Meadow Fescue, or English Blue Grass). One of the grasses most used in permanent or temporary meadows for mowing or for pasture. It succeeds best in cold, moist, light soils, in well-drained meadows and in low valleys rich in organic matter. It should not be grown at all on warm, dry land. It does not reach its full development till the second or third year, when it far exceeds most other sorts in the quantity of its produce and nutritive matter. After being mown, it grows again very quickly. The forage, either green or dried, is very nourishing and much relished by cattle, especially when cut young. Height, 2 feet. 40 lbs. to the acre. Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$18.

FESTUCA RUBRA (Red or Creeping Fescue).

True. A creeping-rooted species forming a close and lasting turf, and especially adapted for dry, sandy soils. It resists extreme drought, and thrives on very inferior soils, gravelly banks and exposed hillsides. It is also valuable for shady places in lawns, as well as for golf-courses and for binding shifting sands on the seashore. (24 lbs. to bushel.) 30 lbs. to the acre. Per lb., 30 cts.; 10 lbs., \$2.75; 100 lbs., \$24.

FESTUCA TENUIFOLIA (Slender Fescue). This is really a variety of Festuca ovina, with much finer leaves. It will grow on very dry and inferior soils, and its dwarf habit of growth and fineness of leaf render it not unsuitable for dry slopes on lawns and golf-links. It stands grazing well, is very hardy, and lasts long, and may therefore be recommended for permanent pasture on high and dry situations. 30 lbs. to the acre. (22 lbs. to bushel.) Per lb., 40 cts.; 10 lbs., \$3.75; 100 lbs., \$35.

FOXTAIL. See Alopecurus pratensis.

HOLCUS LANATUS (Meadow Soft Grass; Velvet Grass). This grass is of fair agricultural value, and it will thrive on poor soil, where better sorts will not grow. It is a perennial, very hardy and grows rapidly. As a forage plant its nutritive value is small, yet it makes a hay that is eaten readily by cattle, especially when it is sprinkled with salt. Height, I to 2 feet. 35 lbs. to the acre. Per lb., 20 cts.; I0 lbs., \$1.75; 100 lbs., \$15.

HUNGARIAN GRASS. See Panicum germanicum.

JOHNSON GRASS. See Sorghum Halepense, p. 69.

LOLIUM PERENNE (Pacey's Perennial Rye Grass). Although called a perennial, it seldom lasts more than three or four years. It is the most valuable grass of Great Britain, both for pasture and for meadows, occupying there the same relative position of importance that Timothy holds here. The cool, moist climate of England seems to suit it best, yet it succeeds very well in our middle and eastern states, and adapts itself to a great diversity of soils. The seed is large and heavy, and produces a strong, verdant growth in four or five weeks after sowing. It cures into hay having a sweet flavor, and is much relished by cattle and horses. Its nutritive value, especially in mixture with Red Clover, is very great. It is excellent in mixtures for quick effects in lawns or golf-links. Height, 1½ to 2 feet. 60 lbs. to the acre. (28 lbs. to bushel.) Per lb., 13 cts.; 10 lbs., \$1; 100 lbs., \$8.

LOLIUM PERENNE, Fancy. A carefully selected, short-seeded, dwarf-growing strain, suitable for lawns. Makes a fine green turf in three weeks. Per lb., 15 cts.; 10 lbs., \$1.25; 100 lbs., \$11.

LOLIUM ITALICUM (Italian Rye Grass). Though lasting two or three years, under very favorable circumstances, it is practically an annual. Like the Perennial Rye Grass, it is a remarkably rapid grower, and has, in addition, the advantage of standing extremes of temperature, remaining green throughout the winter, and retaining its freshness in the hottest summer months and during prolonged drought. When sown very thickly or in mixture with other sorts, it makes a good, dense turf, and it has been used with much satisfaction on lawns as far south as Jacksonville. On rich, moist soils, it is exceedingly productive and may be cut in four or five weeks after sowing, and every six weeks after that until frost. For temporary meadows, on good soils, it is a most valuable grass. Height, 1½ to 2½ feet. 50 lbs. to the acre. (22 lbs. to bushel.) Per lb., 15 cts.; 10 lbs., \$1.25; 100 lbs., \$10.

OAT GRASS. See Avena elatior.

ORCHARD GRASS. See Dactylis glomerata.



FIELD OF TIMOTHY (Phleum pratense)

PANICUM GERMANICUM (Hungarian Grass). One of the most valuable annual soiling plants. It grows on any ordinary soil; withstands drought well. As it is of very rapid growth, being ready for cutting within sixty days, it may be sown in this latitude as late as the middle of July for hay, or in the middle of August for green fodder. It should be cut just before blooming, when it makes a tender and nutritious hay. Sow I to 1½ bushels to the acre. (50 lbs. to bushel.) Per lb., 10 cts.; 10 lbs., 90 cts.; 100 lbs., \$7.

PASPALUM DILATATUM (Australian Water Grass). A somewhat leafy perennial, growing in clumps. Valuable as a pasture grass for the South, endures summer heat and drought very well and is especially desirable for furnishing late summer and autumn feed, during which period it makes its principal growth. Sow lightly on the surface in warm weather. The seed should barely be covered with soil. Sow from 8 to 10 lbs. to the acre, with 5 lbs. of Hugarian Grass as a temporary protection. Per lb., 45 cts.; 10 lbs., \$45, 100 lbs., \$35.

PHALARIS ARUNDINACEA (Reed Canary Grass). A hardy perennial, preferring stiff, wet land but also doing fairly well in dry, sandy soils. It grows well in ditches and by riversides, where its strong, creeping root-stocks render it valuable for binding the banks. Its seed also affords food for trout and wild fowl. When young, it is valuable for cutting for green forage for cattle, but in its more mature state, it becomes too coarse for this purpose. (30 lbs. to bushel.) Per lb., 60 cts.

PHLEUM PRATENSE (Timothy). A native of Europe, but long ago naturalized in America, where it ranks as by far the most important of hay grasses. On moist, loamy or clayey soil it produces a larger hay crop than any other grass. It is not so well suited for light, sandy soils, Though preferring a moist, temperate climate, it withstands drought and extreme heat and cold. Its hay is very nourishing and can be preserved for a long time. It should be cut when flowering, as if left later the hay becomes hard and coarse. It is often sown with Red-Top Grass and Red Clover, and the nutritive value of the hay is greatly increased by this mixture. Height, 2 to 3 feet. If sown alone, at least 25 lbs. to the acre should be used. The seed weighs 45 lbs. to the bushel. Several grades are always on the market, differing in purity and vitality, but the seed we offer is of the very highest quality and extra clean. It is always most economical to buy the highest grade, known as "Fancy." Per lb., 12 cts.; 10 lbs. \$1; 100 lbs., \$9.

POA AQUATICA (Water Meadow Grass). This is an excellent pasture grass for very wet situations. It also does well in bogs and marshes, and is useful in the same way as Festuca fluitans. 20 lbs. to the acre. Per lb., 75 cts.

POA COMPRESSA (Canada Blue Grass). Highest grade. A very hardy perennial grass, with creeping root-stocks, forming a close and durable turf of fine texture. It grows on the poorest and driest soils, sandy, gravelly or clayey, standing extremes of wetness or drought, and keeping green until the severe frosts of winter. It is said to be especially

Poa compressa, continued valuable for dairy pastures, cows feeding on it yielding the richest milk and finest butter. It is distinguished from the Kentucky Blue Grass by its flattened, wiry stems and by its decidedly bluer color. Height, 6 to 18 inches. 60 lbs. to the acre. Per lb., 20 cts.; 10 lbs., \$1.75; 100 lbs., \$15.

POA NEMORALIS (Wood Meadow Grass). The chief characteristic of this grass is its special fitness for shaded positions in lawns and woodland parks, where other grasses will not grow. It is very permanent and hardy, resisting extremes of heat and cold, and is one of the first grasses to show a rich green growth in the spring. The creeping roots are formed under ground, and make a good turf. It should be included in all putting-green mixtures. Excellent for pasture. 30 lbs. to the acre. (19 lbs. to bushel.) Per lb., 40 cts.; 10 lbs., \$3.75; 100 lbs., \$35.

POA PRATENSIS (Kentucky Blue Grass; June Grass). Highest grade. One of the most widely distributed and valuable native grasses. It combines more points of excellence than any other sort. It is a true perennial, lasting indefinitely and improving every year. Its densely creeping root-stocks, spreading habit and smooth, even growth, fine texture and rich green color render it one of the very best grasses for lawns. It forms a close turf, starts very early in the spring, and lasts till frost. It succeeds in almost any soil—dry,

Poa pratensis, continued rocky, sandy or gravelly—and stands long-continued dry weather and hot suns. It takes, however, two or three years to become well established, and should, therefore, be sown only in connection with other grasses. If the soil is especially suitable it will eventually crowd these out, and make the finest possible sward. It is one of our most valuable pasture grasses, very productive and nutritious. 50 lbs. to the acre. Per lb., 25 cts.; 10 lbs.,

POA TRIVIALIS (Rough-stalked Meadow Grass). A spreading, thickly matted, stoloniferous-rooted species, forming a fine turf, and adapted for shaded portions of lawns. It thrives on rich, moist soil and in sheltered situations, but not on dry land. Valuable for forming bottom grass in mixtures for permanent pastures. Height, I to 3 feet. 20 lbs. to the acre. (26 lbs. to bushel.) Per lb., 50 cts.; Io lbs., \$4.50; Ioo lbs., \$42.

RED-TOP. See Agrostis vulgaris.

\$2.25; 100 lbs., \$20.

RYE GRASS. See Lolium italicum and Lolium perenne.

RHODE ISLAND BENT GRASS. See Agrostis

TIMOTHY. See Phleum pratense.

KENTUCKY BLUE GRASS. See Poa pratensis.

FOR CLOVERS, SEE NEXT PAGE

For Special Meadow and Pasture Mixtures, see page 58; and for Cereals and Field Corn, and Forage, Economical and Miscellaneous Seeds, see pages 65 to 69. Fertilizers are quoted on page 146.

The revised edition of our pamphlet on the seeding and preservation of Golf-Links is now ready, and will be mailed free to anyone desiring a copy.

Books Invaluable to the Farmer, Dairyman, Stockman, etc.

Kindly order by number. All sent postpaid

- No. 3. ALFALFA. Its growth, uses and feeding value. By F. D. Coburn. Cloth. Illustrated. 164 pp. . \$0 50
- No. 29. CLOVERS AND HOW TO GROW THEM. By Thomas Shaw. Cloth. Illustrated. 337 pages 1 00
- No. 67. FARM AND GARDEN RULE BOOK. A manual of ready rules and references. Indispensable to every farmer and gardener, fruit-grower, dairyman, etc. By Prof. L. H. Bailey. Cloth.

For other practical and useful publications, see extensive list on page 54.

Clovers

We quote present prices on Clovers as near as it is possible to offer them at as we go to press. We shall be very glad to quote prevailing prices on all of them from time to time, and we solicit inquiries. It is understood, of course, that all are subject to market fluctuations.

ALFALFA, or LUCERNE (Medicago sativa). Requires deep, rich, well-drained soil. The taproot descends often to a depth of 10 to 15 feet in loose soil. It is, consequently, capable of resisting great droughts. It should be sown alone (about same time as oats are sown in this section) in thoroughly prepared, deeply plowed soil, at the rate of 20 to 25 pounds to the acre. It may also be sown as late as August and up to the middle of September in more southerly localities. The crop should be cut when the plant is coming into bloom. In suitable soil it is perennial, and several crops may be cut every year. Height, I to 3 feet. Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$16.

TURKESTAN ALFALFA. From Turkestan. Said to be hardier and more productive than the ordinary variety, and to withstand drought better. Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$16.

ALSIKE, or HYBRID CLOVER (Trifolium hybridum). A perennial, I to 3 feet high, succeeding best in cold, stiff soils, and in marshy lands which are too wet for other species. It grows well in the far North and in high altitudes. A good honey plant for bees. I5 lbs. to the acre. Per lb., 30 cts.; 10 lbs., \$2.75; 100 lbs., \$25.

BERSEEM, or EGYPTIAN CLOVER (*Trifolium alexandrinum*). Suitable for a rotating crop on irrigated lands. It is very succulent and much relished by stock. Its value as a soil-renovator is very high. Per. lb., 50c.; 10 lbs., \$4.75; 100 lbs., \$45

BOKHARA CLOVER (*Melilotus alba*). Valuable sort for soiling and for ensilage and bees. Grows from 3 to 5 feet high; sown in rich soil may be cut three times; lasts for years if cut before flowering. 15 lbs. to the acre. Per lb., 35 cts.; 10 lbs., \$3; 100 lbs., \$28.

BURR CLOVER (Medicago maculata). An annual, making good winter grazing on rich soils. Excellent for the South on Bermuda grass land, taking the place of the latter when killed by frost. Sow in August, 20 lbs. to acre. Per lb., 25 cts.; 10 lbs., \$2; 100 lbs., \$18.

CRIMSON or SCARLET CLOVER (Trifolium, incarnatum). Erect annual, I to 2 feet high, with bright scarlet flowers. A native of southern Europe; largely grown in our southern states for improving the soil by turning under. Will not en-

N. B.—All prices are subject to market fluctuations.

Crimson Clover, continued

dure severe frost, and cannot be depended upon to stand the winter north of New Jersey. It is a valuable crop for pasturage or green manure. For hay cut when in full bloom. Sow 20 lbs. to the acre. Per lb. 15 cts.; 10 lbs., \$1.25; 100 lbs., \$10.

JAPAN CLOVER (Lespedeza striata). An annual valuable only in the South, where it thrives in any soil in the driest season. It makes fair hay; eaten readily by stock when green. Valuable for plowing under. Sow in spring broadcast 30 lbs. to the acre. Market price.

KIDNEY VETCH, or SAND CLOVER. (Anthyllis vulneraria). A deep-rooted, herbaceous hardy perennial plant, valuable for dry, sandy and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses; useful in mixture for dry soils. Sow 20 lbs. to the acre. Per lb. 40 cts.; 10 lbs., \$3.75; 100 lbs., \$35.


RED CLOVER, MEDIUM (Trifolium pratense). One of the most valuable farm crops of the eastern states for pasture, hay, or for turning under for green manure. Sow in the spring, 15 lbs. to the acre. Market price.

MAMMOTH RED or PEA-VINE CLOVER (English Cow Grass). Grows larger and lasts longer than the common Red Clover; valuable for plowing under. 10 lbs. to the acre. Market price.

WHITE CLOVER (Trifolium repens). Some White Clover is usually included in lawn grass mixtures. It makes an excellent turf that stands constant trampling. It is of dwarf habit, spreads rapidly and is very hardy. It is valuable in permanent pastures, being sweet and nutritious. Sow in spring. In mixtures, I or 2 lbs.; if alone, 8 to 10 lbs. to the acre. Per lb., 45 cts.; 10 lbs., \$4.20; 100 lbs. \$40.

YELLOW SUCKLING CLOVER (Trifolium filiforme). Native of northern Europe. Valuable for sheep pastures; recommended in grass mixtures for wet, sandy meadows. Per lb., 50 cts.

YELLOW TREFOIL (Medicago lupulina). An annual or biennial suitable for pastures in wet meadows, or for stiff, clayey soils too poor for Red Clever. It is very useful in some sections, and is sometimes used for hay. 15 lbs. to the acre. Per lb., 27 cts.; 10 lbs., \$2.50; 100 lbs., \$23.



Cereals


Customers will please add cost of bags when ordering, as follows: 1/2 bushel, 10 cents; 1 bushel, 14 cents; 2 bushels, 23 cents.

The prices of some varieties may change as the season advances. Customers pay transportation charges.

FIELD CORN (56 lbs. to bushel)

All grown especially for seed

FLINT VARIETIES Qt. Pk. Bus.					
Angel of Midnight. Yellow flint; 8-rowed; good sized	20 \$0 8	5 \$2	50		
Canada Early Yellow. Very early; yellow flint Ears 5 cts. each, \$3.50 per 100	20 90	2	75		
Comploir S Early Full. Small grain; venow; 12-rowed; large; while cob	20 QC) 2	75		
Golden Dew Drop. Fine flint variety			50		
King Philip. Early; reddish yellow flint	20 95	_	00		
Large White Flint. Long, slim ears; pure white grain.	20 90		75		
Large Yellow Flint. Deep yellow grains; medium early. Longfellow (Yellow Flint). Small cob and large grain	20 90		75		
North Dakota Flint. White; 8-rowed; very early		2	00		
Sanford or Long White Flint. Large; 8-rowed.			75		
White Australian. Early; white flint			-00		
).	, ,			
DENT VARIETIES					
Bloody Butcher. Red grain; great yielder; one of the very best; valuable for ensilage or					
field purposes	20 85	, 2	50		
Champion White Pearl. Large grain; 14 to 18 rows; ripens in 95 days	20 8	5 2	50		
Chester County Mammoth. Medium-sized, yellow grains; very large ears; late) 2	•		
Golden Beauty. Large grain; small cob; long ears; medium early	20 80	2	•		
Hickory King. Large grain; small cob; white dent; ripens in about 120 days			00		
Iowa Gold Mine. Dent; deep grain; ripens in about 90 days		2			
Iowa Silver Mine. Large grain, dent; white cob; ripens in 100 days			50		
King of the Earliest Yellow Dent	20 90		75 50		
Legal Tender. Large; comparatively early	20 8	; 2 ; 2			
Mastodon. Early; strong-growing; large ears and grains; very productive	20 80	5 2			
Pride of the North. Very large ears; deep grains; earliest of all	20 8	, 2			
Very Early White Dent	20 90) 2	•		
White Cap Yellow Dent. Good-sized ears; early	.20 90		75		
Wisconsin White Dent. Very early; deep-rooted; stands drought well	20 8	5 2	50		
DODDED AND ENGLIAGE MADIETIES					
FODDER AND ENSILAGE VARIETIES Eureka White Ensilage	20 80) 2	25		
Red-Cob Ensilage. Abundant herbage; tall growth; fine	20 80	2			
Thoroughbred White Flint. Spreading habit; leave only one kernel to grow in a hill.			-0		
Broad blade and small stalk; valuable for fodder and ensilage; also for grain	20 9	5 3	00		
Virginia Horse Tooth. For fodder and ensilage	20 9	5 3			
White Ensilage	20 80	2	25		
POP CORN (Shelled)	Qt. ½pk.	. #	Pk.		
Golden Queen, Red Beauty. Each	25 \$0 80)	50		
Silver Lace, white Pearl, Each	25	, .	30		
White Rice	25 00) I	50		
MIGGELT ANEOLIS CEDEALS					
MISCELLANEOUS CEREALS					
All subject to change in price					
BARLEY (48 lbs. to bushel). 2 bushels to acre. Champion. Beardless	Abou	t \$2	us. 50		
DUCKUTTEAT (48 the to hus) a hus to sere					
A	Abou	t 2	00		
Japan. Productive; large grains	Abou	t I	50		
DETLY DOD (see the see the hour)	Lb.	TOO 1	bs.		
Japan Barnyard (Panicum Crus-galli). 30 to 40 lbs. to acre	\$o 15	\$7	00		



MAMMOTH WINTER RYE

MISCELLANEOUS CEREALS, continu	ed		
Millet, Hungarian. I to 11/2 bushels			
to the acre\$2.50 per bus L			
White French. White grain\$0	12	\$8	00
Golden. Extra-large seed-heads. 1 1/2			
bushels to the acre			
Pearl. Southern fodder-plant	15	10	00
Siberian	12	6	00
OATS (32 lbs. to the bushel). 2 to 3			
bushels to the acre.	Qt.	В	us.
bushels to the acre. Sensation\$0	15	\$1	50
White Tartar	15	I	25
RYE (56 lbs. to the bushel). 1½ to 2 bushels to the acre		,	
Winter Excelsior. Long, stiff straw. Sow 1½ bushels to the acre	15	I	50
Mammoth Winter. Maximum crop, 50 bushels of grain and 3 tons of			
straw per acre	20	2	00
WHEAT, WINTER (60 lbs. to the bushel). I ½ bushels to the acre.			
Rupert's Giant. Bald; red grain	20	2	00
Red Wave. Beardless			25
Klondyke. White grain; bald			00
Spring Wheat	25	2	50

FORAGE, ECONOMICAL AND MISCELLANEOUS SEEDS

Except where noted, these seeds are not sold in packets. From 10 cts. to 25 cts. worth is the smallest quantity put up. All subject to change in price

ASPERULA odorata (Waldmeister). Perennial, growing only about 6 inches high, with very fragrant flowers. In Germany, it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known Maitrank. Per pkt., 10 cts.; per oz., 60 cts.

ASTRAGALUS sinicus (Milk Vetch, or Chinese Clover). Largely grown in Japan for feeding cattle and as a fertilizer for rice fields. It is a vigorous-growing, clover-like plant, having a profusion of red-and-white flowers. Per oz., 10 cts.; per lb., 50 cts.

AUSTRALIAN SALT BUSH (Atriplex semibaccata). Thrives in soils on which nothing else will grow, and it is highly recommended for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live-stock. Two or three pounds of seed are sufficient for an acre. The seed may be sown in beds, and the seedlings planted out when 2 inches high, 3 feet apart. Grows strong and vigorously in the driest seasons. Per oz., 15 cts.; per lb., \$1.25; per 100 lbs., \$90.

BEANS (60 lbs. to the bushel)-

Velvet Bean (Dolichos multiflorus). Used in the South as a forage plant, and as a fertilizer plant for turning under. Stock readily eat the vines and leaves, and the Beans, when ground with or without the pod, are used in place of oats or corn, or mixed with them. Plant in rows 4 feet apart and I foot in the row, 2 or 3 beans in a place, as soon as danger of frost is past. The vines are vigorous in growth and rapidly cover the ground, bearing immense quantities of Beans. Per qt., 25 cts.; per bus., \$4.50.

Common English Horse Bean. Per qt., 25 cts.; per bus., \$5.

Soja Bean (Glycine hispida). Thrives well in hot and dry weather. Plant at the rate of ½ to ¾ bushel to the acre, in drills 2½ or 3 feet apart, and cultivate same as field corn. It does not make good hay, but is good as ensilage or green fodder.

Early Dwarf Green. Per pk., \$1; bus. \$3.50. Hollybrook Early. Per pk., \$1; bus. \$3.50. Ito San. Per pk., \$1; bus., \$3.50. Mammoth Yellow. Per pk., \$1; bus., \$3.

BEGGARWEED (Florida or Giant Beggarweed; Desmodium tortuosum). An erect, leguminous annual, growing from 3 to 8 feet high, with abundant foliage, valuable as forage or for soil renovation in subtropical regions; it also makes hay of a fine quality. It should be sown at the rate of 10 pounds to the acre, after the ground is warm and moist. The seed should be but very lightly covered. If for hay, it should be cut just as it begins to bloom. Per lb., 50 cts.; per 100 lbs., \$45.

BERSEEM. See under Clover, page 64.

BROOM CORN (Sorghum vulgare). (12 quarts to the acre.) Broom Corn succeeds in a good, deep soil, fresh but not damp; very sensitive to cold.

Long-Brush Evergreen. Per lb., 15 cts.; per 100 lbs., \$7.

Improved Dwarf. Per lb., 15 cts.; per 100 lbs., \$7.

California Golden Long-Brush. Grows from 12 to 14 feet high. Per lb., 15c.; 100 lbs., \$7.50.

BROOM, Scotch (Genista scoparia). The young growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per oz., 10 cts.; per 1/4lb., 20 cts., per lb., 50 cts.

BURNET, Common Field (Poterium sanguisorba).

Perennial; makes excellent pasture for sheep; grows on the poorest ground—on dry, sandy or calcareous soils; resists the extremes of heat and cold. Sow in April, and again in September, with sainfoin, clover, rye, grass, etc., 30 lbs. to the acre. Per lb., 50 cts.; per 100 lbs., \$40.

CATERPILLARS (Scorpiurus). A curious plant; of interest only on account of the peculiar fruits from which its name is derived. Amusement is caused by mixing them in salads. Per pkt., 5 cts.; per oz., 40 cts.

CHICORY, Large-rooted (Cichorium Intybus). When the roots are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 15 cts.; per lb., \$1.25.

COTTON (Gossypium), Upland Big Boll. Very prolific. Per lb., 18 cts.; per 100 lbs., \$12. Sea Island. Per lb., 20 cts.; per 100 lbs., \$13.

to warm countries; extensively grown in our southern states; also valuable in this latitude as a fodder-plant; their chief value, however, is as a green crop to plow under. The seed should not be sown till the ground has become well warmed. I bushel to the acre, in drills; 2 or 2½ bushels to the acre if sown broadcast.

Cowpeas, continued
Black. Per pk., \$1.25; per bus., \$4.
Clay. Per pk., \$1.25; per bus., \$4.
New Era. Per pk., \$1.25; per bus., \$4.
Red Ripper. Per pk., \$1.25; per bus., \$4.
Whippoorwill. Per pk., \$1.25; per bus., \$4.

EMMER. (Sometimes advertised as "Speltz," though this name is incorrect, the true Speltz being a different article.) It is grown quite extensively in the Northwest, having been brought by the Germans from Russia, where it is considered a valuable cereal on account of its hardiness and drought-resisting qualities. Per lb., 15 cts.; per 100 lbs., \$7.

ESPARTO GRASS (*Stipa tenacissima*). This is the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making rope, etc. Per pkt., 15 cts.; per oz., \$1.

ESPARSETTE. See Onobrychis sativa.

FENUGREEK (Trigonella fænum-græcum). Annual. This seed is often sought by hostlers to give temporary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soiling when green. Per oz., 10 cts.; per lb., 25 cts.

FURZE (Ulex europæa). Also known as Whin and Gorse. A perennial leguminous shrub. The crushed sprigs of one year's growth of this shrub furnish an excellent green fodder in winter. It grows well on barren hillsides and in sandy soil. Sheep are fond of it. 25 lbs. to the acre. Per oz., 20 cts.; per lb., \$1.50.



FIELD OF SOJA (SOY) BEANS

- HOP SEED (Humulus lupulus). Per pkt., 10 cts.; per oz., 60 cts.
- JERSEY WINTER KALE, or Cow Cabbage. Excellent for feeding cattle; very hardy. Per pkt., 5 cts.; per oz., 10 cts.; per 1/4lb., 25 cts.; per lb., 75 cts.
- JERUSALEM CORN. See under Sorghum, page 69.
- JUTE (Corchorus). Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast, 6 or 7 pounds to the acre. Per oz., 10 cts.; per lb., 50 cts.

KAFFIR CORN. See Sorghum, page 68.

- KIDNEY VETCH, or Sand Clover. See Clovers, page 64.
- **LIQUORICE** (Glycyrrhiza glabra). Seed in pods. Per oz., 40 cts.
- LOTUS corniculatus (Bird's-foot Trefoil). Perennial; used in pastures. Cattle and sheep eat it readily, and it is said to be quite nutritious. It grows on the lightest and most sterile soils, and can withstand severe droughts. Is excellent for sowing in mixture for dry pastures. Per lb., 75 cts.
 - villosus, or major (Greater Bird's-foot Trefoil). Per lb., 90 cts.
- LUPINE, Yellow. Succeeds well in the poorest soil, and is exceedingly valuable for plowing in to improve sandy soils. It makes good forage, either green or as hay. The seeds are very fattening when used with hay. Sow in the spring when the ground has become thoroughly warm, at the rate of 90 lbs. to the acre. Per lb., 15 cts.; per 100 lbs., \$7.
 - White (Large Flat Seed). One of the best plants known for green manure, as it gathers large quantities of nitrogen from the air. It may be sown from April to July, and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Per lb., 15 cts.; per 100 lbs., \$8.

Blue. Used for the same purpose as the white variety. Per lb., 15 cts.; per 100 lbs., \$7.

MADDER (*Rubia tinctoria*). A perennial, the roots of which, when dried and reduced to powder, furnish a red coloring matter. Per oz., 20 cts.; per lb., \$1.25.

MILLETS. See Miscellaneous Cereals, page 65.

- ONOBRYCHIS sativa (French, Sainfoin; German, Esparsette). A perennial leguminous plant, belonging to the same family as clover and lucerne. It is a valuable plant for growing on poor land and barren hillsides. When once well established, it lasts for many years. If to be used for hay, cut just before the flowering period. Sow in spring, covering the seeds quite deeply, at the rate of 80 lbs. to 100 lbs. to the acre. Per lb., 15 cts.; per 100 lbs., \$10.
- OSAGE ORANGE (Maclura aurantiaca). Useful for hedges. Per oz., 10 cts.; per lb., 50 cts.; 25 lbs. and up at 40 cts. per lb.
- PEARL MILLET (Penicillaria spicata). A valuable fodder-plant for the South; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 15 cts.; per 100 lbs., \$10.

- PEAS, Canadian Field. Valuable for northern climates, for cattle-feeding, especially for milch cows. It also makes fine ensilage. It is sown broadcast in the spring and harrowed in. If sown with oats, about 1½ bushels to the acre; in drills, 2 to 3 bushels to the acre. Per qt., 20 cts.; per bus., \$3.
- PENICILLARIA spicata. See Pearl Millet.
- POPPY, Opium (Papaver somniferum). The seed furnishes an agreeable sweet oil, used for the table, also for painting and for illuminating. May be sown in spring, either broadcast or in drills, covering thinly. Also cultivated for opium. Per pkt., 5 cts.; per oz., 20 cts.; per lb., 75 cts.
- POLYGONUM sachalinense (Sacaline). Hardy perennial, native of the island of Saghalin, between Japan and Siberia. It grows well on the poorest soils, and endures the extremes of heat and cold. Reaches a height of 10 to 12 feet, and can be cut two or three times in the season. The stems and leaves, which are very nutritious, are eaten either green or dry by cattle and sheep, and much relished. Clean seed, per oz., 40 cts.; per lb., \$4.50.
- RAMIE, Silver China Grass (*Urtica nivea*). Extensively cultivated for its fiber. The seed should be germinated on cotton floating in lukewarm water, and transferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way; when 3 feet high, turn them over and peg down, covering with earth, and they will start in every direction. Per oz., 85 cts.; per lb., \$9.
- RAPE, Dwarf Essex English (Brassica napus).

 Largely grown in the northern United States, and in Canada. It is excellent for sheep-pasture, and also for soiling. It may be sown in May, and will be ready for pasturing in July and August; or, it may be sown in June or July, and yet furnish a large amount of pasture or fodder. In drills, sow 5 pounds to the acre; sown broadcast, 10 pounds to the acre. Per lb., 10 cts.; per 100 lbs., \$8.
- REANA luxurians (*Teosinte*). Short crop. A valuable fodder-plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Per oz., 15 cts.; per lb., 75 cts.
- RICE SEED, for sowing. Best Carolina. Per lb., 10 cts.; per 100 lbs., \$8.

SAINFOIN. See Onobrychis.

SALT BUSH. See Australian Salt Bush, page 66.

SACALINE. See Polygonum sachalinense, above.

- SERADELLA (Ornithopus sattivus). A valuable forage-plant, admitting of one, and sometimes two, cuttings in one season. It succeeds well in a dry, sandy soil and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with winter rye. About 50 pounds to the acre. Per lb., 18 cts.; per 100 lbs., \$12.
- SNAILS (Medicago scutellata). Used in the same way as Caterpillars. Per pkt., 5 cts.; per oz., 40 cts.
- **SORGHUM.** Twenty-five pounds required to the acre if sown in drills. For dry fodder, two bushels should be sown to the acre.



WINTER OR HAIRY VETCH

Sorghum, continued

Shallu. A non-saccharine Sorghum from India, also known as Egyptian wheat. Requires more room to develop than ordinary Sorghum, and consequently needs less seed to sow an acre. Per lb., 15 cts.; per 100 lbs., \$6.50.

Early Amber Sugar Cane. Ripens wherever Indian corn matures. Grows 10 to 12 feet high.

Per lb., 15 cts.; per 100 lbs., \$6.

Early Orange Sugar Cane. Ripens about ten days after Early Amber, and is said to produce a larger crop. Per lb., 15c.; per 100 lbs., \$6.

Red Kaffir Corn, or Sorghum. Non-saccharine. The plant is low, stalky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Per lb., 15c.; per 100 lbs., \$6.

White Kaffir Corn. Per lb., 15 cts.: 100 lbs., \$6. Jerusalem Corn (White Dhoura). Per lb., 18

cts.; 100 lbs., \$8.

Halepense (Johnson Grass). One of the most valuable southern fodder plants. On rich soils it may be cut three or four times in a single season, and it is claimed that hay made from it is equal in value to timothy. Sow in August and September, 35 to 40 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$14.

SPELTZ. See Emmer, page 67.

SPURRY (Spergula arvensis). Annual. Grows well on poor, dry, sandy soil; may be sown every month from March to August. Excellent pasture for cattle and sheep; also of much Spurry, continued

value as a fertilizer for light soil. 15 pounds to the acre. Per lb., 15 cts.; per 100 lbs., \$9. Giant Spurry. Per lb., 15 cts.; per 100 lbs., \$10.

TEOSINTE. See Reana luxurians, page 68.

TOBACCO SEED. See page 53.

ULEX europæa. See Furze, page 67.

VELVET BEAN. See page 66.

VETCHES, Spring Tares (Vicia sativa). Sown broadcast at rate of 60 to 100 pounds to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for peas. Price variable. Present quotation, per lb., 10 cts.; per 100 lbs., \$4.

Sand, Winter or Hairy Vetch (Vicia villosa). Thrives on poor, arid, sandy soils. It may be sown either in fall or in spring, mixed with rye, for a support. Grows 3 to 4 feet high, and can be cut as soon as the bloom appears, and again for the seed. Perfectly hardy. Sow from 30 to 50 lbs. to the acre. Price variable. Present quotation, per lb., 15c.; per 100 lbs., \$10.

WALDMEISTER. See Asperula odorata, page 66.

WORMS (Astragalus hamosus). Used the same as Snails and Caterpillars. Per pkt., 5 cts.; per oz., 40 cts.

FARMOGERM. Nitro-gathering bacteria for Cowpeas, Soja Beans, Vetches, etc. Acre bottle, \$2; 5-acre bottle, \$9.

Tree and Shrub Seeds

To preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot sun and winds, and to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 or 4 inches to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain one to two years before transplanting.

The propagation of Deciduous Trees from seed is less difficult than that of Evergreen species. Acorns, Hickorynuts, Chestnuts and Walnuts should be planted in autumn, or kept during the winter in earth or moss. They shrivel up by too long exposure to the air, and many of them lose their vitality. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not germinate till the second year after planting, and if they are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple and a few other sorts ripen their seeds early in summer, and, if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about 2 feet apart, and covered about ½ inch in depth, according to size.

Some of the varieties here offered are on hand now; many are due from foreign countries, where they are being collected for us. We are, of course, uncertain of getting all of them. As the season advances, many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

EVERGREEN TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

at over 23 cents per ou	, nece	, 0	vivo.	٠
Abies alba (White Spruce)	oz. 45 60 30 50 20 20 50 40 80 40 20 10 25 30 70 30	3 5 2 3 2 5 4 10 4 2 1 2 7	50 00 00 00 00 00 00 00 00	
Arctostaphylos glauca (Great-berried Man-	_			
zanita)tomentosa (Woolly-branched Straw- berry Tree)	20		00	
• •				
Buxus sempervirens (Evergreen Box)	.30	3	00	
atlantica (Mt. Atlas Cedar)	40 35 30 40 20 50 25	3 3 4 2 5 2	00 50 00 00 50 50	
horizontalis (Horizontal Cypress)	15		50	
macrocarpa (Monterey Cypress)	20		о́о	
pyramidalissempervirens (Evergreen Cypress)	ю	I	00	
sempervirens (Evergreen Cypress)	10	I	00	

, 25-cent packets may be ordered.			
Fir Tree. See Abies and Picea.			.5
Juniperus. Pe	er oz.	Per	т 1ь.
argentea\$	0 15	\$ 1	50
bermudiana (Pencil-wood Cedar)	. 15	I	25
communis (European Juniper)	. Iŏ		
monosperma	. 10	· I	00
monospermaoxycedrus (Sharp-leaved Cedar)	. 30	3	00
virginiana (Red Cedar)			75
Libocedrus decurrens (California Whit	_		
Cedar)	. 40		00
	. 40	4	00
Norway Spruce. See Picea excelsa.			
Picea ajanensis. From Japan	. 60	6	00
Alcockiana (Japan Fir)	. 50	5	00
Douglasii (Douglas' Spruce)	. 40	4	00
excelsa (Norway Spruce)	. 20	2	00
Menziesii (Menzie's Fir)	. 50	5	00
nigra (Black Spruce)	. 50	5	00
polita (Tiger's Tail Fir)	. 60	6	00
pungens (Colorado Blue Spruce)	. 60	6	00
rubra (Red Spruce)	. 45	4	50
Pinus austriaca (Austrian Pine)	. 25	2	00
australis or palustris (Southern Pine).	. 35		00
Banksiana (Northern Scrub Pine)			00
Benthamiana (Foot Hills Yellow Pine		4	00
canariensis (Canary Island Pine)		•	
cembra (Cembran Stone Pine)	. i5		00
Coulteri (Coulter's Pine)	. 5ŏ		00
densiflora (Japan Pine)	. 20		00
edulis (American Nut Pine)	. 30	3	00
flexilis	. 40		00
flexilishalepensis (Jerusalem Pine Tree)	. 20	~ 2	00
inops (New Jersey Scrub Pine)	. 60	6	00
insignis (Oregon Pitch Pine)	. 25	2	50
Jeffreyana (Jeffrey's Pine)			
koraiensis. From Japan			
Lambertiana (Sugar Pine)			00
laricio (Corsican Pine)		2	50
maritima (Seaside Pine)			00

EVERGREEN	TRE	EE .	AND	SHRUB SEEDS, continued	
	oz.			Sciadopitys Per oz. Pe	r lb.
Pinus monticola (Mountain White Pine).\$0					00
mitis (Short-leaved Pine)					00
montana (Mughus)			00		. 50
monophylla		4	00	Spruce Tree. See Abies and Picea.	
muricata (Bishop's Pine)		-6	50	A 1 (D 11 D 37)	50
Murrayana (Tamarack Pine) I					00
Parryana		2	50	731 · (C) · () · ()	50
parviflora. From Japan		•		(0	50
pentaphylla	45	4	50		00
pinea (Stone Pine, or Nut Pine)	10	_	80	1 1 (01 1	25
ponderosa (Heavy Pine)resinosa (Red Pine) I	30		00		00
rigida (Northern Pitch Pine)			00	(C) 110 1 (C) 110 1 NT	50
Sabiniana (Sabine's Nut Pine)		3	50	AB C: 1 1111/C: 1 111 * C	-
Strobus (White Pine)		2	50		50
sylvestris (Scotch Pine)			~	Yucca baccata	
tæda (Loblolly)		-	50	(C1	
Torreyana (Torrey's Pine)		4	00	glauca, or angustifolia (Narrow-leaved	50
tuberculata (Tuberculated Pine)		7	00		. 00
Schinus molle (False Pepper)	-	-	50	Whiplei	00
Dominus mone (raise repper)	13	-	30	winpici 50	
DECIDIOUS A	rъ	וים	E.	AND CUDID CEEDS	
				AND SHRUB SEEDS	
				than an ounce of any one variety, except those qu	oted
at over 25 cents per ou	ınce	; of	thes	e, 25-cent packets may be ordered.	
	oz.			Per oz. Pe	
campestre (European Field Maple). \$0			-	Betula papyracea (Paper Birch)\$0 25 \$2	
circinatum (Vine Maple)			00		25
glabrum (Oregon Maple)			00	Bignonia Kaempferi	00
macrophyllum (Large-leaved Maple)		I	٠ ا	Broom. See Genista.	
Negundo (Box Elder)		_	75	Broussonetia papyrifera (Paper Mul-	
pennsylvanicum (Striped Maple)			50	berry	50
platanoides (Norway Maple)		1	00		00
pseudo-platanus (Sycamore Maple) rubrum (Swamp Maple)	10	т	75	Calycanthus floridus (Common Carolina	
saccharum (Sugar Maple)			50 00		00
Æsculus flava (Sweet or Yellow Buckeye)	13		45	occidentalis (Western Allspice) 20	00
glabra (Fetid or Ohio Buckeye)			35		50
Ailanthus glandulosus (Tree of Heaven)	15	I	50	Camphor. See Cinnamomum.	Ü
Almond. See Amygdalus.	-0		J-	Carpenteria californica 75	
Alnus glutinosa (Common Alder)	10		75	Carpinus Betulus (European Hornbeam). 10	60
incana (Smooth White Alder)		I	25	Carya amara (Bitternut)100 lbs., \$10.	20
oregona (Oregon Alder)	40	4	00	alba (Shellbark Hickory).100 lbs., \$10.	20
rugosa		2	00	porcina (Pignut) 100 lbs., \$10.	20
Amorpha fruticosa (False Indigo)	15	Ι	00	sulcata (Big Shellbark Hickory)	
Ampelopsis hederacea (Woodbine)		Ι	00	100 lbs., \$10	20
quinquefolia (Virginia Creeper)			50	tomentosa (Moclernut).100 lbs., \$10	20
Veitchii (Boston Ivy)	25	2	00	Castanea americana (Am. Chestnut)	40 80
Amygdalus				japonica (Japan Chestnut) 10 Catalpa speciosa. True Hardy Catalpa 25 1	
vulgaris dulcis (Sweet Almond)			00	Ceanothus	50
vulgaris amara (Bitter Almond)	25		00	· ' ' /3.T Y /75 \	00
Aralia cordata (Udo Salad)	20		50 00		50
spinosa (Virginia Angelica Tree) Arbutus Menziesii (Madrona Tree)	20		00	Celastrus	, ,,,
		_	00		00
Unedo (Strawberry Bush)			00		00
Ash. See Fraxinus.		·		l	50
Asimina triloba (Paw Paw)	15	I	50		25
Azalea	U		Ü		50
calendulacea (Flame-colored Azalea)	50	5	00	Cercis	0 -
Vaseyi	60	6	00	canadensis (Am. Judas Tree) 10	00
Berberis					00
nervosa (Nerve-leaved Barberry)		6	00		50
Thunbergi. Fine for hedges			00	1	00
vulgaris. (Common). Clean seed	15	1	25		50
vulgaris purpurea (Purple-leaved).					00
Clean seed	25	2	50	Clematis	- 55
Betula alba (White European Birch)			75		50
alba laciniata (Fern-leaved Birch)		I	25		50
alba pendula (Common Weeping Birch)		_	75		00
lenta (Mountain Mahogany)	20		00		00
lutea (Yellow or Gray Birch) nigra (Red Birch)			00		50
		-		i z aminoma (z. 1111 a oppor z ami). 11 a	U -

DECIDUOUS	TRE	E A	AND	SHRUB SEEDS, continued		
Colutea Per	oz.			Gymnocladus Per	oz.	Per 1b.
arborescens (Shrubby Bladder Senna) \$0		\$ 1	00	canadensis (Kentucky Coffee Tree)\$0	10	\$ 0 75
Cornus alternifolia			00	Halesia tetraptera (Silver Bell)		I 50
canadensis (Dwarf Cornel) circinata (Round-leaved Dogwood)		•	00 50	diptera Hamamelis virginica (Witch Hazel)	25 15	2 50 I 50
florida (Flowering Dogwood)		-	65	Hedera Helix (English Ivv)	10	75
mascula (Cornelian Cherry)	10		65	Hibiscus syriacus fl. pl. (Double Rose		,,
paniculata	15	Ι	00	of Sharon)	15	1 25
sanguinea (Scarlet Dogwood)			65	Holly. See <i>Ilex</i> and <i>Mahonia</i> . Ilex aquifolium (Common Holly)	τ.	
sericea (Silky Cornel)stolonifera (Osier Dogwood)	15		00	opaca (American Holly)	15	75 1 25
stricta	15		00	verticillata (Deciduous Holly)	15	I 25
Coronilla Emerus (Scorpion Senna)		4	00	Indigofera Dosua (Indigo Tree)	25	2 50
Corylus avellana (German Hazel)		·	75	Itea virginica	15	1 50
americana (American Hazel)			75	Juglans cinerea (Butternut)		
rostrata (Beaked Hazel)	10	1	00	qt., 25 cts.; bus., \$3.50		
coccinea (Scarlet-fruited Thorn)	τo		75	cordiformis. From Japan	IO	75
Crus-galli (Cockspur Thorn)			60	mandschurica. From Japan	10	75
oxyacantha (Hawthorn)	IO		50	nigra (Black Walnut)		
Cytisus alpinus (Scotch Laburnum)		I	50	qt., 25 cts.; bus., \$3.50 regia (English Walnut)	TO	60
Laburnum (Laburnum, or Golden				Sieboldii. From Japan	10	60
Chain)(Manager)			00	Kalmia latifolia (Mountain Laurel)	75	
Daphne Mezereum (Mezereon) Deutzia crenata	40		00	Kœlreuteria		
scabra (White Deutzia)	25		00 50	paniculata (Chinese Bladder Nut)	10	75
Diospyros virginiana (American Per-	-3	-	50	Larix europæa (European Larch)leptolepis (Japanese Larch)	25	2 50 5 00
simmon)	10		8o	Laurus benzoin	15	75
Dirca palustris (Leather-wood)	35	3	50	nobilis (Sweet Bay)	10	65
Dogwood. See Cornus.				sassafras		1 00
Edgeworthia papyrifera (Indian Paper Tree)	25	2	-0	Ligustrum		
Elæagnus angustifolia (Narrow-leaved	25	4	50	japonicum (Japan or Calif. Privet)		I 25 I 00
Oleaster)	15	I	50	vulgare (Common Privet)		I 00
umbellata	15		50	Liquidambar styraciflua (Sweet Gum)		3 00
longipes (Long-stalked Oleaster)	20	2	00	Locust. See Gleditschia and Robinia.		_
Eucalyptus amygdalina (Peppermint Gum)	40		00	Maclura aurantiaca (Osage Orange)		
gigantea (Stringy-bark Tree)	45		00 50	25 lbs. and up at 40 cts. per lb Magnolia acuminata (Cucumber Tree)		50
globulus (Tasmania Blue Gum)	55		50	glauca (Sweet Bay)	25	1 50 2 50
Gunni (Cider Tree of Tasmania)	55		50	grandiflora (Large-flowered Magnolia).	25	2 50
leucoxylon (Australian Iron Bush)	45		50	hypoleuca	20	2 00
obliqua (Stringy-bark Tree)pauciflora (White Gum)	30 40		00	macrophylla (Great-leaved Magnolia)		2 00
robusta (Brown Gum)	50		00	Kobustripetala (Umbrella Tree)		I 50
rostrata (Red Gum)	40		00	Mahonia aquifolia (European Holly).	-5	- 50
Stuartiana (Apple-scented Gum Tree).	50	-	00	Berries	20	2 00
viminalis (Blue Gum) Euonymus americana (Strawberry Bush).	50	-	00	Maple. See Acer.		
europæus (Spindle Tree)	15		00 25	Morus alba (White Mulberry)alba fructa nigra		2 00
Exochorda grandiflora	40		00	rubra	20	2 50
Fagus americana (American Beech)	ΙÒ	•	80	tatarica		3 00
sylvatica (European Beech)	10		60	Mulberry. See Morus.		
sylvatica purpurea (Purple Beech)		2	50	Myrica caroliniensis	15	1 50
excelsior (European Ash)			50	Negundo aceroides californica	15	1 50 1 50
excelsior pendula (Weeping Ash)			50 60	Nuttalli cerasiformis (Oso Berry Tree)	50	5 00
nigra (Black Ash)		I	50	Nyssa sylvatica (multiflora) (Sour Gum).	10	I 00
oregona (Oregon Ash)	20	2	00	Oreodaphne californica (Calif. Laurel)	15	1 50
Ornus (Flowering Ash)	10		60	Osage Orange. See Maclura. Ostrya virginica	T 5	I 25
pubescens (American Red Ash)viridis (Green Ash)	10	1	50 75	Paliurus aculeata (Christ's Thorn)		1 00
Fremontia californica (Slippery Elm of			15	Paulownia imperialis (Empress Tree)	15	I 25
California)	00	13	00	Platanus orientalis (Oriental Plane)		65
Garrya elliptica	30	3	00	occidentalis (Button-ball)	10	65
Gaultheria procumbens (Wintergreen)			00	Plum. See Prunus.	TE	T FO
ShallonGenista scoparia (Scotch Broom)		3	00 60	Prunus americana (Wild Plum)		I 50 I 50
juncea (Fragrant Spanish Broom)			80	maritima (Beach Plum)		3 00
tinctoria (Dyer's Broom)	20		00	serotina (Wild Black Cherry)	10	60
Gleditschia horrida (Horrid Thorn)			25	virginiana (American Choke-Cherry)		1 25
triacanthos (Honey Locust)	10		45	Ptelea trifoliata (Hop Tree)	10	1 50

DECIDUOUS TREE AND SHRUB SEEDS, continued					
Per oz. I	Per lb.	Per oz.			
	50 40	Sambucus nigra\$0 15			
bicolor Catesbæi (Barren Scrub Oak)	25 30	pubens	2 00 I 25		
coccinea	30	Sophora japonica (Japan Pagoda Tree) 10	75		
falcata	30	Sorbus americana 20	2 00		
ilicifolia	30	Spartium scoparia. See Genista.			
lyratamacrocarpa	25 30	Spiræa salicifolia (American Meadow Sweet) 10	75		
nigra (Barren Oak)	30	tomentosa (Hardhack)	75 1 25		
obtusiloba	30	Staphylea pinnata (Eu. Bladder Nut) 15	I 25		
palustris	30	Syringa vulgaris (Lilac)	1 75		
Phellos	30	Taxodium distichum (Deciduous Cy-			
rubra tinctoria (Yellow-barked Oak)	20 30	press)	I 25 I 50		
Rhamnus Alaternus (Barren Privet)\$0 15	1 25	Tilia argentea (Silver-leaved Linden) 15	1 00		
californica (California Coffee Tree) 25	2 50	americana (American Basswood) 15	I 25		
carolina (Indian Cherry) 10	I 00	europæa (European Linden) 10	1 00		
cathartica (Buckthorn)	I 00	grandiflora (Large-leaved Linden) 10	1 00		
Purshiana (California Bearberry) 30 Rhododendron	3 00	Ulex europæa (Furze, Gorse or Whin) 20 Ulmus campestris (Common Elm) 10	2 00 75		
californicum (California Rhododen-		americana (American White Elm) 15	1 00		
dron) 1 00	1	montana (Large-leaved Elm) 10	1 00		
	4 00	Vaccinium arboreum (Sparkleberry) 20	2 00		
maximum (Great Laurel)	3 00 I 25	atrococcum (Black High Blueberry) 20 corymbosum (Swamp Blueberry) 20	2 00		
copallina (Dwarf Sumach)	75	pallidum (Pale-flowered Whortle-berry) 20	2 00		
cotinus (Smoke Tree)	3 00	pennsylvanicum (Low Early Blueberry) 20	2 00		
glabra (Scarlet Sumach)	50	vacillans (Low Blueberry) 20	2 00		
typhina (Staghorn Sumach) 15 Ribes sanguineum (Red-flowered Cur-	1 00	Viburnum acerifolium (Dockmackie) 15 cassinoides (Appalachian Tea Tree) 15	I 25 I 25		
	4 00	dentatum (American Arrow-wood) 10	75		
Robinia pseudacacia (Yellow or Black		Lantana (Wayfaring Tree) 10	75		
Locust)100 lbs., \$60 10	75	Lentago (Sheepberry)	1 50		
Rosa canina (Briar Rose). Clean seed 10 carolina (Swamp Rose)	80	Opulus (Snowball)	75		
humilis (Low Rose)	I 00 I 25	prunifolium (Black Haw)	75 1 25		
lucida (Dwarf Wild Rose) 15	1 25	Vitex Agnus-castus (Chaste Tree) 15	1 50		
nitida	1 25	Walnuts. See Juglans.			
rubiginosa (Sweetbriar)	1 00	Wistaria chinensis (Chinese Wistaria) 40	4 00		
rugosa Regeliana rubra (Dr. Regel's Rose)	3 00	chinensis alba (White Chinese Wistaria) 60 magnifica	6 00 3 00		
Salisburia adiantifolia (Maidenhair Tree). 10	80	Zanthoxylon americana 40	4 00		
Sambucus canadensis (American Elder) 10	80	Zizyphus sativa (Cultivated Jujube) 20	i 50		
glauca (California Elder) 15	1 50				
DDI	TΤΥ	SEEDS			
		•	T L		
Apple Seed, American\$0 10 \$		Per oz. Pear Seed			
Apple, Paradise (Pyrus paradisiaca) 10	60	Pear Seed, from Japan 40			
Apricot Pits	35	Plum Pits, Myrobolan	75		
Cherry Pits, Mahaleb	60	St. Julien	50		
Black Mazzard	40 35	Domestic	35 2 00		
Currant, Blackpkt., 10c 25	2 50	Raspberry, Red, pkt., 10c. 20			
Red Dutch " 10c 20	2 00	Yellow 20	2 00		
	2 00	Strawberry, Mixedpkt., 10c 75			
low " 10c 30	2 00	Red Alpinepkt., 10c. 1 00 Vitis æstivalis (Summer Grape)25	2 25		
low	3 00	cordifolia (Frost Grape)	2 25 2 50		
Peach Pits, NaturalQt., 15c.; bus \$2.50.		labrusca (Northern Fox Grape) 25	2 50		
		,			
SEEDS OF HEDGE PLANTS					
Tour tout and		u hand of Tues Souds			

For prices, see under head of Tree Seeds

Barberry, Common	. Berberis vulgaris.
Purple leaved	.Berberis folio-purpurea.
Japanese	. Berberis Thunbergi.
Broom, Scotch	.Genista scoparia.
Buckthorn	. Rhamnus cathartica.
Furze, or Gorse	. Ulex europæa.
Hawthorn	.Cratægus oxyacantha.

Locust, Honey	.Gleditschia triacanthos.
Yellow	. Robinia pseudacacia.
Norway Spruce	. Picea excelsa.
Osage Orange	. Maclura aurantiaca.
Privet, Japan or Calif	
Common Evergreen	
Sheenberry (Black Haw).	Viburnum prunifolium.

FLOWER SEEDS

Practical Directions for Culture, Treatment, etc.

HARDY ANNUALS (ha). -Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after for a succession, as well as to provide against failure the first time. For sowing seeds in there is nothing better than shallow boxes from 2 to 3 inches deep, and of any convenient size. The most suitable soil for all the smaller kinds is a very fine, rich, sandy loam. That from old hotbeds is excellent, or sods from an old pasture piled up and allowed to rot for two or three years and then mixed with a little old stable manure and sand. After the seeds are up, care must be taken to give them plenty of air and moisture, yet not too much water, or they will "damp off." When the young plants are well out of the seed-leaf, they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When pots cannot be had, boxes, tin cans, etc., may be substituted.

A common mistake in sowing flower, as well as other, seeds, is covering too deeply. The exception to this is the Sweet Pea which is seldom planted deep enough. As a general rule, cover only to the depth of the thickness of the seeds; or, with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but, as a rule, it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in July and August in the open, and in September in boxes and placed in coldframes. They will make strong plants by spring and flower early. Do not put on the sashes until heavy rains and frosts begin, and then always remove during the day whenever the temperature is above freezing in winter.

HARDY BIENNIALS (hB) and HARDY PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border from July to September. The seeds of many Perennials require several months, some even as long as two years, before they germinate. It is a good plan, at the commencement of frost, to cover the plants lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may be transplanted to the flower-garden where they are to remain.

HALF-HARDY ANNUALS (hhA).—These may be sown in shallow boxes, pots or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible. After the end of May, sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their blooms are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of Hardy and Half-Hardy flower seeds may be sown in the open border in a warm and sunny spot as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in a very light, sandy compost, and the pots well drained by placing broken pots or bits of sod in the bottom. The finer seeds must not be covered more than an eighth of an inch deep and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant them into shallow boxes or small pots, and when they have acquired sufficient strength, transplant into the flower-beds; not, however, before the middle of May.

GREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to make germinate unless great care be

taken in the mode of sowing. Hence, the supposition arises that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mold or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top so that the mold may not afterward sink materially with watering. Sow the seed very thinly and cover very lightly with a little compost or with silver-sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seedpan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting, they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give it to them by dipping a clothes-brush in water, shaking off the greater part from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times; this will cause the water to be thrown on the young plants almost like dew. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are grewing.

Primula sinensis.—Sow the seeds in drills in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest-sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse or out-of-doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2- or 2½-inch pots, using a light, rich soil. The object now is to make good stocky plants, and they must, therefore, be repotted as often as the pots become tolerably filled with roots, until they are in 5- or 6-inch pots, when they may be allowed to flower. Previous to this, any flower-stalks that appear must be pinched out. In a suitable place, the plants will do better out-of-doors during summer. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted room, not too warm; they should not be moved about often.

Cineraria.—This is a rather difficult plant to grow if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow in April and May in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of seedlings should be similar to that given to *Primula sinensis*. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil with some vegetable mold in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound. If specimen plants are wanted, the repottings should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious watering. When the flower-stalks appear, manure-water may be used once or twice a week. Aphis and red spider are to be guarded against; this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out-of-doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall they should be placed in a *cool* greenhouse, where the temperature can be kept low and the air moist.

Calceolaria.—The seeds are very small, and should be sown on the surface of shallow boxes filled with a light, sandy soil which has been sifted. Sow moderately thick in rows on the surface and cover very lightly with sifted sphagnum moss, cocoanut waste, or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush is best. To retain the moisture, the box may be covered with panes of glass, which must be removed as soon as the plants appear, however. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots 2 to 2½ inches in diameter. The soil should be light and rich, and vegetable mold is an excellent addition. Repot as often as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in 8-inch pots. If the plants become root-bound, they are apt to run prematurely into flower. Water regularly and abundantly to prevent drooping. As larger pots are used, drainage must be supplied to carry off the surplus water. Place in a cool greenhouse in the winter, and keep the pots apart to prevent the leaves from touching.

Pansy.—For spring blooming, the seed should be sown in August, September and October, in a cold-frame with a southern aspect. Plenty of air and light is essential. During mild weather the sashes should be removed; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July and transplant in beds or benches near the glass in the greenhouse in a low and even temperature. The more expensive sorts and mixtures produce the largest and finest flowers.

Petunias.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mold and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently, but is still warm, sow the seeds very thinly in the boxes, so that the plants may be I inch apart; cover the seeds very slightly with sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand, replace the slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce stocky plants. The soil may now need water, which should be applied very gently. Later the larger plants may be transplanted into other boxes or pots. As the weakest plants frequently give the finest blossoms, every plant should be preserved until the blossoms appear. For the magnificent large flowers the more expensive sorts should be ordered.

Selected List of Flower Seeds

OUR COMPLETE LIST OF FLOWER SEEDS BEGINS ON PAGE 114

We have unquestionably the largest assortment of Flower Seeds in America, and our strains are far superior to those commonly sold, often under fancy names and at fictitious prices. We avoid extravagant descriptions, meant only to effect sales.

ASTER (hhA.) One of the best Annuals for cut-flowers

The Aster is of easy culture and very popular. Plants from seed sown in the open ground in May bloom finely in September and October. For July and August flowers, sow in March or April in coldframe, spent hotbed, or in pots or boxes in the house. Cover the seeds about half an inch deep with rich, light soil, and, when the plants have three or four leaves, transplant about 18 inches apart each way into well-prepared beds. Manures too fresh or used in too large quantities sometimes induce disease in Asters. When used, they should be thoroughly well decayed and mixed with the soil. Small quantities of slaked lime or fresh wood-ashes stirred into the surface of the Aster beds form good tonics for the plants and keep disease and insects from the roots.




GIANT COMET ASTER

DWARF CHRYSANTHEMUM-FLOWERED
Grows 10 to 12 inches high; large, chrysanthemum-like flowers.
50100 Whitepkt., 10
50110 Scarlet
50120 Dark Blue 10
50124 Light Blue 10
50130 Carmine 10
50134 Rose
50140 Mixed
TRUFFAUT'S PEONY PERFECTION. Grows stiffly erect and about 18 inches tall. Remarkable for the brilliant colors of its great, incurved flowers.
50180 Amethystpkt., 10
50190 Snow-White
50200 01M150M1
50204 Scarlet
50206 Rose
50210 Light Blue
50212 Dark Blue

50214 Blood-Redpkt.,	10
50220 Mixed $\frac{1}{4}$ oz. 75c., oz. \$2.50	10
DWARF NON PLUS · ULTRA. Beautiful cla 6 inches high; fine for borders.	.ss;
50260 Whitepkt.,	10
50264 Rose	10
50270 Crimson	10
50274 Dark Blue	10
50280 Mixed	10
VICTORIA, Dwarf. Plants bear from 10 to beautifully reflexed flowers in pyramids of about 18 inchigh. The best sort for pot culture.	20 hes
50310 Apple Blossompkt.,	10
50320 White	10
50324 Rose	10
50330 Light Blue	10
50334 Dark Blue	10
50340 Dark Scarlet	10
50344 Mixed	10
VICTORIA, Tall. Large flowers, imbricated peta	
50380 Whitepkt.,	10
50390 Rose	10
50394 Dark Scarlet	10
50400 Light Blue	10
50404 Peach Blossom	10
50410 Dark Blue	10
50414 Mixed	10
COMET, Half Dwarf. Petals wavily reflexed, cur and twisted; form flowers of extraordinary size and beau	led ity.
50450 Rosepkt.,	10
50454 Carmine	10
50458 Brick-Color	10
50460 Light Blue	10
50464 Dark Blue	10
50470 Snow-White	10
50474 Peach Blossom	10
50480 Crimson	10
50484 Mixed $\frac{1}{4}$ oz. 75c., oz. \$2.50	10
COMET, Giant. Very large flowers.	
50490 White	10
50494 Rose	10
50500 Light Blue	10
50504 Dark Blue	10
50510 Crimson	10
50514 Sulphur-Yellow	10
50520 Mixed	10

ASTERS, continued QUEEN OF THE MARKET. The best early Aster; of graceful, spreading habit, and bearing its flowers on long stems. Height 1½ ft. 50560 White......pkt., 10 50564 Violet-Red 10 50570 Crimson...... 10 50584 Dark Blue...... 10 50590 Light Blue..... 10 BALL, or JEWEL. Flowers long-stemmed, quite round; desirable for cutting; plants are dwarf in growth, and can be planted closer together than other sorts; freeflowering. 50640 White.....pkt., 10 50644 Apple Blossom...... 10 50650 Crimson...... 10 50660 Light Blue...... 10



BRANCHING ASTERS

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10
BRANCHING. Forms broad bushes, with large long-petaled flowers, graceful and feathery in effect; exclent for cut-flowers.	ge, cel-
50700 Rosepkt.,	10
50704 Crimson	10
50706 Indigo-Blue	10
50714 White	10
50716 Pink	10
50720 Dark Blue	10
50724 Lavender	10
50730 Mixed	10
OSTRICH PLUME. Splendid class; fine for cutting rivals the chrysanthemum in effect.	ng;
50820 Dark Bluepkt.,	10
50830 White	10
50840 Rose	10
50850 Mixed	10
HOHENZOLLERN. Plants grow strong and sturd and the flowers are carried on long, stiff stems, making the valuable for cutting.	ly, em
50900 White	10
50910 Rose	10
50920 Azure-Blue	10
50930 Mixed	10
RAY. Fine for cutting.	
51010 White	10
51020 Rose	10

51030 Blue..... 10

CHRISTMAS TREE. Very fine class.
51040 White
51050 Rose
51060 Blue 10
51070 Scarlet 10
VARIOUS ASTERS
51100 CREGO, Pure White
1/40z. 40c., oz. \$1pkt. 10
51110 " Delicate Shell-Pink
¹ / ₄ oz. 4oc., oz. \$1 10
Very early; on style of Queen of the Market but with larger flowers.
51130 MIGNON, Pure white . Similar to 51140 "Dark blue Victoria. Very floriferous. In 10 10 10 10 10 10 10 10 10 10 10 10 10
51140 " Dark blue \ Victoria. Very \ 10
51160 LADY ASTER (Lady in White). Pure white 25
51160 LADY ASTER (<i>Lady in White</i>). Pure white 25 51220 Mixed German Quilled

Collections of Choice Asters

These collections are put up by the famous German Aster-growers, and they contain only seed saved from the very finest plants. In each collection the colors are separate, the collection of 24 Victoria Prize, for instance, containing one packet each of 24 separate and distinct colors of that class.

51300 24 Victoria Prize\$1 50	51480 6 Pyramidal Dwarf Bouquet\$0 40
51310 18 " " 1 25	51490 6 Comet
51320 12 " "	51494 12 " 80
51330 6 " " 50	51500 12 Giant Comet 1 00
51340 24 Truffaut's Perfection 1 25	51510 8 " " 75
51350 18 " " 1 00	51520 6 " "
51360 12 " " 75	51540 6 Princess
51370 6 " " 45	51550 12 Large Rose-flowered
51380 6 Branching	
51420 18 Dwarf Chrysanthemum-flowered 1 00	51560 6 " " "
51430 12 " " 75	51570 6 Dwarf Queen
51440 6 " " " 50	51580 12 Imbricated Pompon
51460 12 Pyramidal Dwarf Bouquet	51590 6 " "
51470 8 " " " 50	51610 6 Ball, or Jewel 50

52280

52284

52290

AGERATUM

For strengthening the garden's color-forces in blue, no annual is so good as the Ageratum. Though ordinarily used in bedding and borders, in contrast with such plants as geraniums, perillas, etc., the rose, white and blue sorts are exceedingly attractive when mingled with alyssum, candytuft, etc. They grow well almost anywhere. The dwarf blue sorts make fine borders. Sow under glass early in the season or, later, outdoors in a mellow seed-bed. Seeds sown in August will produce good plants for winter flowering.


52200	conspicuum. This and the next are tender	
	annuals; sow early; flowers white; I ft.	
	pkt., 1	Ι
F0040	T TO 1 1 1 1 C	_

	pkt., 10	
52210 Lassear	uxi. Rose-colored clusters; 1 ft 10	
52220 mexica	num (hA). Blue. Parent of the annuals below; 1½ ft 5	
52230 "	album. White; 1½ ft 5	
52240 "	Dwarf Blue. 9 in., fine for edgings 5	
52250 "	Dwarf White. Pretty for contrasts; gin.; fine for edgings. 5	
52254 "	Dwarf White, Large-flow- ered. Splendid 10	AGERATUM
52260 "	Imperial Dwarf Blue. Excellent for edgings; 9 in	pkt., 10
52270 "	Imperial Dwarf White. Excellen	t for edgings; 9 in



AGERATUM

Little Dorrit, Yellow. Distinct Little Blue Star. Bright blue flower				
	52300	mexicanum	, Swanley Blue. A fine, large-	•
			flowered sort; I ft	5
	52310	"	Blue Perfection. A very fine	
			dwarf variety, with large flowers; 9 in.; splendid	
				10
	52320	"	Princess Victoria Louise.	
			Dwarf; light blue, white	
			center	10



LONG-SPURRED AQUILEGIA

ALYSSUM

For borders, baskets, pots, rockwork and for cutting. In borders, sow thickly, so as to form masses, early in spring or even the previous autumn. For winter bloom, sow late in August, and thin the seedlings to about a dozen for a good-sized basket. Cut back after the first flowers fade and others will come.

52500	maritimum	(Sweet Alyssum) (hA). Fra-
		grant white flowers, in
		clusters; all summer
		oz. 30c pkt., 5
52510	"	compactum, Little Gem.
		Grows erect; 6 in 10
52520	"	Thorburn's Bouquet. Very
		dwarf and compact; for
		pots and borders; 3 in.
		1/40z. 50c 15
52530	"	procumbens, White Carpet.
		Of trailing habit; flowers
		profusely 10
52540	saxatile co	mpactum (Gold Dust) (hP).
		ants cover a square foot in a
		produce hundreds of yellow
	flower-he	ads. Grayish foliage; I ft 5
52550	argenteum.	Similar to the above, but

dwarfer; 6 in..... 10

SEE GENERAL LIST OF FLOWER SEEDS ON PAGES 114 TO 132

AQUILEGIA (Columbine)

A most desirable border plant. It forms large clumps, blooms early, long and abundantly, is useful for cutting and elegant in habit. Sow seed in the open ground in spring, preferably where the plants are to grow, and thin to about a foot apart. Sow in the fall for flowering the following season. They thrive well under ordinary garden culture, but such rare sorts as A. cærulea and A. chrysantha do best in partially shaded, well-drained nooks. Few hardy perennials are so easily grown from seed, and will give such unalloyed satisfaction.

52850	californica hybrida. Orange-red and yellow		pkt., 25
52900	canadensis. Scarlet and yellow; for shade		
	caryophylloides fl. pl. Double. Oddly striped wit	h red	and white; $1\frac{1}{2}$ it
52920	chrysantha. Golden yellow; flowers large, long-		
	spurred; 3 ftpkt.,	25	子 / A
52930	cœrulea (Rocky Mountain Blue Columbine). One of		
	the most beautiful of our native flowers.		
	Sepals deep blue, petals white; 3 ft	15	
52940	" hybrida. Large-flowered, long-spurred hy-	-	
	brids	15	
	Jætschaui. Large-flowered, yellow; long, red spurs.	10	
52970	flabellata nana alba. White flowers; early; I ft	10	
	glandulosa vera. One of the handsomest hardy		
	perennials; stems 2 feet high, with sometimes 50		
	to 80 blossoms 3 inches in diameter, of the deepest		
	blue, with white corolla; a splendid flower	50	
52990	truncata. Dwarf; scarlet and yellow; I ft	10	
	Skinneri (Mexican Columbine). Very handsome		Secretary and the secretary an
55000	and quite distinct; spurs and sepals long, crimson		
	and light green; 3 ft	25	
53010	Long-spurred Hybrids, Mrs. Scott Elliott's Strain.	-3	
33010	Magnificent hybrids	25	
52020	vulgaris, Double White. Showy and lasting; 2 ft		
53020			
53040	3		
53070	Collection of Aquilegia, including 12 choice varieties.	50	

BALSAM (Impatiens Balsamina)

A native of India, the garden Balsam loves hot sun, rich soil and plenty of water. The young plants are quick, sure growers, and, from seed sown in the open ground in May, soon form handsome bushes thickly massed with large, roselike flowers. Transplanting two or three times has a tendency to dwarf the plants into better shape and to make the flowers more double. Balsams are not often given room for perfect development; they will easily cover 12 to 18 inches of space each way. For the finest flowers, choice seed is more than usually essential. We offer only the finest double sorts.


		TTT 1.	
53400	Double	Whitepkt.,	IC
53410	:4	Peach Blossom	IC
53420		Carmine	10
53430	44	Lavender	IC
53440	"	Rose	IC
53450		Bright Scarlet	IC
53460		Red, Spotted White	
52400	Comolli	a flawared White Flaware of outra size	



DOUBLE BALSAM

Flowers of extra size, double and full centered, with reflexed petals. The plant grows rapidly to a good height and is extremely floriferouspkt., 10 53500 Collections of Balsams, including-
 53550
 6 varieties Improved Camellia-flowered
 40

 53560
 12
 " Double Rose-flowered
 60
 53570



CALCEOLARIA HYBRIDA

CALCEOLARIA

gB.

A splendid race of greenhouse biennials, natives of Chili. The skill and patience of the cultivator have worked wonders in the form, size and coloring of the flowers in recent years, so that it now holds rank with our finest conservatory flowering plants. The beautifully striped, blotched and variegated masses of flowers are almost indescribable. See special cultural directions on page 75. Our seeds are saved from the finest varieties.

53800 hybrida. Large-flowered. Self-col-	
ored. 2 ftpkt.,	25
53830 "Large-flowered. Tigered or spotted. 2 ft	25
53850 " Large-flowered. Dwarf;	, ĭ
tigered. I ft	25
53880 "Large-flowered. Tigered and self-colored. 2 ft.	25
53950 rugosa. Mixed. Finest shrubby va-	-,
rieties for bedding. Bears a pro- fusion of beautiful flowers of	
various colors. I ft	25
53970 pinnata. (hA). Yellow; for bedding.	-0
I ft	15
53990 scabiosifolia (californica) (hA). Yellow; for bedding. I ft	τo

o

CALENDULA

Hardy annuals about a foot high. The seed may be sown in the open ground early in spring, and the plants will bloom early in summer, and continue until late in autumn. The flowers exhibit every shade of yellow from ivory to deep orange, are produced in great profusion, and are strongly effective in beds, borders or backgrounds. The dried flowers are sometimes used for flavoring soups and stews.

borders or backgrounds. The dried howers are sometimes abed for havoring soups and stews.	
54210 officinalis fl. pl. grandiflora. Double; large-flowered; deep orangepkt.,	5
54220 " " sulphurea. Double; light yellow; large-flowered	5
54230 "Nankeen. A rich, soft shade of nankeen-yellow; large flowers	5
54240 "Meteor. Creamy center, edged with orange	Š .
54250 "Prince of Orange. Glittering orange and yellow	5
54260 " ranunculoides (Garden Marigold). Orange; double flowers	5
54270 pluvialis (Cape Marigold). White or ivory	5
54280 Pongei fl. pl. Handsome, double, white flowers	5
54290 Mixed, All Sorts.	5
See also Marigold, page 94	

CALLIOPSIS

54510 bicolor (tilictoria). Tenow-blown. 2 reet	0
54320 "nana radiata (Ray of Gold). 6 to 8 in. Golden yellow flowers with dark purplish brown	
centers. Profuse bloomer	
54330 "marmorata. Maroon and gold; 1½ ft	5
54350 hybrida superba. Very showy hybrids in great variety	o ı
54360 coronata. Yellow; very fine; 1½ ft	5
54370 cardaminifolia hybrida. Red and yellow; 1½ ft	
54380 Drummondii (Golden Wave). Golden brown; 1 ft	
54400 bicolor hybrida fl. pl. Double; mixed; I ft	
54410 Mixed Annual Sorts	

COREOPSIS


54450 Collection of Calliposis, including 10 varieties.....

54560 grandiflora (hP). Large flowers of rich yellow; 2 ft	10
54570 lanceolata grandiflora (hP). Large, golden yellow flowers; fine for cutting	10
54580 "California Sunbeams (hP). Flowers very large, in a great variety of beautiful	
forms and various shades of yellow and brown; I ft	10

CAMPANULA (Canterbury Bells)

These fine old plants are rich in color, profuse in bloom, and of easy culture. For outdoor effects, when planted in quantity, they are glorious, and finest full-bloom specimens of such varieties as *C. caly-canthema* can be transplanted to pots for house decoration by soaking the soil about them with water and lifting with a ball of earth. Sow seeds of biennials outdoors early in July and thin or transplant to temporary quarters until October. Transplant, then, 6 or 8 inches apart, in a coldframe, where they will make large plants by spring. They are as easily cared for as pansies. The old practice of covering Canterbury Bells with leaves through winter is not satisfactory. Transplant in spring, 18 to 20 inches apart, in beds where they are to bloom. In June and July they flower most profusely, and are in fine form a long time. They also make beautiful pot-plants for Easter. If sown early in good soil, the hardy perennials will bloom early the next year. All the varieties like a rich, sandy soil with good drainage.


	carpatica	(hP). Deep blue; 6 in. For rockeries, beds and edgingspkt.,	
54610		alba. Flowers white; 6 in	
54630	Medium	Blue (Canterbury Bells) (hB). Blooms first year if sown early; 2 ft	
54640	"	White. Pretty for contrasts	5
54650	"	Rose	IC
54660	"	Striped. Very fine	IC
54670	"	Mixed	
54680	"	Double Blue. Rich, heavy, curious flowers through summer and fall	
54690	"	Double White. Waxy appearance	
54700	"	Double Rose	15
54710	"	Double Mixed	
54720	"	calycanthema (Cup and Saucer) (hB). Blue; symmetrical; often has 35 to 40 flowers	
		open at the same time on a single plant. For pots or borders. 2 ft	IC
54730	"	" alba. A white-flowered variety of the above	1.5
54740	"	" Mixed. Shades of blue and white	
54750	"	Prize Mixture of all colors, Single and Double and Calycanthemas; unequaled	
54760	amabilis	(hP). Light blue flowers, nearly 2 inches in diameter, on stems 2 to 3 feet high; grows	
		trong and bears a profusion of flowers	
54770	macrosty	vla. Large, lovely violet flowers;	
		Hardy annual	Į.



54870 Vidali (gP). White; very floriferous and

54900 Collection of Campanulas, including 12 va-

rieties, choicest perennial sorts...... 60



CAMPANULA (CANTERBURY BELLS)

CANDYTUFT (Iberis)


The Candytufts are among our best flowers for edgings, bedding, massing or rockeries, and for cutting. Several of the varieties are fragrant, and all are profuse in bloom. Sow outdoors in April, and thin well when the plants grow about an inch. Sow again in a month, and late in July for fall flowers. Give rich soil and water freely.

55000 affi	inis. Nea	at and pretty bedder; 6 inpkt.,	5
		nite; I Ît	5
		Rocket Candytuft). Of candelabra	U
	(-	form; flowers in upright spikes.	5
55030	" म	mpress. White. I ft	5
			อ
55040	" L	ittle Prince. Very large heads	
		of pure white flowers. Fine for	
		border and pots; 6 in	10
55050	" G	liant Hyacinth-flowered. White.	5
			J
		mall, white, fragrant flowers	5
55070 um	ıbellata.	Purple; I ft	5
55080	"	carnea. Flesh-colored; I ft	5
	"		
55090	••	Dunnetti. Dark crimson; 1 ft	5
55100	- 66	lilacina. Lilac; I ft	-
22100		macma, Lilac, I Il	5
		55440	٠.



PERENNIAL CANDYTUFT

55110 umbellata carminea. Bright carmine; I ft...pkt., 10 55120 Queen of Italy. Dwarf; erect; fine pink flowers; 6 in..... 10 55130 Dwarf Hybrids. Mixed colors; 6 in.... 10 55140 Mixed Annual Sorts..... 55160 Collection of Candytuft. 6 varieties choicest annual sorts...... 30 PERENNIAL CANDYTUFT. Hardy, evergreen plants, making a magnificent showing the second year from seed. They bloom very early, cushioning rock ledges, borders, etc., with banks of bloom. Sow outdoors in spring or fall in any sunny place. 55170 sempervirens. White flowers remain fresh nearly a month; I ft......pkt., 15 55180 gibraltarica. Beautiful blush-white; 1 ft. Flowers 55190 semperflorens. A handsome but somewhat delicate evergreen perennial, with large, pure white, sweet-scented flowers. Not suitable for border culture, though hardy enough to stand our winters when grown at the foot of a south wall or in a very



CELOSIA, OSTRICH FEATHER

Celosia Plumosa

Beautiful foliage plants blooming in late summer and autumn, and producing large, showy plumes, curled and curved, much resembling ostrich feathers. See illustration. 54950 Ostrich Feather, Crimson....pkt., 10 Orange 10 54960 54980 PRIDE OF CASTLE GOULD.


Of upright, compact growth, 2 to 3 feet high, with large, fine-feathered heads in many variations of shades and self-colors; blood-red, carmine, deep-scarlet, wine-red, salmon, yellow and orange. Valuable either as a pot-plant or for bedding in sunny situations.... 25


For other Celosia see page 117, and for Cockscomb (Celosia cristata) see page 88

CARNATION (Diantous Caryophyllus)

The splendid Carnation of the florist is a very interesting plant to grow from seed, and it is not over-exacting. Sown under glass in early spring, or later in the open ground, the plants will flower finely the second summer. For largest, richest flowers, we recommend culture in pots of rich soil. With many they are also garden favorites, and, grown in this way, flowers of good quality may be enjoyed all summer if given plenty of water, good soil and a mulch about their roots. With tall varieties, staking and tying is necessary. Young plants are perfectly hardy outdoors, but when two or three years old they are injured by winter cold, so that sowings should be made every year. The more expensive sorts produce the finest flowers. The prices we quote, although seemingly high, are most reasonable for strains such as we offer.

MARGARET CARNATIONS are an extra-vigorous race, especially adapted for outdoor culture. They are very neat in habit, and remarkable for their rich profusion of flowers, produced in five months from sowing. Grown as annuals from seed sown every spring, they are most satisfactory. Our seed of these varieties is grown exclusively in the famous Chabaud Garden of Carnations, Provence, France.





Bright, glittering red of THORBURN'S MARGARET CARNATIONS
surpassing richness 50
55450 Giant Perpetual White. Very large, perfectly double; flowers in seven months after sowing pkt., 50
55460 "Yellow. Eighty per cent come true to color; creamy to golden yellow 50
55480 "Fine Mixed. Enormous flowers, perfectly double; splendid colors 50
BORDER CARNATIONS, ETC. We invite attention to the splendid collection below:
55510 Red Grenadine, Double. Brilliant scarlet; 2 ft
55520 Enfant de Nice (Improved Grant-flowered). All colors. Flowers in six months from seed
55530 Early Dwarf Vienna, Double Mixed. Fine for garden culture and for cutting: I ft
55540 " " White. Very fine; always comes true white
55544 Fine Double Mixed, Variegated. Splendid mixture
55546 " " Self-colored
55550 " " Many colors
55560 Extra-fine Double Mixed. The choicest colors
State and Detailed Wilker. The choicest colors.
Choice Collections of Carnations, including— 55640 18 varieties
55620 50 varieties
55630 25 varieties

CENTAUREA

C. Cyanus, the popular Cornflower, is also known as "Blue Bottle," "Ragged Sailor," "Kaiser-blumen," and, sometimes, as "Bachelor's Button." These are bright-flowered plants of the hardiest nature and simplest culture, yet among the most attractive and graceful of all the old-fashioned flowers. The perennial sorts increase rapidly and bloom profusely.

PERENNIAL FLOWERING. A dry, sandy soil of moderate fertility seems to suit them best, keeping up a profusion of bloom all summer.

HARDY ANNUALS. Flower finest in full sun and thin soil. Sow in open ground in spring.

55840 americana. Large, lilac-purple flowers; bushy plants; very fine. Constant and profuse bloomer. 10



55850	imperialis,	White. Very large- flowered; hardy and floriferous; borne on	
5 58 6 0	**		10
		ered; hardy. The same as the white	
55880	**	Mixed. Very large-	10
5589 0	r	ameleon. Yellow and ose; fragrant; superb;	10
55900	" M a 2 a f	argaritæ. Pure white; 1½ in. across; lacini- ted and scented; orms stocky, well-	
]	/	10
55910	moschata	atropurpurea (Purple Sweet Sultan). Large flowers on long stems.	5
55920	" "	atropurpurea alba (White Sweet Sultan).	5
55930	" "	atropurpurea, Mixed (Mixed Sweet Sultan).	5
55940		(Yellow Sweet Sultan).	5
55950	fı	inflower). Blue; delighted, old-fashioned flowers, blooming profusely a summer; fine for	
		utting	5
55960	- Emp	peror William. Blue	5
55962	" Emp	peror William, Semi- ouble. Blue	10
55970	" Rose	e. Distinct shade; flow- s borne on long stems;	_
55980	" Vict	oria, Dwarf Compact. in.; for pots and edg-	5
			10
55990		e White. Very fine	5
56000		ed	5
56010		ble, Mixed	5
56020	IVIIX	· · · · · · · · · · · · · · · · · ·	10
56060		of Centaurea Cyanus, 6 varieties	25

CHRYSANTHEMUM

Do not confound these annuals with the winter-flowering sorts of the florists. They bloom profusely Do not contound these annuals with the winter-flowering sorts of the florists. They bloom profusely from early summer until frost, and, when grown in large beds or masses, their bright colors make a splendid show. The plants can be brought into bloom early by sowing the seeds in frames or window-boxes, and afterwards transplanting to the garden; or seed may be sown where the plants are to flower, if the seedlings are thinned to 8 to 10 inches apart. Pinching back in early growth makes the plants bushy and shapely.

Average height I to I let

Average height, I to 11/2 ft.

111014	80	c, 1 to 1/2 1t.	
56200	coronar	ium, Double Whitepkt.,	5
56210	"	" Yellow. The flowers are	
		perfect bosses of gold,	
		and handsome	5
56220	"	" sulphureum. Pale yel- low	5
56230	44	" imbricatum, Yellow. A	Ū
		most beautiful sort	10
56240	"	" Mixed. Yellow, white,	_
5/250	4	etc	5
36250	tricolor	White. <i>Tricolor</i> sorts have beautiful rings and eyes of various colors,	
		and are distinctively handsome,	
		with long stems	5
56260	**	Yellow	5
56270	**	Scarlet. Dark and rich	5
56280	44	Golden Feather. Foliage rich yel-	3
00200		low; flowers bright red and white,	
		on long stems	5
56290	**	Eclipse. Yellow, with velvety	
		brown band	10
56300	66	Burridgeanum. Crimson - maroon,	
		with white edge and inner circle;	
		brilliant and showy	5
56310	"	Northern Star. Giant white flowers,	
	"	with black centers	10
56320		Single Mixed. All colors	5
56330	66	Double Golden (Dunnetti)	10
56340	"	" White (Dunnetti)	10
56350	44	" hybridum, Mixed (Dunnetti)	10
56360	"	" Golden-leaved Sorts, A mi	vtur



Golden-leaved Sorts. A mixture of beautiful yellow-leaved sorts; flowers of various bright, vivid colors......pkt., 10 56360 56370 Double Mixed...... 56380 56384 Dwarf Mixed..... 10 56390 multicaule. An exceptionally fine little bedder; flowers yellow; 3 in...... Helios, Evening Star. Fine for cutting; pure golden yellow flowers of gigantic size, 56410 borne on long stems..... 56440 frutescens (Paris Daisy, or Marguerite) (hP). Beautiful for cutting and pot culture; long-56450 leucanthemum (Shasta Daisy). Extra-large flowers, with pure white petals and brilliant golden Collections, including-

PERENNIAL VARIETIES. This section includes the large-flowered sorts, and the pretty, hardy Pompons that make bright masses of color in our gardens long after heavy frosts have cut down other flowers. We wish to make quite clear the distinction between this class and the Annual Chrysanthemums described above, so that, as has sometimes happened heretofore, customers may not order seed of the summer-blooming garden varieties, expecting them to yield the grand show flowers of late fall, which are obtained from cuttings carefully cultivated. For ordinary culture and room decoration,

56750

56760

Perennial Chrysanthemums, continued
plants pinched back to form a number of branches, and holding from five to ten flowers, are satisfactory. Average height of show kinds, 3 feet.
56550 indicum, Double. Will produce superb flowers of different types and colors; fine for forcing and cut-flowers
Formula 1 4 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
56570 japonicum fl. pl. From finest flowers. Double. An extra-choice mixture, including many of the finest large-flowering sorts

CINERARIA

One of the most useful and ornamental of greenhouse plants. The colors are very beautiful and showy and quite distinct. The parent of these highly diversified and lovely flowers is C. crenata, a



CINERARIA HYBRIDA

HALF-HARDY PERENNIALS. Require some protection.

native of the Canary Islands, and itself a half-hardy perennial. See cultural directions on page 75. Average height, 2 ft. 56600 Azure-Blue. Dwarf; fine for edgingpkt., 25 56610 Large-flowered, White. Handsome flowers.... 25 56620 Large-flowered, Crimson. Flowers are very brilliant and showy 25 56630 Large-flowered, Blood-Red..... 25 56640 Large-flowered, Stella, Mixed. Twisted and fluted petals, large flowers; very rich..... 50 56650 Large-flowered, Fleshcolored Varieties, Mixed..... 50 56660 Large-flowered, Prize Mixed. Magnificent strain..... 60

> Dwarf, Prize Mixed. Exquisite. I ft...... 60

> sorts..... 25

Selected double sorts.. 60

Mixed..... 25

56680 Splendid Mixed. All fine

56690 Splendid Mixed, Double.

56700 stellata (Polyantha).

Half

56670 Large-flowered.

CLARKIA

candidissima. Yellow; silvery foliage

56740 Cineraria maritima (Dusty Miller). Yellow...

One of the prettiest and showiest of hardy annuals. The plants bloom so freely and have flowers of such various bright colors that a bed of them in full bloom is a beautiful sight. They are useful, too, for hanging baskets, for vases and as edging to beds of larger-growing plants. Sow outdoors in early spring and grow in partial shade. They keep up a continuous bloom through midsummer to late autumn. Average height, 1½ ft.

56800	elegans	rosea. Rosepkt.,	5 1	56860	pulchella	rosea. Rosepkt.,	5
56810	"	" Double. Rose I	0	56870	"	alba. White	5
56820	44	alba, Double. White 19	0	56880	"	marginata. White-edged	5
56830	"	Single Mixed	5	56890	**	White Tom Thumb	5
56840	"	Double Mixed	5	56900	44	Single Mixed	5
56850	"	Double and Single Mixed	5	56920	"	Double and Single Mixed	5

COSMOS

One of the notable fall flowers. A strong, tall-growing annual, with bold flowers of exquisite daintiness and airiness, heightened in effect by their foliage setting of feathery green. It is most effective when planted in broad masses, or long background borders against evergreens or fences. From seed started early in the house or frame, the plants will flower profusely in late June or early July. If topped when half grown, they will bloom more quickly, the check seeming to induce earlier flowering. We offer only the choice, large-flowering strains. To make sure of flowering early, Cosmos should be started indoors and transplanted into dry, sandy or poor soil, in a sunny situation.

EXTRA-EARLY FLOWERING. Earliest of all. This fine strain will produce flowers in July from seed sown in the open ground in May.

57050	Crimson						. 			10
57680	Mixed						. .			10
57700	LADY LE	NOX. Love	ely, large,	shell-pink flo	wers of gre	at substanc	ce		.	10
57742	Mammoth	Perfection	, Conchita	. Crimson; l	arge flowers	on long st	ems			10
57744	"	"	Erlinda.	White	. 					10
57746	"	44	Rosita.	Pink			. 	.		10
57748	"	"	Mixed							10
57750	Klondyke.	Orange-co	lored							25
57760	Tints of I	Dawn. Han	dsome wh	ite flowers, s	lightly tinge	ed with rose	e .			10
				id irregularly						
57780	Striped, C	Charming an	nd distinct	: large white	e centers, ar	nd petals de	eeply striped	white		TO




EXTRA-EARLY FLOWERING COSMOS

COCKSCOMB (Celosia cristata)

hhA.

We prize and plant the Cockscomb as an odd and picturesque decorative feature of the garden. The bright red and crimson varieties are most effective, both in gardens and in winter bouquets, for which they are cut before fully ripe and dried in the house. The dwarf varieties make novel and attractive borders; the tall ones form striking groups. Transplanting into rich soil about the time the combs begin to form makes the flower-heads much larger. They are bright from midsummer until frost.



CYCLAMEN GIGANTEUM

57850 Glasgow Prize. Dark leaves and cri		
combs; I ft		O
57860 Dwarf Bright Red. A miniature plant,	, with	
enormous combs of intense b	oright	
red	I	C
57870 " Dark Yellow. Yellow combs	I	C
57874 " Light Yellow	I	C
57890 " Crimson		
57900 Mixed. Extra-large combs		

For Celosia plumosa see page 82, and for other sorts, see page 117

CYCLAMEN

These bulbous greenhouse plants are all very beautiful and are unapproached among winter-flowering plants for duration of bloom variety of shades and wealth of coloring. They are among the best plants recommended for house culture, as they thrive well and bloom profusely in the average temperature of the living-room. Their quaintly formed flowers and oddly marked foliage are very handsome. Sow the seed in small boxes or seed-pans in a compost of well-rotted manure, leaf-mold and sand, in the early winter months. Cover lightly with moss, which should be kept moist

and should be removed after the seed germinates. Prick out into small pots when the young plants have two leaves. They should be grown steadily without any check, and they will flower in from ten to twelve

month	s. Average	e, 9 inches.	100 8	eeds	Pkt.
57930	giganteum	album, Mont Blanc. White	\$1	00	\$0 25
57940	"	albo-rubrum. White with red eye			25
57950	"	atropurpureum. Dark red	і	00	25
57960	"	Aurora Borealis. White and pink; fringed	і	25	25
57980	"	roseum. Rose	і	00	25
57990	"	Salmon Queen. Salmon; very fine	і	25	25
58000	"	Mixed. Finest sorts	і	00	25
58010	"	persicum, Mixed. Very dwarf. About 3 ft. high			10
58020	"	persicum Papilio, Mixed. Butterfly Cyclamen	І	50	25

DAISY (Bellis perennis, etc.)

May be sown in February or March in shallow boxes of light, rich soil, covering the seeds to about three times their own thickness, and pressing soil firmly over them. Keep in a warm window, hotbed or greenhouse. When well out of the seed-leaf transplant to new boxes, and set out in the open ground when danger from frost is past. Or, sow in beds outside in August or September; protect with straw or litter over winter, and transplant to their permanent position in the spring. They make delightful borders to beds of taller-growing annuals and can be used very effectively in beds of spring-blooming bulbs.


0	0													
58400	Double	White (Snowb	all)]	okt.,	10
58410														
58420	"	Rose (L	ongfell	ow)							 			10
58440				ine										
58444	"	maxima	alba.	Extra larg	ge. W	hite					 			15
58448		"	rubra,	Extra la	rge. F	Red					 			15
58450	"	"	Mixed	l. Extra l	arge						 			15
				rge; white										
	Single 3	Paris Dai	isy. N	o. 56440, j	page 8	5. See	c Chrysa:	nthemum	frutesce	ns	 			10

DELPHINIUM (Larkspur)

In variety and beauty of its blue tints, which are as numerous as they are charming, no other plant can equal the Delphinium. The brilliant flowers are strongly effective in beds or masses, in borders, shrubberies, or in combination with white lilies. Improvements are continually being made in the size of the flowers, as well as in the length and fullness of the spikes. Some of the species flower both early and late; the season for all can be prolonged by cutting away withered flower-stems. All varieties are easily cultivated and adaptable to many conditions, but in a soil deeply dug and well enriched with fine old manure, their blooms are the finest. Setting them 1½ to 2 feet each way is not too much for the taller sorts.

ANNUAL VARIETIES. These include the Rocket and Hyacinth-flowered, so called from their long, narrow flower-spikes. They bloom best in a rather cool, moist soil. Sow seed in the open border, either in spring or fall, preferably the latter, so that germination may take place very early in the spring. As the seedlings grow, thin them to stand 6 to 18 inches apart, according to variety. The varieties are seldom kept separate, as they are quite as pretty and convenient for cutting when sown in mixture. Some of these are really hardy biennials, but, because they bloom the first season, we treat them as hardy annuals. The shades of

the first season, we treat them as hardy annuals. The shades of
color cover a very wide range.
58600 Ajacis, Dwarf Rocket. Finest colors; beautiful for bedding;
58620 "Ranunculus-flowered. Double; colors fine; 2 ft 5
58630 "Tall Branching. Choice mixed; 2 ft
58640 cardiopetalum. Beautiful blue flowers; I ft
58650 Emperor Branching, Rose. This and the next are splendidly
bright and showy, often giving 10 to 20 erect
spikes of flowers; 2 ft
58660 "Branching, White. Beautiful for cutting 10
58664 "Branching, Mixed
58670 Newport Rose. A rose-colored and very beautiful, free-
flowering sort. If sown outdoors in spring it will bloom
by the first of August; 2 ft
PERENNIAL VARIETIES. These are usually taller than the
annuals, requiring more space between the plants. If sown in the
fall or very early spring, nearly all will bloom the first season.
Foliage clean and pretty; habit strong and neat; flower-spikes
long and dazzling.
58680 Barlowi. Large, dark blue flowers; extra finepkt 25
58684 Belladonna. New. Lovely pale blue
58690 Brunonianum. Lovely blue, musk-scented flowers; very
distinct 6 to 18 in
distinct; 6 to 18 in
58710 cashmerianum. Spreading, many branched; flowers often
2 in. wide; deep purplish blue; 3 ft
58720 chinense, Mixed (C. grandiflorum). Large flowers, ranging
from pure white to indigo-blue. Young seedlings
will bloom from midsummer until frost; 2 ft 10
58730 " azureum. Beautiful, distinct shade of blue; 2 ft 10
58740 elatum, Blue (Bee Larkspur). Soft clear blue flowers in tall
spikes; 3 ft
58750 "hybridum, Finest Mixed. Very showy
58752 " Finest Double Mixed
58760 formosum. Brilliant blue, white center; especially fine; 3 ft 20
58770 " cœlestinum. Sky-blue; handsome; true 20
58780 hybridum fl. pl. Finest double and semi-double sorts in choice
colors; a superb mixture; 3 ft
58794 " New Large Hybrids, Mixed. All shades of blue
58800 nudicaule. The only pure bright scarlet. Dwarf and compact
in growth, with flower-stems of fine length; I ft. A native
of California
58810 Zalil (sulphureum). Very beautiful hardy perennial, with
long spikes of yellow flowers



					(Collection	s of	Delph	ini	ium		DELPHINIUM	I	
58840	12	vars.	Dwarf	Rocket,	Annua	ılpkt.,	45	58890	6 1	vars.	Ranunculus-	fl'd, Annual	pkt.,	25
			4.6		"		25	58900	8	"	Tall Branchi	ng "		40
58860	10	"	Tall R	ocket	"		40	58910	6	"				
58870	6	"	4.4	"	"		25	58920	6	"	Hybridum.	Perennial.	Finest	-
58880	6	**	Emper	or	4.4									



ESCHSCHOLTZIA THORBURNI

ESCHSCHOLTZIA

(Commonly called California Poppy)

The state flower of California. An annual, very bright and rich in its pure tints of yellow, orange, etc. The plants average about a foot in height, with silvery foliage, and produce their large, poppy-like flowers from early spring until frost. They are most effective when grown in beds of considerable size, over which the seed may be sown broadcast thinly and lightly raked in. These sowings may be made early in spring or late in autumn for earlier germination, blooming the next spring. Useful as a pot-plant and for cut-flowers.

59350 THORBURNI. Coppery orange;

	very large flowers; finest of all.
	pkt., 10
	59360 californica. Rich yellow 5
	59370 " alba. Creamy white 5
	59372 " alba fl. pl. Fine sort,
	with double, creamy
	white flowers 10
N. A. C.	59374 "Burbank's Crimson-
THE REPORT OF THE PARTY OF THE	flowering. Crimson. 10
	59380 "Carmine King. Car-
	mine-rose; beautiful 10
	59384 "Rose-Cardinal. Car-
	mine-rose 10
《大学》(1) 10 10 10 10 10 10 10 10 10 10 10 10 10 	59400 crocea. Pure, deep orange 5
	59410 " Double Orange 5
	59424 aurantiaca fl. pl. Double; orange. 5
	59430 "Single Orange 5
ESCHSCHOLTZIA THORBURNI	59444 maritima. Canary-yellow, with
	orange center; leaves grayish 5
59450 maritima, Golden West. A superb variety w	th very large flowers of deep yellow; 2 ft 5
59460 Douglasii. Very pretty yellow variety from (California 5
59470 tenuifolia. Bright yellow; leaves dense and fi	nely cut; I ft 10
50400 Mandarin Dad gold flavors arongs within a	nd coorlot without

FORGET-ME-NOT (Myosotis) hP.

These dainty little flowers love cool, moist soils, and, like pansies, bloom most freely in fall and early spring. They make beautiful close borders, or edgings, and will bloom nicely in winter in a cool room or coldframe. They establish themselves by self-seeding. Sow in spring in a warm, sunny border. Most varieties bloom freely the first season and profusely the second. Average height, 6 ins.

		3 8 ·,				
59700	Myosotis alpestris.	A pretty trailer, with blue flowerspkt.,	10			
59710		Indigo-Blue. Like the above, but with indigo-blue flowers	10			
59720	"	rosea. Rosy flowers; pretty contrast with blues and whites	10			
59730	11 11	alba. White; pretty				
59740	"	elegantissima. Blue; leaves white-edged; very attractive	10			
59744	"	" cœrulea fl. pl. Double; blue; 8 to 9 in. high	25			
59750	"	nana cœrulea. Very dwarf; compact; sky-blue	15			
59760	"	robusta grandiflora (Eliza Fonrobert). Grown extensively for cutting.	- 3			
		Large, sky-blue florets with yellow eye, in large clusters				
59770	"	Victoria. Strong growing; dwarf habit; flowers large, globular, sky-blue,				
.,,,,		abundant; fine for pots and for cutting	15			
59780		Mixed	10			
	hybridus, Star of L	ove. A distinct dwarf variety, with large, beautiful blue flowers				
59794 "Ruth Fischer. Pure Forget-me-not-blue. Fine for cutting and for hanging baskets.						
	Can be forced successfully and, owing to its extreme hardiness, it is valuable for					
		bedding in open ground				
59800	azorica Dark blue	with white eye. I ft	25			
59810	59800 azorica. Dark blue, with white eye; I ft					
50020	59820 dissitifiora. Blooms very early; flowers blue					
	59830 palustris (True Forget-me-not). Blooms the second year abundantly all season					
	59834 " semperflorens. Dwarf; blooming from spring until autumn					
59840	59840 sylvatica. Blue, with yellow eye; likes dry soil; 1 to 2 ft					

FOXGLOVE (Digitalis)

The tall flower-spikes of the Foxgloves, often 2 to 3 feet long, are particularly handsome when grown among shrubbery, or in bold masses. Used as a background for lower plants, they are very fine. Seed may be sown outdoors in spring and the seedlings transplanted where they are to grow, or, preferably, to a coldframe, where they make extra-strong plants that will flower in magnificent spikes the next season. They are most satisfactory when treated as biennials, sowing the seed every year in rich, deep soil and partial shade. When the center spike begins to fade, it should be cut out and the side shoots will grow more vigorously. Average height, 2 to 3 feet.

60010		5
60030		10
60040	" Mixed	.5
60050	gloxinioides, White. Very handsome, gloxinia-like flow-	Ŭ
	ers; robust; beautiful for cutting	10
60060	" Purple	10
60070	" Rose. Bright, showy flowers borne profusely	
	on fine spikes	
60080	" Mixed. All the choice colors	10
60090	maculata superba. Ivory, spotted. Mixed	10
	monstrosa, Splendid Mixed. Very large, bell-shaped	
	flowers of exquisite beauty, borne on long spikes; 4 ft	
60140	Collection, including 12 varieties of Foxglove	
55110	Tonglove	43


GAILLARDIA

(B.anket Flower)

Showy and free bloomers, flowering profusely all summer. They are good bedders; fine for bouquets and for house decoration. They do best in a good, light soil and in an open, sunny situation.



GAILLARDIA GRANDIFLORA OCULATA



FOXGLOVES, GLOXINIA-FLOWERED

	GAILLARDIA, continued	
60250	amblyodon (hA). Fine redpkt.,	5
60260	grandiflora maxima (hP). Golden	
	yellow. Flowers first	
	season if sown early;	
	, -	10
60264	" oculata (hP). New light	
	shades with red cen-	
	ters; very fine, large-	
		10
60280	Extra-nne Mixed (nP).	10
60284	" semi-plena Mixed (hP).	
	Superb; very large-	
	flowering, semi- double varieties	
		15
60290	picta (hA). Red and yellow; very	
	brilliant	5
60300	" Lorenziana. Double; mixed	
	colors; flowers large	5
60310	" Salmonea. Salmon-red;	
	fine	5
60320	" Mixed	5
60350	Collection, including best 6 annual	
	varieties	25

GODETIA

Choice, free-blooming annuals, with widely opened flowers of satiny texture, and of the most delicate
and lovely colors. They are beautiful for solid beds, border lines, for pots, and for growing in shaded places
where so few really fine flowers will flourish. Sow seed in the open border in spring, or in a coldframe, and
transplant seedlings to stand a foot apart in rather thin soil. Fine for cut-flowers. Average height, 11/2 ft
60780 CRIMSON GLOW. New. Intense, dazzling crimson; fine, compact grower; very floriferous.pkt., 15
60800 Rosamund. Large; glossy pink.
60810 Princess of Wales. Brilliant carmine
60820 Lady Satin Rose (G. Whitneyi compacta, Brilliant). Bright carmine
60830 Fairy Queen. Large, white flowers, with carmine spots
60840 gloriosa (Lord Roberts). Darkest red; dwarf
60850 grandiflora maculata. Great, white flowers, blotched with carmine
60854 rubicunda splendens. Brilliant red; fine
60860 White Pearl. Beautiful glossy white
60870 The Bride. White and crimson
60880 Duchess of Albany. Satiny white
60890 Lady Albemarle. Dark crimson
60900 " compacta (General Gordon). Dark crimson; dwarf
60910 Lindleyana. White and red
60920 Bijou. Of dwarf, bushy habit; lovely blush-white flowers borne in great profusion
60930 Whitneyi. Superb, rosy flowers, blotched crimson; elegant pot-plant
60940 "Brilliant. Carmine; very showy
60950 Mixed, Tall Varietiesoz. 30c
60960 " Dwarf Varieties
60990 Collection of Godetias, including 6 choice varieties



DOUBLE HOLLYHOCKS

DOUBLE HOLLYHOCKS

(Althea rosca)

These stately, old-fashioned perennials are most striking when seen in groups or long rows against evergreen hedges, shrubbery, etc., and, in their turn, form a very fine background for plants of lower growth. Their color variety is wonderful, ranging from pure white through almost every conceivable shade of yellow, red and rose to ashen gray and almost black. Although Hollyhocks are very permanent and hardy for the first winter, it is advisable to sow seed every year, as the flowers on young, vigorous plants are much finer than on old ones. Sowings should be made in April or May, and not later than June, to flower the next year. In final transplanting give each seedling a foot or more space each way for development. In this way the plants will grow strong and sturdy and the flower-spikes will be most magnificent. Average height, 4 feet. Our seed is of magnificent, double varieties, grown from Chater's celebrated collection, which has revolutionized the popular estimation of the Hollyhock.

61800	ROSETTE. Exquisite shade of red. See	
	Novelties	\$o 25
	Apricot\$0 60	10
61860	Bright Pink 60	10
61880	Bright Rose 60	10
	Cherry 60	10
	Canary-Yellow	10
	Chamois-Rose	10
61934	Golden Yellow 60	10
61940	Lilac 60	10
61960	Light Rose 60	10
61980	Maroon 60	10
61990	Salmon 60	10
62000	Bright Scarlet 60	10
62010	Snow-White	10
	Mixed Allegheny Fringed 50	10
62040	" Double 50	10
62050	" Singleoz. 50c	5
	Choice Collections, including—	
62090	12 var. Double Hollyhocks, Chater's Superb	80
62100	8 " " " "	60
62110	6 " " " "	45

IPOMŒA

(Moonflower, Morning-Glory, Cupress Vine)

Of all our climbers for garden and greenhouse these are the quickest and most luxuriant in growth. Ipomœas grow so easily from annual sowings that it is no longer thought necessary to winter over roots or young-cutting plants under glass. The large, horny seeds of some varieties should be soaked in hot water before planting. For early flowers sow in hotbeds or pots and boxes under glass, and transplant to rich, deep soil in summer quarters as soon as danger of frost is over, when sowings may also be made in the open ground. Nothing finer for porches, trellises, etc.

*These are very hard-seeded, and, in order to hasten germination, a notch should be filed in the seed before

pianting.
ANNUAL VARIETIES. From early sowings these begin to bloom in June and July, and are full of beautiful flowers all the season, often blooming freely until cut down by frost.
that nowers an the season, often blooming freely until cut down by frost.
62350 coccinea. Scarlet flowers; 10 ft
62360 " lutea. A yellow-flowered variety
Imperial Japanese. See Japanese Morning-Glory, page 95.
62370 hederacea grandiflora superba. Rich sky-blue flowers with white margins; 15 ft
62380 " fol. marmoratis, Mixed, Variegated
42200 *Nil grandiflare Link blue, ve ft
62390 *Nil grandiflora. Light blue; 15 ft
62400 limbata. Violet and white; 5 ft
62402 "hybrida, Mixed
62410 *mexicana grandiflora alba. The great white Moonflower; 15 ft
62420 " hybrida alba. Flowers very large and numerous; 15 ft
62430 *bona nox (Good Night, or Evening-Glory). Large, blue flowers open in the evening; 15 ft 5
62440 Heavenly Blue (rubro-cœrulea). The very large, clustered flowers of beautiful sky-blue open
early in the morning. Unusually distinct and handsome; 10 ft. Sow early 10
62444 rubro-cœrulea alba. White; 8 ft
ordinario diditari di divis-jio del ving. I loddeces golgeodes sky-blue nowels with
rose-colored markings, from 4 to 5 inches across, in great abundance. Rapid
grower. If sown in boxes or hotbeds, the young plants may be set out in April
or May in a sunny situation, where they will flower from the end of June until
frost. Flowers remain open all day. 15 to 18 ft
62450 Quamoclit (Cypress Vine; Star Flower). A tender annual, with finely cut leaves and small,
star-shaped flowers. This, the type, is scarlet-flowered; 10 ft
62460 " White
62470 "Kerberi. Fine scarlet flowers; blooms late
62480 "Mixed Cypress Vine
62464 " UVDDIDA CADDINAI CIIMBED Nov. See Nevelies
11 DRIDA—CARDINAL CLIMBER. New. See Wovellespkt. of 20 seeds 25
62490 Ivy-leaved Cypress Vine. Pretty leaves, deeply lobed; fiery orange-scarlet flowers
62530 Collection, including 12 varieties annual sorts
GREENHOUSE CLIMBERS. These handsome vines grow nicely in open ground, but bloom almost
too late to be very useful there in all except warm climates. Grown in pots, tubs or greenhouse
beds, they flower grandly between October and spring.
62550 Horsfalliæ. A superb West Indian species of vigorous growth. The rich, thick leafage is beau-
2250 Horstand. A superb West Indian species of vigorous growth. The rich, thick learage is beau-
tiful; the flowers a deep, glossy rose-purple; 15 ftpkt., 25
62560 Learii. Quick, strong grower, sometimes succeeding well outdoors. Flowers violet-blue; 15 ft 10
62590 setosa (Brazilian Morning-Glory). This vine makes an immense, thick growth of great, lobed
leaves lighted by a profusion of large, rosy flowers, with a sating pink star in the centers.
The red pubescent stems and seed-pods add to its attractiveness. 10 to 20 ft
÷

KOCHIA (Summer Cypress)

LOBELIA

The Erinus varieties are charming little plants that bloom very quickly from seed and continue gay with flowers all through the season. For beds, edgings, baskets and pots there is nothing prettier. Sow outdoors in early spring where the plants are to grow, and thin moderately; or transplant several inches apart in rich, open soil. Some stimulant given when they are in bloom greatly improves the flowers. Almost all are also good winter conservatory plants of trailing habit. The perennial or tall varieties are handsome, showy plants and will be found quite effective for backgrounds and grouping

LOBELIA, continued 62970 alba. White flowers......pkt., 10

63580

63600

63680 6

"

"

63000 Paxtoniana. Blue and white	10
63040 erecta, Crystal Palace compacta. Dark blue: for bedding: 6 in	1
63050 Emperor William. Light blue; very fine	
	63060 erecta, Golden Queen.
40	Dwarf; blue flowers;
	yellow leaves; very fine
	sort
	63070 erecta, White Lady. Splen-
	did large-floweredwhite. 10
	63100 Collections, including 12
	varieties Lobelia 60
	63110 Collections, including 6
	varieties Lobelia 35
	PERENNIAL or TALL—
	63140 cardinalis (Cardinal
	Flower). Long spikes of
	richest cardinal-red 10
	63150 cardinalis (fulgens),
MANAGEMENT OF THE STATE OF THE	Queen Victoria. Bril-
	liant scarlet; dark leaves. 25
THE THE TOTAL REPORT OF THE PARTY OF THE PAR	63160 ramosa. Blue; flowers
	profusely in fall; 1 ft 10
	63300 tupa (Devil's Tobacco). A
	splendid perennial plant
	producing odd beaked
A CONTRACTOR OF THE PARTY OF TH	scarlet flowers about
	2½ inches long. It re-
	sembles a gigantic L .
	cardinalis. It grows to
	a height of 8 to 10 ft 10
	MADICOLD
	MARIGOLD
	(Tagetes)
	These, like the Calendulas, are
	valuable because they light the
	garden with such a grand glitter of
	yellow far into the frosts of autumn.
	The dwarf varieties make a fine
	border for taller sorts, and both
	are effective when planted in
	groups or in garden borders. Hardy
	annuals. Average height, I to
	2 ft. All our own special strains,
	nastly different from the ordinary

PRIDE OF THE GARDEN MARIGOLD

MARIGOLD

These, like the Calendulas, are valuable because they light the garden with such a grand glitter of yellow far into the frosts of autumn. The dwarf varieties make a fine border for taller sorts, and both are effective when planted in groups or in garden borders. Hardy annuals. Average height, I to 2 ft. All our own special strains, vastly different from the ordinary sorts commonly sold. African-

63510 Eldorado. Large, quilled, perfectly double; brilliant shades of yellow. 63520 Pride of the Garden. Extra-large, double flowers of richest yellow; dwarf and neat 10 63560 Mixed Double 63570 French, Tall Dark Brown. Reddish brown; extremely floriferous.....

See also Calendula, page 80

63500 Orange. Rich....pkt.,

Legion of Honor (Little Brownie). Single; golden yellow, marked velvety red... 10 63610 63620 Tall Mixed, Double..... 63630 Dwarf Mixed, Double..... Collections, including 63670 12 vars. Double French Marigold....pkt., 45 | 63690 6 vars. Double African Marigold...... 30

.... 25

MIGNONETTE

(Reseda odorata) hA.

Seed of this popular annual can be sown at any time, and if successive sowings are made, its fragrant, modest-colored flowers may be gathered outdoors until November. Sow in pots or boxes under glass in February or March, and thin or pot off the seedlings to make good plants for bedding out in April. Sow outdoors in rows about April 1, and again regularly at intervals of about three weeks till August, a row or two at a time for succession. The July sowing will make good winter-flowering plants.



IMPERIAL JAPANESE MORNING-GLORY



MACHET MIGNONETTE

63930 Goliath. Red; enormous spikes;	
striking; very sweet-scented .pkt	15
63940 Victoria. Compact; bright red; 6 in.	- 5
63950 Miles' Spiral. I ft	5
63960 Giant Pyramidal. 1½ ft	
62070 Diamet Jannuar. 172 It	10
63970 Diamond. Pure white flowers; fine.	10
63980 Allen's Defiance. Spikes of great	
length; very fragrant and fine	
for cutting; 1½ ft	10
63990 Ruby (Rubin). Very fine strain	
of the Machet, with copperv	
scarlet flowers	10
64000 Parsons' White. White and	
buff; 9 in	5
64010 White Pearl (Machet). The	3
best white variety	15
64040 Collection, including 12 varie-	- 3
varie-	
ties Mignonette	50

IMPERIAL JAPANESE MORNING-GLORY

The leaves are mostly plain green, but some are oddly blotched with white or yellow. Flowers vary from pure white to carmine, through blues and purples of every shade.

64100 Finest Single Mixed. Large flowered; all colors pkt., 64110 Fringed Single Mixed. All beautifully fringed 64120 Double-flowered Mixed. Superb

mixture of double sorts....... 15
64130 Giant "Mikado." Largest flowered. 10

NASTURTIUM

A marvelous range of new colors has been developed in this favorite flower which, for three or four months of the season, makes a better display than almost any other plant. No other annual will produce such a lavish profusion of flowers for so long time with the same small outlay of time and labor. The maximum of bloom is produced in thin soils, and never flags through the hottest weather. In soils too rich leaves predominate and the plants are apt to rot off in wet weather, especially



light) oz. 20c. . .

	3 NASTURTIUM, continued
Oz. Pkt. 64806 Tom Thumb Spencer, Riemke	64850 Ivy-leaved, Mixed. Fine\$0 25 \$0 05
Groot. Odd, wavy, dark green	64854 Spotted Varieties, Mixed. Spot-
foliage; bright scarlet flowers \$0 15	ted, blotched and marbled sorts. 20 5 64860 Variegated-leaved Queen of
Groot. Purple-scarlet flowers	Tom Thumbs. Brilliant
on long stems; dark foliage 15	orange-scarlet flowers, beauti-
64814 Tom Thumb Spencer, Lady Bird. Bright orange-scarlet; dark	ful silver - variegated leaves. Splendid
green, spotted leaves 15	64864 Variegated-leaved Queen of Tom
64816 Tom Thumb Spencer, Miss Nina Groot. Deep scarlet flowers;	Thumbs, Chameleon. Produces a magnificent display of colors. 30 10
light green foliage; pretty 15	64866 Variegated-leaved Queen of Tom
64824 Golden-leaved Sorts, Mixed\$0 20 5	Thumbs, Golden Yellow 30 10
64830 Ivy-leaved, Golden Butterfly. Golden orange, fringed flowers;	64870 Variegated-leaved, Mixed. Splen- did range of colors of varie-
deep green, ivy-like foliage 25 5	gated-leaved sorts 25 5
64834 Ivy-leaved, Lady Bird. Yellow flowers, blotched crimson 25	64880 Mixed, All Sorts
flowers, blotched crimson 25 5 64930 Collections, including 12 varieties Tom Thumb	1/4lb. 25c., 1/2lb. 40c., lb. 75c 10 5
64940 " 8 " "	
TALL or CLIMBING N	ASTURTIUM (Tropæolum majus)
	unce of any one kind by weight
	er fences, trellises, stone walls, etc., these can also be
grown as pot-plants for winter flowering as screens, o	r as trailers for hanging baskets and vases.
64980 Jupiter. Giant-flowered; beau- Oz. Pkt.	65160 Scheuerianum coccineum. Scar- Oz. Pkt.
tiful golden yellow\$0 15 \$0 05 64990 Chameleon. Various 15	let-striped
65000 Dark Crimson	blotched
65002 " " Golden-leaved 15 5 65010 Edward Otto. Brownish lilac 15 5	65180 Schulzi. Darkest leaved 15 5 65200 Sunlight (Dunnett's Orange). Rich
65010 Edward Otto. Brownish Islac 15 5 65014 Fordhook Fashion. Light crim-	golden yellow; flowers nearly
son-rose, veined old-rose 20 5	3 inches across 15 5
65020 Golden-leaved Scarlet 15 5 65030 hemisphæricum. Orange 15 5	65220 Yellow (luteum)
65050 King Theodore. Black 15	65270 Fine Mixed
65080 Pearl (Moonlight). Whitish 15	1/4lb. 20c., 1/2lb. 35c., lb. 60c 10 5 65300 Variegated-leaved, Mixed. Beau-
65110 Moltke. Bluish rose	tifully variegated foliage; dis-
65150 Scheuerianum, Spotted 15	tinct and charming 20 5
65340 Collections, including 12 varieties Tall or Clim	
65350 " 8 " "	30
LOBB'S CLIMBING NAS	STURTIUM (Tropæolum Lobbianum)
	unce of any one kind by weight
TROPÆOLUM LOBBIANUM. This class is re-	65470 Geant des Batailles. Sulphur Oz. Pkt.
markable for the intensely brilliant colors of its flowers, which are a trifle smaller than those	and red
of other sorts. In moderately rich soil they	65500 Spitfire. Brilliant scarlet. Very fine. 15 5
climb high and bloom brilliantly. Average height, 6 feet. Oz. Pkt.	65520 Lilly Schmidt (Victoria). Scarlet. 15 5 65530 Chaixianum. Yellow, spotted red. 15 5
65400 Queen Wilhelmina. Queen of the	65540 Golden Oueen. Fine vellow 15
Lobb varieties. The foliage	65546 Lilliput, Baby Rose. White and
is veined and marbled white, setting off the rich rosy scarlet	soft pink. A splendid variety 5 65550 Lilliput, Lady Cherry. Dark wine-
flowers to great advantage\$0 25 \$0 05	red; dark foliage; very striking. 5
65410 Asa Gray. Yellowish white 15 5 65420 atropurpureum. Dark purple,	65554 Lilliput, Snow Queen. Cream- white, very delicate tint 5
dark leaved	65560 Ivy-leaved Scarlet. Dark leaves,
65430 fulgens (Brilliant). Bright scar-	like ivy; deep scarlet flowers 30 10
let, dark leaved 15 5 65440 Firefly. Dark orange-yellow,	65580 fimbriatum, Mixed. Fringed sorts mixed
spotted bright scarlet; dark	65590 Finest Mixture. 1/4lb. 25c., 1/2lb.
leaved	40c., lb. 75c 10 5 65600 Madame Gunther Hybrids. A
65460 Crown Prince of Prussia. Blood-	French strain noted for wide
red 15 5	range of colors
65650 " " 6 " Tropæolum	Lobbianum



THORBURN'S SUPERB PANSIES (Finest in cultivation, see No. 66000)

PANSY (Viola tricolor; Heartsease) hA.

Our strains have never been excelled

The Pansy is a plant that we all delight to grow in plentiful supply for flowers all the year. For very early outdoor bedding, the seed is sown from August to October, in a coldframe, or in rich, moist garden beds, from which the plants can be transferred to a coldframe, setting them 2 to 3 inches apart each way before severe winter weather begins. In spring, three-fourths of them can be lifted out for bedding and the rest left to bloom in the frame. For winter blooming in a frame, set the plants about twice as far apart, and thin out half of them in the spring. Cover the blooming plants with sashes, adding a covering of matting or straw in very cold weather. In mild weather, remove the mats and tilt the sashes to admit light, heat and fresh air. In outdoor beds, raised a few inches above the ground, with a mulch of dry leaves and some brush to hold them in place, Pansies will often winter nicely and bloom until midsummer, when a relay of young, vigorous plants should be ready to replace them. Spring sowings should be made early so as to secure good flowers during the early rains. Seed sown in a cool, moist place in June and July, and well tended, will give good flowering plants for fall. If they come into bloom in the heat of the summer, the flowers may be small at first, but, as the weather becomes cooler, they will increase in size and beauty. Through summer heat the flowers are finer in a somewhat shaded place, but in almost any situation good Pansy seed will give fine flowers in spring and fall. Early fall sowings give the finest flowers. The higher-priced sorts produce the largest flowers. This should be borne in mind when ordering.

We do not sell less than 1/4 ounce of a kind by weight

we do not sen less than 74 ounce of a kind by weight			
66000 Thorburn Superb. The richest and most choicely varied mixture possible. It 1/4	oz.	Oz.	Pkt.
produces only the finest colors, largest flowers and most beautiful forms\$1		\$5 oo	\$0 2 5
66010 Bugnot Superb Blotched. An exceedingly large, three-blotched strain, with			
upper petals finely lined; great diversity of finest colors	25	4 00	25
66020 Cassier, Finest Mixed. Flowers of grand size, beautifully spotted 1	25	4 00	25
66030 Masterpiece. Curled, wavy petals; splendid colors; distinct	50	I 75	15
66040 Madame Perret. A splendid giant-flowered strain, comprising all shades of red			
from light rose to dark purple, some of them finely striped	35	I 25	10
66044 Odier, Cassier and Bugnot, Mixed. An extremely rich, large-flowered mixture I	25	4 00	25

PANSY, continued	1/40z.	Oz.	Pkt.
66050 Giant Orchid-flowered, Mixed. A splendid, distinct race showing remarks	ble		#0 * #
combinations of colors, including shades of chamois, terra-cotta, orange, 6 66054 Non Plus Ultra. A very rich mixture largely made up of Cassier and Trimard		\$2 00	\$0 15
varieties		4 00	25
66060 Parisienne, Mixed. Handsome, large-flowering strain		2 00	15
66070 Fine Large English. All colors mixed		i 50	10
66080 Mixed. Ordinary strain		75	5
66090 Azure-Blue. Very fine color			10
66100 Black-Blue. Dark velvety			10
66110 Black (Faust; King of the Blacks). Almost coal-black			10
66120 Bronze. Golden bronze	_		10
66140 Coquette de Poissy. Distinct mauve, shading to white on the petals			25 10
66150 Dark Purple	· · · 3.		10
66160 "Silver-edged. Margins pure white	· · · · 4,		10
66170 Emperor William. Splendid; ultramarine-blue; very showy			10
66180 Fairy Queen. Light blue, with white border			10
66190 Fawn-Color (Prince Bismarck). Quaint and pretty			10
66200 Fire King. Golden yellow, upper petals purple			10
66210 Gold-margined. Splendid bright color	4.	5 1 50	10
66220 Golden Queen. Pure yellow	4	5 1 50	10
66230 Light Blue. Lovely sky-blue		5 I 50	10
66240 Lord Beaconsfield Deep purple-violet, shading to light blue	-	5 I 25	10
66250 Meteor. Bright yellow and brown, attractively blotched and margined			10
66294 Odier, Five-blotched, Improved. Extra-choice strain			25
66296 Orange. (New.) Very fine			15
66300 Peacock. Large, peacock-blue flowers, edged with white	-		10
66310 President Carnot. Pure white petals, each with a deep blotch			25
66320 Rainbow, or Pheasant's Eye (Quadricolor). Very fine strain			10
66330 Red Riding Hood. Brilliant shades of red	_		10
66360 Tiger. Curiously striped and mottled			10
66380 White, with Black Center. Very showy			10
66390 Yellow, with Black Center. Splendid	_		10
66394 Yellow, Maroon Eye. Large flowers of distinct coloring			10
66410 Tufted Pansies. A splendid strain; small, but very fragrant flowers			10
TRIMARDEAU GIANT. This strain has remarkably large flowers, carried wel	•	-	
generally marked with large blotches; plants are extra vigorous and compact			Pkt.
66460 Giant White	/402		\$0 15
66470 " Pure Yellow (Golden Crest)			15
66480 "Bridesmaid. Most beautiful rosy white ground, with dark center blotc.	•		25
66490 "Ruby King. Richest shades of red, scarlet, orange-scarlet and wine-	•		20
66500 " Lord Beaconsfield. Lavender and purple	6	2 00	20
66504 " Prince Henry. Darkest blue; splendid	7.	2 50	25
66510 " Striped		2 00	20
66514 "Adonis. Light blue; splendid	\cdots 7.	-	25
Azure-Diue (Light Diue). 1 the color			20
66534 "Fire King. Very showy		_	15 20
66550 "Indigo-Blue. Very rich color			25
66560 " auriculæflora. Beautiful shades	•		15
66564 "Yellow. Dark center	4,	_	15
66570 "White, with Dark Eye		2 00	20
66580 " Mixed	3.	5 I 25	10
Choice Collections of Giant Pansies, or Heartsease—			ø.
66620 24 varieties \$1 50 66650 8 varieties 66630 18 1 25 66660 6			
			. • • • •

PETUNIA HYBRIDA hhA.

Once fairly started, Petunias grow almost as easily as weeds and furnish a glorious succession of bloom from early summer until frost. The large-flowered strains are very beautiful and of almost endless variety. Seed of the Double and Giant-flowered Petunias is made expensive by the great amount of labor involved in hand-fertilization, and it is well to handle seed and tiny seedlings with some care. Sow in hotbed, cold-frame or in boxes of fine soil in the sunny windows of a warm room in April or May and transplant about I foot apart in garden beds. Seed of the double varieties has not so much vitality as that of single sorts and needs a little more care in watering to be sure of germination. We have no better plants than the Petunias for beds and masses, borders, window-boxes, baskets and vases. They will grow in almost any soil and bloom profusely through long droughts. The newer varieties are of brilliant colors. The highest-priced sorts produce the finest and handsomest flowers, and those we offer are from the most carefully selected strains, saved at great expense. Apparently similar sorts offered at lower prices are not to be compared with those we offer.



FRINGED LARGE-FLOWERING PETUNIAS

FRINGED LARGE-FLOW-ERING. These have deeply cut and fluted margins.

67010 White, "Snow Storm."
Finest white. Pkt. 25 cts.
67020 Crimson. A very rich
color. Pkt. 25 cts.

67040 Ruffled Giants. Extralarge flowers, beautifully ruffled, fluted and fringed. Pkt. 50 cts.

67050 Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most beautiful colors. Very valuable. Pkt. 50 cts.

67060 Perfection Mixed. Choicest fringed sorts. Pkt. 25 cts.

DOUBLE LARGE-FLOW-ERING. ERING. Our seeds will produce flowers large, fragrant, elegantly formed and beautiful either for house, garden or conservatory. Only a small proportion of the double strains bear double flowers. The reason of this is the fact that the seed must be selected from single flowers, the double ones not producing seed. The single flowers must be pollinated with pollen from the double ones. Cuttings may be made from double-flowered plants and inserted in light, sandy loam for rooting, thus increasing the percentage of double-flowering plants.

PETIINIA HYBRIDA, continued 67070 Double Large-flowering, Mixed, (250 seeds in pkt.)..... 67080 67090 67100 .. 67110 67120 SINGLE BEDDING VARIETIES. Smaller-flowered sorts, found most valuable for beds and masses. 67160 Inimitable, Dwarf. Bushy little plants covered with masses of starshaped flowers; 5 to 8 in. 10 67170 Inimitable, Dwarf.Sussy little plants covered with masses of starshaped nowers; 5 to 8 m.1067170 venosa.Variously colored, beautifully veined.1067180 White.Pure white1067184 Inimitable, Mixed.Striped and spotted.1067190 Mixed Single.Fine colors; small flowers.1067200 Variegated MixedSingle.10 67250 6 67290 6

PHLOX DRUMMONDII

PHLOX DRUMMONDII (Flame Flower)

The annual Phloxes are dazzling in effect, particularly so when sown in masses or ribbon beds of contrasting colors. Few flowers are so easy to grow from seed, so pretty and compact in habit, so quick to bloom, or give such a brilliant display of color for so little cost and care. There are few desirable colors beyond their range, and if given good soil and plenty of water, they furnish a long supply of delicate flowers. For pot culture, as trailers, and as an undergrowth for tall, bare-stemmed plants, they are also valuable. The first sowings should be made as soon as the frost is out of the ground in spring, later ones in May, either where the plants are to bloom, or in a seedbed, as the Phlox transplants readily. In transplanting set the taller kinds about a foot apart; if planted too thickly, they suffer from mildew. Cutting away the flowers and seedpods makes the plants more bushy and compact, and lengthens their blooming time. Average height. I foot.

GRANDIFLORA. This section has beautiful, round-petaled flowers, larger than in the older sorts; showy and constant, blooming in the greatest profusion from early summer to frost. Our strain is far superior to that ordinarily sold.

67450 alba. Pure whitepkt., 10	
67460 " oculata	67520 rosea. Rose
67470 atropurpurea. Dark purple 10	67530 kermesina splendens. Vivid crimson;
67480 Chamois-Rose. A soft shade 10	extra-large flowers 10
67490 coccinea. Large; brilliant scarlet 10	67540 stellata splendens. Star-like; crimson 10
67500 Crimson	67550 Mixed. Various large-flowering sorts 5

PHLOX DRUMM	ONDII, continued
SMALL-FLOWERED VARIETIES—	
67580 Heynholdi. Scarlet; fine for pots	pkt., 15
67584 hortensiæflora, Mixed. Semi-dwarf; very florid	ferous Ic
67590 Radowitzii. Rose, spotted white	
67600 Graf Gero, Mixed. Fine for pots	······ 15
DWARF VARIETIES. Plants of this charming section of bloom all summer. They are especially useful	
67670 Surprise. Brilliant vermilion, with white star center; for groups and edgings.pkt., 15 67680 Snowball. Pure white; fine for pots 15	
67690 Fireball. Bright flame-red; fine for pots 15	67740 cuspidata (Star of Quedlinburg). Star-
67710 Chamois-Rose. Very fine	shaped; many colors
67720 grandiflora nana compacta. Cecily Phlox.	Collection, including—
Mixed 10	67800 12 varieties Phlox Drummondii 60



PINKS

PERENNIAL PHLOX

These hardy sorts make bushes about 3 feet high and bear large heads of finely colored flowers.

67840 decussata, Mixed.....pkt., 10 67860 Large - flowered Hybrids, Mixed......15

PINKS (Dianthus)

In this large and greatly varied genus are some of our most beautiful and best-loved flowers, unsurpassed for color and fragrance. They are hardy biennials that bloom finely the first season, remaining green all winter and blooming the next year also, if lightly protected. Old plants flower the earliest, but as young ones give the largest, finest flowers, sowings are made every year. Seed can be sown under glass in the spring, or in an open, sheltered bed. The seedlings are easily transplanted and should stand 8 to 12 inches apart; dwarf ones about 6 inches. If specially large, brilliant flowers are desired, a bed of well-mixed turfy loam, leaf-mold and well-decayed manure should be prepared for them. Average height, I foot.

CHINENSIS (China or Indian Pinks).

The flowers of all are double and showy.

68000 Double, White China Pink. pkt., 5 68010 "Mixed China Pink. All best colors..... 5 68020 "Very Dwarf, Mixed (Narcisse)...... 10

HEDDEWIGII (Japan Pinks). Unusually large and brilliant; often oddly edged, striped and ringed.

68040 Single, Queen of Holland.
Splendid pure white...... 10
68050 Single, Eastern Queen. Rose-

PINKS, continued

	Single, Crimson Belle. Flowers large and handsome; dark red
68070	The Bride (Little Gem). White, with purple center
68080	Double, Mixed
68090	Double, Mixed
68100	" Fireball. Brilliant scarlet; very compact and floriferous
68110	" diadematus fl. pl. (Diadem Pink). Double; magnificent in color and variety 10
68120	laciniatus, Salmon Queen. Beautiful rosy salmon; single
68130	"Oriental Beauty. Petals wide, crinkled, richly marked with pink, white, etc
68140	" mirabilis, Single Mixed. Quite distinct, narrow foliage; fine for cutting
68144	" Snowflake. Pure white; fine
68150	"Single Mixed. Fringed flowers of all colors
68160	" Double Mixed
IMPE	RIALIS, FL. PL. (Double Imperial Pink). Robust, bushy grower, with large, double flowers.
68170	Double, Mixed
68180	" Dark Red. A deep, rich color
68190	
PLUM	IARIUS (Sweet May Pinks). These are fine, fragrant perennials of the old-time gardens, still
re	ckoned among the most beautiful for massing and cutting.
	Pheasant's Eye. Pretty fringed flowers
68250	scoticus (Double Scotch Pink). A series of exquisite colors; ours is the finest strain
68260	semperflorens (Perpetual Pink). Double, semi-double and single; of various colors
	Single Pinks, Mixed
68280	Double Dwarf, Mixed. Extra fine
68290	
68294	
68300	Hybrid Dianthus. A cross between Sweet William and China Pink. Very hardy; beautifully
	colored and marked: very fra-



ORIENTAL POPPIES

POPPY (Papaver)

68360 8 68370 6

Before tulips are fairly gone, our gardens begin to be gay with Poppies. Few flowers have the same grace of stem, airiness of poise and delicacy of tissue. For beds and borders with a background of green there is nothing finer; some sorts are admirable for naturalizing in open wooded grounds; others, like the Shirley, are beautiful for cutting. A sandy loam suits Poppies best, and, as their strong taproots are difficult to transplant, it is well to sow seed where the plants are to bloom. Sowings made in fall and at intervals in spring will provide a long succession of flowers. Sow thinly, covering very lightly, and thin the plants to stand about a foot apart. The best plants are those grown from early sowings while the earth is cool and moist.

PERENNIAL VARIETIES. Tall, large-flowered and showy; average height, 2 to 4 ft.

C	ica ana sno	wy, average neight, 2 to 4	16.
68600	bracteatur	n. Scarlet; 3 feetpkt.,	5
68610	orientale.	Enormous flowers of	
		deep, flashing scarlet;	
		entirely hardy any-	
		where; 3 ft	10
68614	"	Brilliant. Vivid scarlet;	
		beautiful	10
6861 6	"	carnea. Flesh - color;	
		splendid	15
68618	"	Mauve. Very delicate	
		shade	15
68620	"	Mixed Hybrids. Finest	
		shades	10

POPPY, continued
68630 nudicaule (<i>Iceland Poppy</i>). These dwarf, bright yellow Poppies form one of the chief attractions of the garden through several months. They are most beautiful when grown
in masses from seed sown every year; I ft
68650 " album. Pure white
ANNUAL VARIETIES. This section includes fine double and single flowers of greatly varying sizes, self-colored and daintily edged. All are easily cultivated and greatly admired. Average height, 3 feet.
68670 Thorburn Giant White. White flowers of grand form and size; 3 to 4 ft
68690 Miss Sherwood. Large, single; sating white, with upper half of petals chamois-rose
68700 Mephisto. Beautifully fringed; varies from red and black to rose and white. 5 68710 Flag of Truce. Pure white; large and showy flowers. 5
68720 Shirley. Indescribably bright, dainty and gauzy; a favorite for cutting
68740 glaucum (<i>Tulip Poppy</i>). Striking, tulip-shaped flowers of intensely brilliant scarlet; dwarf 10 68750 pavonium (<i>Peacock Poppy</i>). Intense scarlet, with broad bands of purplish black 10
68770 lævigatum. Scarlet, with white marks at petal bases; very showy 5
68830 Double White
68840 "Scarlet
68860 Cardinal. The immense scarlet flowers last unusually well
68870 "American Flag. White, bordered with scarlet
68876 " " Hybrid, White Swan. Pure white 5
68890 "Pæony-flowered, Dwarf Fireball. Deep scarlet; very large flowering
68900 " " Snowball. Pure white; very large flowering
68906 " " Mixed Hybrids. Hybrids of compact growth; splendid
68926 " Mixed, All Sorts 5
Collections of Poppies, including— 68980 12 varieties Double Carnation-flowered.\$0 40 69000 6 varieties Double Pæony-flowered\$0 25 68990 12 " Pæony-flowered 40 69010 6 " Ranunculus-flowered\$25
PORTULACA
This charming little annual is unrivaled for brilliancy among plants of low growth, and, though it flourishes under almost all conditions, hot sun and a light, sandy soil suit it best. Nothing is prettier for beds, edgings, rockwork, etc. As an undergrowth for taller plants, it is also valuable. Through the driest, hottest seasons it flourishes amazingly, carpeting the ground with a mat of succulent foliage that, in the forenoon, is hidden by gayest flowers. The seed does not germinate until hot weather, and should be sown late. This plant requires little care and can be transplanted in full flower. Average height, 6 inches.
SINGLE VARIETIES. Each strong plant will cover a space of about 2 feet in diameter.
69100 splendens. Crimson pkt., 5 69140 aurea. Deep golden yellow 5 5 69140 aurea. Deep golden yellow pkt., 5 5 69150 Thorburni. Beautiful bright yellow 5 5 69120 Thorburni. Beautiful bright yellow 5 5 69160 rosea. Rich rose 5 5 69170 Mixed 5
DOUBLE VARIETIES. The flowers are so full and perfect as to resemble tiny roses. Toward the close of the season they will increase in size and beauty. As the full-double flowers do not produce seed, it must be saved from the semi-double flowers growing with the full-doubles. The product of that seed
must be saved from the semi-double flowers growing with the full-doubles. The product of that seed will produce many single flowers. As these bloom earlier, they can be pulled out like weeds. When the full-doubles appear, cuttings can be made from them and the bed extended indefinitely with only full-double flowers. Our strains must not be confused with the ordinary cheap seed usually sold.
69200 Double Rose-stripedpkt., 20 69264 Double Orangepkt., 20 69206 "Carnation-striped
69210 " Scarlet 20 69284 " Sulphur-Yellow 20 69220 " Yellow 20 69290 " White 20
69240 "Bright Red
69260 "Rose
Collections, including— 69340 8 varieties Portulaca, Single

PRIMULA (Chinese Primrose) gP.

The name Primula is derived from the latin word *primus*, meaning first, referring to their early flowering. Primulas, or Chinese Primroses, stand in the first rank among greenhouse plants, and are fine for winter and spring blooming. They are free-flowering and are especially valuable for cut-flowers and for house and window culture. A cool place suits them best. Sow the seed in light soil, but for final potting a richer soil is necessary, and it should consist of two parts of loam to one each of well-decayed manure and leaf-mold. The plants must be well ventilated, well watered and slightly shaded. Average height, 9 inches.


69450	chinensis	nmbriata	a rubra. Red; fringedpkt., 2	:5
69460	"	"	alba. White; fringed	٤5
69470	"	44	coccinea. Bright red; fringed	١ <u>.</u>
69480	44	"	alba mangifica. Pure white: fringed; extra choice	35
69490	"	"	punctata atropurpurea. Purple-spotted; fringed	25
69500	"	"	cœrulea. Blue; fringed	25
69510	44	"	Bright Rose. Fringed	25
69520	44	"	kermesina splendens. Crimson; fine shade; fringed	25
69530	"	"	Extra-fine Mixed. Fringed	25
69540	66	44	filicifolia alba. White.) All these are (60
69550	44	44	" rubra. Red. fringed and have	
69560	66	"	" Mixed) fern-like foliage. (
69570	44	"	globosa rubra. Red.) Fringed; (25
69580	44	"	" alba. White. globe- \	
69590	44	"	" Mixed shaped. (2	25
69600	46	66	plena rubra. Red.) Beautifully (٠ŏ
69610	"	"	" alba. White. fringed, dou	ó
69620	"	"	" Mixed ble flowers (ó
69630	"	stellata.	Mixed. Star Primulas. Very floriferous	
C	ollections.			
			se Fringed\$1 50 69720 6 varieties Chinese Fringed\$0 7	75
69710	8 "	"	" I 00 69730 6 " " Double I 2	

RICINUS (Castor-Oil Plant)

Picturesquely showy and imposing, the Ricinus give to the garden magnificent semi-tropical effects. Grown as a specimen, it makes a perfect pyramid of gigantic leaves; a dozen plants in a large bed show a glorious mound of glistening colors and may be admired from a long distance; planted thickly it soon forms a handsome screen or hedge; the lower-growing, dark-leaved sorts are beautiful for dotting here and there among cannas, scarlet pelargoniums, etc. Tall varieties grow from 8 to 10 feet high, with leaves several feet across and beautifully lobed. Half-hardy annuals.

70150	borboniensis arboreus. Green foliage;	_
	15 ft. highpkt.,	5
70160	africanus. Bright colors; 8 ft	5
70170	Gibsoni. Dark red; 5 ft	5
70176	macrocarpus. Deep purple; 5 ft	5
	macrophyllus. Dark purple; 6 ft	5
70190	Cambodgensis. Glistening dark maroon;	~
	stems black; 5 ft	5
70200	hybridus Panormitanus. Cross between	•
	Cambodgensis and zanzibarensis.	
	Huge, dark brown leaves, blue-powdered	
	stems; upright habit	10
70220	philippinensis. Immense leaves; 6 ft	5
70230	" purpureus. Lovely rich	_
	purple	5
70236	purpureus. Purple	5
	sanguineus. Red stems and seeds; 6 ft	5
	zanzibarensis. Enormous leaves	5
70250	" Finest Mixed. 8 to 10 ft	5
70260	Mixed. Fine sorts	5
C	ollections, including-	Ŭ

70300 6





EMPEROR SALPIGLOSSIS

SALPIGLOSSIS

(Painted Tongue)

These showy, half-hardy annuals bear beautiful, funnel-shaped flowers having dark veins on a ground which varies from white to crimson, yellow, orange, etc., and intermediate shades. They are easily grown, require a light, rich, sandy loam and will respond to liberal treatment. Bloom from late summer until frost.

uniti i	TODE.		
70360	azurea.]	Bluepkt.,	10
70410	grandiflor	ra violacea aureo-venosa.	
	•	Lilac, veined golden	
		yellow	ĮΟ
70418	"	Extra choice, Mixed	
70420	"	superbissima, Yellow	15
70430	"	" Chamois.	15
70440	"	" Light Blue	
70450	"	superbissima, Brown	-0
		and Gold	20
70460	"	superbissima (Em-	
		peror), Mixed. Fin-	
		est strain	15
70470	Dwarf M	ixed	10
		ed	10
C	ollections.	including—	
		s Salpiglossis. Tall; large-	
.0520	flowe	ered	60
70530		s Salpiglossis. Large-flow-	00
,0000		Superbissima varieties	65
70540		es Salpiglossis. Dwarf	
.0010	o varietie	b carpigiossis. Dwari	40

SALVIA (Flowering Sage)

The Salvia splendens is a standard bedding plant that keeps the garden bright with color until late in autumn. For pot culture, for cutting and for borders, etc., it is very valuable. In this climate, sow seed in window-boxes or frames in March or April, and set the plants outdoors the latter part of May; or sow outdoors not before June 1, and protect from heavy rains and strong winds. The plants grow and bloom profusely in any light, rich soil. Both the tender and hardy perennial sorts bloom the first year, and all are treated as annuals.

an are tre	cateu a	is diffuals.	
	_	(hP). Silvery leaved; flowers white; blooms in spring; 3 ftpkt.,	_
70604 az	urea g	randiflora (Meadow Sage) (hP). Sky-blue; blooms in late summer; fine	20
70610 fa	rinacea	(hA). Light blue flowers in great abundance; forms a neat bush; 3 ft	10
-		A handsome, tender perennial, with erect spikes of rich blue flowers in summer	-
70630 R	œmeria	una (hA). Crimson-flowered; very dwarf and of neat habit	10
		These are the well-known bedders; single plants of which carry many long, flaming es open at one time, keeping up the display until frost.	
70640 sp	lenden	s grandiflora, Scarlet. A rich-flowered bedder; long spikes; 3 ft	10
70644	"	Thorburn's Best of All. Intense, bright scarlet spikes, slightly curved upward and borne well above the leaves. The flowers are very large and produced abundantly. The plant grows about 3½ ft. high	
50440	"		
70660	••	Bonfire. Our well-known compact Salvia—the freest blooming of all, seemingly on fire all the time, with dense, flaming scarlet spikes; 2½ ft	
70710	"	Ball of Fire. Very dwarf and compact, ball-shaped variety, especially suitable for pot culture. The plants are about 2 feet high to the top of the flower-spikes and about the same in diameter. Color dull red; large spikes, similar to No. 70730	
70720	66	Lord Fauntleroy. Only 18 inches high; very compact, with flower-spikes standing clear above the foliage. Fine for bedding in masses or for borders around beds of taller plants; also fine for pots. Very early-flowering	
70730	**	Early Dwarf Zurich. Grows only 12 to 15 inches high, with many fine, erect, slender spikes to each plant borne well above its handsome foliage. Color brilliant scarlet. Earliest of all.	
7 07 4 0	"	Silverspot. Rich green leaves elegantly spotted with yellow. The intense, bright scarlet flowers are large and lavishly borne; neat and compact; 2½ ft	

SCABIOSA (Mourning Bride; Scabious, etc.)

Well-established garden favorites. They grow about 2 feet high and commence to flower early in July, continuing until frost. The flowers are borne on long stems and last a long time when cut. Fine for beds or for borders. Sow seed outdoors in spring when danger from frost is past.

70810	candidissima fl. pl. (Snowball). Double				
	whitepkt.,	5			
	Black-Purple	5			
	minor aurea fl. pl. Double; golden yellow	5			
70850	caucasica (Blue Bonnet) (hP). Lilac; very				
	valuable for cutting				
	atropurpurea maxima. Double Mixed	10			
	Mixed Tall	5			
70870	Dwarf Double Mixed	5			
Collections, including-					
70900	10 varieties Dwarf Double	45			
70910	6 " "	25			
70920	8 "Tall, Large-flowered	35			
70930	6 " " " "				

SNAPDRAGON (Antirrhinum)


The Snapdragon is one of our finest perennials, flowering the first year from seed. Its bright-colored, curiously formed flowers always excite interest. The rich spikes are beautiful for cutting, and keep fresh a long time. From seed sown in the open ground, plants will bloom in July and August. For early flowers, sow under glass in February or March, and transplant into beds of warm, dry soil moderately enriched. The Snapdragon is treated as an annual and the seed sown

every year. Average height, 1½ feet.
TALL VARIETIES—
71000 album. Whiteplet., 5
71010 luteum. Yellow 5
71020 Delicate Rose
71030 Delicate Rose, with White Throat 10
71200 atrococcineum. Dark scarlet 5
71220 Fairy Queen (Firefly). Orange, white throat
71230 Romeo. Violet-rose, with pale lip 5
71240 picturatum, Mixed. Blotched varieties 5
71244 Mixed 5
TALL, LARGE-FLOWERING VARIETIES—
71250 Delilah. White and carmine 10
71252 Blood-Red. Fine color 10
71260 Galathee. Crimson and white
71270 Striped. Odd and pretty
71280 Firefly. Scarlet and white
71290 White. Beautiful for cutting 10
71310 Yellow. A pure, soft color
71320 Queen Victoria. Pure white; superb 10
71330 Large-flowered, Mixed. Fine
71332 Double White. New
SEMI-DWARF VARIETIES. Plants of this section
make excellent bedders, as they bloom extra pro-
fusely and are only about 6 inches high
71336 BONFIRE. New Lovely orange-pink pkt 15
71338 COTTAGE MAID. New. Pale coral-pink,
white throat
71340 Black Prince. Nearly black
71360 picturatum. Blotched varieties 10
71370 grandiflora, Golden Oueen. Yellow 10
71376 Pink Empress. Beautiful dark rose 10
71380 Queen of the North. Pure white; small lv'd 10
#4000 Ti To 4 7 Ft 4

71440 12 varieties Snapdragon, Finest Tall 45

Collections, including-

71450 6



THORBURN'S LARGE-FLOWERING SNAPDRAGON

. 25

STOCKS (Mathiola)

Stocks have good habit, fine leaves, beautiful and fragrant flowers, a long season of bloom and adaptability to many conditions of culture. They are unsurpassed for bedding, edging, pot culture and for cutting. For bouquets, etc., the double white sorts are especially useful. For fine early flowers, sow under glass in March or April, transplanting the seedlings when an inch high into other pots or boxes, or into fine soil spread over some discarded hotbed. In May, transfer to garden beds of deep, rich soil, setting the plants a foot apart. Transplanting several times in the early stages of growth tends to make them more dwarf and compact. For later flowers, sowings may be made in the open ground in May. If plants that begin to bloom late are carefully potted in fall, they will flower finely all winter in a house that is tolerably cool and moist. Average height, I to 1½ feet.

GERMAN TEN WEEKS. Half-hardy annuals. Our seeds are pot-grown from the finest double sorts.

71500 71520 71540 71560	Snowflake. Pure w Delicate Light Rose Porcelain-Blue. St. Salmon. Soft, delic		25
		- cod	
		COPYLIGHT	ing

Large-flowering Dwarf Pyramidal, Earliest of All. For greenhouses in pots or for the open ground. Very large flowers.

DOUBLE LARGE-FLOWERING TEN WEEKS STOCKS

		1½ leet.	
u	r seeds	are pot-grown from the finest double sorts	3.
ì	71580	Ruby. Fiery red: splendid color. pkt	25
l	71590	Finest Mixture	25
l	71660	Large-flowering Pernetual, "Empress	-3
ļ		Augusta Victoria." Delicate silvery	
l		lilac flowers. Of true pyramidal growth;	
١		height 24 inches	25
l	71600	Dresden Perpetual Mixed	25
•	71694	" " White	25
	71700	" White	52
	11700	"Cut-and-Come-Again." Profuse and	
		perpetual-blooming; double, white flow-	
	54504	ers, fine for cutting	25
	71704	Dwarf Large-flowering Perpetual, "Prin-	
		cess Alice." Pure white	25
		Dwarf Large-flowering. Long, splendid	
		spikes; large, double flowers.	
	71720	Snow-White	10
	71730	Bright Red	10
	71744	Brick-Red	10
	71750	Crimson	10
	71760	Blood-Red. Very rich	10
	71770	Carmine	10
	71774	Rosy Lilac	10
	71780	Rose. Very dainty, light color	10
	71784	Lavender	10
	71790	Light Rive Evanisite	10
	71800	Light Blue. Exquisite	10
	71804	Colmon	10
	71804	SalmonYellow, tinted Rose	
			10
	71810	Violet	10
	71814	Violet-Purple	10
	71870	Mixed	10
	71876	Giant Pyramidal Perfection, Large-flow-	
		ered, Mixed	25
	71910	Good Mixed Stocks	5
		Wallflower-leaved. The popular cut-	
		flower variety; dark glossy leaves.	
	71920	White	25
	71930	Crimson	25
	71940	Mixed	25
	71950	Dwarf German Bouquet, Mixed	25
		Emperor, Large-flowering. Sow in spring	
		for autumn and winter flowers; sow	
		in midsummer for spring blooming.	
	71960	White	25
	71970	Crimson	
	71980	Mixed	
,			
•	rom se	ed sown in spring and summer, these ha	111-

AUTUMNAL and LATE-FLOWERING SORTS. From seed sown in spring and summer, these half-hardy biennials begin to bloom in fall, flowering all winter and late into spring if transferred to cool, airy quarters indoors. Usually the plants are wintered over in a frame. Nos. 72030 to 72100, if started in frames or boxes in early spring, will make a brilliant show in late summer and autumn.

72000 Intermediate (Autumnal), Crimsonpkt., 25	72064 Winter, Dwarf Bouquet. Crimsonpkt., 25
72010 White	72070 " Mixed 25
72020 Mixed	Winter "Nice" Varieties, Large-flowering.
Large-flowering Pyramidal Perfection.	72076 Oueen Alexandra. Rosy lilac 25
72022 Pure White	72080 Abundance. Carmine-rose; profuse 25
72028 Mixed	
72030 Winter, Crimson 25	72090 Beauty of Nice. Flesh-color 25
72040 " White	72092 Monte Carlo. Pure yellow 25
72050 "Empress Elizabeth. Carmine 25	72094 Pure White
72054 " Large-flowering, White Lady 25	72100 Mixed 25

CATALOGUE OF H	IGH-CLASS SEEDS 109
Choice Collections of Stocks.	Containing Only the Finest Varieties
GERMAN TEN WEEKS 72110 24 varieties Dwarf Large-flowering\$1 00 72120 18 " " "	72210 6 varieties Dwarf Victoria Bouquet. \$0 30 72220 12 "Giant Perfection. 65 72230 6 " 40 72240 6 "Wallflowered-leaved. 35 AUTUMNAL, WINTER, ETC. 72270 8 varieties Intermediate German 60 72280 6 " 50 72290 6 East Lothian Autumn 55 72300 12 " Fine Winter, or Brompton 80 72310 6 " " 40 72340 6 " Winter. Dwarf Bouquet 50
SUNFLOWE	CR (Helianthus) hA.
Very stately, decorative plants with great masses grounds and screens, nothing could be finer. Their lovaluable as cut-flowers. They are said to be good seed in the open garden in spring, and thin the plant 72400 argyrophyllus (<i>Texas Silver Queen</i>). Has har elegant, single flowers. 4 ft	s of yellow flowers. Among shrubbery, and for back- ng stems and wonderful lasting qualities make them for absorbing the miasma of low grounds. Plant the s to stand 3 to 4 feet apart. ndsome silvery foliage and a profusion of small, pkt., 5 single
72540 Single Russian. Giant-flowered, 5 to 8 ftlb. 25c., oz. 5c	
SWEET WILLIAM	
(Dianthus barbatus) hB.	
A splendid, old-fashioned plant, producing large heads of beautifully colored, sweet-scented flowers in abundance. Hardy, easily grown, flowering the second year from seed. 72650 White, Single	

SWEET WILLIAMS


VERBENA hA.

In rich soil, single plants of this pretty annual creeper will carpet a space 3 to 4 feet in diameter. For beds, borders, mounds, window-boxes, etc., it is particularly fine, and is frequently used as an undergrowth to tall plants like lilies. Plants raised from seed are cheaper, more vigorous and produce more flowers than those grown from cuttings. For early spring bloom, sow under glass in February; for later flowers, sow in March or April. Soak the seed a few hours in tepid water and sow in boxes filled with light, rich soil; cover one-fourth of an inch deep, press down firmly and water sparingly. When the seedlings are about an inch high, transplant into other boxes. Use a liberal amount of manure in the beds, and set out to to 15 inches apart each way in May in a sunny situation. The plants bloom from early summer until frost. Nos. 73076 and 73140 require no pegging down.

73000	hybrida,	Scarlet. Different shadespkt., 10
73010	- "	Defiance. Intensely brilliant scarlet; fine for bedding
73020	"	Black-Blue, White Eye 10
73030	"	Yellow. Primrose-color
73040	"	candidissima. Large trusses of purest white flowers
73050	"	auriculæflora. Brilliantly colored flowers of fine size, each with a large, white eye 10
73060	44	italica striata. Brightly striped
73070	"	cœrulea. Bright blue in various shades
73080	"	Mixed 5
73090	"	Finest Mixed. Extra choice
73094	"	Mammoth Rose Queen. Brilliant rose-colored flowers, I to I 1/4 inches across when
		well grown, produced in magnificent large umbels
73100	"	" Mixed. Plants and flowers are unusually large; extremely floriferous 10
73110	"	Improve Mammoth Mixed Auricula-flowered. Best of all
73140	Collectio	n, including 6 varieties Verbena hybrida
73150	compacta	a erecta, Mixed. Finest collection
73200	Verbena	erinoides. Small, violet; large bloomer; pretty
73210	"	" alba. Dazzling white; large; profuse bloomer; excellent
73214	"	venosa. Blue; fine for groups and for edgings
73220	44	citriodora (Lemon-scented Verbena). An attractive greenhouse shrub, grown for the
		delightful citron scent of its light green leaves

ZINNIA (Youth and Old Age) hA.

eet.
05
5
5
5
5
5



73570 73580 73600 73610 73620 73622 73624 73626	Scarletpkt., Striped White Yellow, Sulphur "Golden Giant Sulphur-Yellow "Crimson "Violet Superb	5 5 5 5 15
73628	" Flesh-color flowers	15 15
73632	" Mixed	15
73636	Mixed	5
73640	" Large, Robust	10
	RF DOUBLE. More compact and of nea abit than the tall varieties.	ter
73680	Purplepkt.,	10
73690		10
73700		10
73710	Bright Scarlet	10
	White "Snowball"	10
73740	Yellow, Golden	10
73750	Mixed	5
73760	Tom Thumb, Mixed	10
73770	Lilliput, Scarlet Gem	10
73780	" White	10
73790	" Mixed	
73800	Mixed Pompon	10
73810	Haageana, Double Mixed	10
73820	Curled and Crested, Mixed	10
	ollections of Zinnias, including—	
73860 73870		45
		25
73880 73890		40 60
13890	8 " "	UU


Sweet Peas

(Lathyrus odoratus) hA.

N. B.—Sweet Peas, owing to the extremely short crops last year, are very scarce, and, whilst the prices quoted are not firm, we shall endeavor to adhere to them as long as we can. Intending purchasers are strongly advised to order as soon as possible after receipt of catalogue. It will be difficult to replace the seed when our supply is sold.

Through the skill of specialists, the Sweet Pea has become much larger and lovelier than before it became so popular. There are flowers of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. For garden decoration it is now grown in clumps, and in separate colors. The plants are more robust, dwarf, and branching and bloom more freely, some varieties showing three to four blooms on a stem.

A deep, rich, moist soil is best suited to Sweet Peas, hence a trench should be dug 11/2 feet deep and filled with very best loam mixed with bone meal or well-rotted manure. The vines are usually grown in double rows, with a wire trellis or a row of brush between. For each double row make the drills about 12 inches deep, and 9 or 10 inches apart. Sow plentifully, covering about 2 inches deep, and, by degrees, as the vines grow up, fill the trenches with soil, and thin out to about 2 or 3 inches apart. Spring sowings should be made just as early as the ground can be prepared. The earliest flowers are from seed sown in fall, preferably in a dry situation, and 6 to 8 inches deep, giving them level culture. Sweet Peas should not be grown on the same soil year after year. If the location cannot be changed, the soil to the depth and width of a foot or so should be removed and replaced by soil from another part of the garden or grounds. If the soil is in good, rich condition, bone meal is the best fertilizer.



THORBURN'S SPENCER SWEET PEAS

We do not sell less than roz., 1/4lb. or 1/2lb. at the prices quoted per oz., 1/4lb. and 1/2lb. respectively. This applies to all types and to the mixtures

Thorburn's Selected Sweet Peas

74000	Assortment,	containing	1	pkt.	each	of	40	named	varieties,	OUR	SELECTION	V \$1	7.5
74020	"	"	1	- "	"	"	20	"	"	44		I	
74030	"	"	1	"	"	"	10	44	"	44	"		60

NAMED LARGE-FLOWERED (GRANDIFLORA) VARIETIES

Free by mail or express

All five cents per backet except where quoted otherwise

	Au noe cents per packer, except where quoted otherwise					
	Per	oz.	1/4lb.	½lb.	L	b.
74130 Apple Blossom.	Per Bright pink and blush, beautifully shaded \$0	15	\$0 40	\$0 65	\$1	00
74150 Black Knight.	Deep maroon, self-coloredpkt. 10c	25				
74170 Blanche Ferry.	Standard carmine-rose, wings white, tinged pink	15	40	65	I	00

74210 Captivation. Standard pure magenta, wings almost self-colored, distinct shade. 15 45 75 1 25 74240 Countess of Cadogan. Reddish mauve standard, violet-blue wings........ 15 40 65 1 00

SWEET PEAS, continued

All	five	cents	per	packet,	except	where	quoted	otherwise
-----	------	-------	-----	---------	--------	-------	--------	-----------

Per	oz.	1/4lb.	1/31b.	т.	ъ.
74250 Countess of Lathom. Very pretty cream-pink	15	\$0 40	\$0 65	\$1	00
74260 Countess of Radnor. Delicate lavender standard, dark mauve wings	10	25	45		75
74280 Dainty. White, edged pink	15	40	65	I	00
74290 Dorothy Eckford. Fine, pure white, large flowers	15	40	65		00
74360 Emily Henderson. Splendid pure white; good for forcing	10	25	45		75
74380 Firefly. Brilliant fiery scarlet	15	40	65	I	00
74430 Gorgeous. Standard bright orange, wings bright orange-rose	25	75	Ū		
74436 Gray Friar. Heliotrope-marbled on white	15	40	65	I	00
74454 Her Majesty. Rose-crimson; fine	IO	25	45		75
74460 Hon. F. Bouverie. Standard flesh-pink, wings rosy buff	15	40	65	I	00
74470 Hon. Mrs. Kenyon. The deepest shade of primrose; very large	15	40	65	I	00
74520 Katherine Tracy. Soft, brilliant pink	10	25	45		75
74530 King Edward VII. Bright crimson; very large flowers. Splendid sort		40	65	I	00
74540 Lady Grisel Hamilton. Light lavender standard, sky-blue wings; splendid		25	45		75
74550 Lady Mary Currie. Orange-pink, shaded rosy lilac	10	25	45		75
74600 Majestic. Deep pink, self-colored; very large flowers of finest form	10	25	45		75
74630 Miss Willmott. Large; orange-pink		25	45		75
74650 Mrs. Collier. Primrose; very fine		40	75	I	25
74670 Mrs. Eckford. Primrose-yellow; fine		40	65	I	00
74680 Mrs. Jos. Chamberlain. White, striped and flaked with bright rose		25	45		75
74690 Mont Blanc. Pure white, of finest form; for forcing; very dwarf		40	75	I	25
74700 Navy-Blue. Bluish purple standard, navy-blue wings		25	45		75
74720 Othello. Glossy maroon, self-colored		75			
74746 Prima Donna. Pure light pink, self-colored	15	40	65	I	00
74760 Prince of Wales. Rose-crimson, self-colored		25	45		75
74770 Princess of Wales. Striped mauve on white ground		40	65	I	00
74780 Queen Alexandra. Bright scarlet-red, self-colored, almost true scarlet	15	, 40	65	I	00
74810 Royal Rose. Fine, deep rose-color		40	65	I	00
74820 Sadie Burpee, White Seed. One of the largest pure white Sweet Peas		25	45		75
74840 Salopian. Splendid brilliant scarlet		40	65	Ι	00
74860 Shahzada. Dark maroon, shaded purple		40	65	Ι	00
74900 Sibyl Eckford. Standard light salmon and buff, wings buff; open form		40	65		00
74908 Wawona. Lavender-striped	15	40	65	I	00

UNWIN VARIETIES

I 25 45 75 45 75 45 75 I 25 74960 Nora Unwin. Pure white; large, open, wavy form.....pkt. 10c... 25 65 I 00 I 50 75

SPENCER VARIETIES

These are noted for their unusually large-sized flowers, and for the waved or fluted appearance of the petals. They are also frequently referred to as "Orchid-flowering" Sweet Peas.

All ten cents per packet Per o	z. 1/	lb.	½1b.	Lb.
74990 Apple Blossom. Crimson, buff and light pink\$0 3	о \$1	00	\$1 75	\$3 00
74996 Asta Ohn. Lavender, tinted mauve; delicate coloring; very large 3	5 I	20	2 00	3 50
75006 Black Knight. Shining deep maroon	o i	00	1 50	2 50
75018 Clara Curtis. Beautiful pale primrose 2	5	75	I 25	2 00
75020 Countess Spencer. Soft rose-pink, a little deeper at edges	o I	00	I 75	3 00
75026 Etta Dyke. Pure white; exquisite	5	75	I 25	2 00
75030 Flora Norton. Bright blue, slightly tinged with purple 2	5	75	I 25	2 00
75034 George Herbert. Standard rosy magenta; wings deep carmine 3	о і	00	1 50	2 50
75040 Helen Lewis. Crimson-orange standard; wings orange-rose 3	o i	00	I 75	3 00
75050 John Ingman. Rose-carmine; fluted flowers; profuse bloomer 3	o I	00	1 50	2 50
75052 King Edward VII. Rich carmine-scarlet; sun-proof	5 I	25	2 25	4 00
75054 Marjorie Willis. Glowing rose, with a little white at base	5 I	25	2 25	4 00

SPENCER SWEET PEAS, continued Per oz. 1/4lb. 1/2lb. Lb. 75056 Mrs. C. W. Breadmore. Buff ground, with rosy picotee edge. \$0 35 \$1 20 \$2 00 \$3 50 75058 Mrs. Charles Foster. Lavender, flushed pale rose. 35 I 25 2 25 4 00 75060 Mrs. Hardcastle Sykes. Salmon-pink. 35 I 25 2 25 4 00 75088 White Spencer. Pure white; waved, crinkled and fluted standard 30 I 00 I 75 3 00 75090 Mixed Spencers. 25 75 I 25 2 00
CHRISTMAS SWEET PEAS
These varieties, if sown early in fall indoors, will bloom by Christmas and continue all winter. They may also be sown outdoors in the same way as other sorts for summer flowering. All ten cents per packet Per oz. 1/41b. 1/41b. Lb.
75112 Christmas Pink \$0 25 \$0 75 \$1 25 \$2 00 75116 Christmas White 25 75 I 25 2 00 75120 Christmas Lavender (Mrs. Alex. Wallace) 25 75 I 25 2 00 75128 Mrs. Wm. Sim. Salmon-pink 25 75 I 25 2 00
SWEET PEAS IN MIXTURE
75150 THORBURN'S SPECIAL MIXED. Comprising the finest Eckford and other newest and best large-flowering varieties
PERENNIAL PEAS (Lathyrus latifolius)
These have not the fragrance of Sweet Peas, but bloom through a long season, are hardy and will live for years. They make a beautiful screen for rocks, stumps, fences, etc. Height, 2 to 8 feet.
75420 latifolius, Crimson (hP). Beautiful shade
LORD ANSON'S PEAS (Lathyrus magellanicus) hA.
Said to have been originally introduced by the cook of H. M. S. Centurion, commanded by Lord Anson in 1744. Medium-sized flowers produced in bunches from June until end of July. 75470 Blue. Strong growing; dark purple-blue. 3 to 5 feet
(FREE BY MAIL) 93000 12 Dwarf Annuals
Asters, Mixed Candytuft, Mixed Convolvulus, Dwarf, Mixed Marigold, Dwf. French, Mixed
93020 12 Tall Annuals
93050 24 Annuals packet each, all carefully selected, in pictorial packets, \$1
93080 12 Dwarf Perennials
Alsine pinifolia Alysum saxatile compactum Arabis alpina Campanula grand. Mariesii Candytuft gibraltarica Daisy, Double, Mixed Campanula grand. Mariesii Leontopodium (Edelweiss) Lychnis Haageana Hybrids Pinks, Mixed Primrose, Yellow Snapdragon, Dwarf, Mixed
93120 12 Tall Perennials
Aquilegia, Mixed Delphinium, Mixed Galega Poppy, orientale Centaurea candidissima Foxglove Lupinus polyphyllus Scabiosa caucasica Coreopsis Gaillardia Phlox decussata Sweet William
93140 12 Everlastings
93180 12 Varieties Greenhouse Seeds
Cineraria hybrida, Mixed Cyclamen giganteum, Mixed hybrida, Mixed Stevia serrata

FLOWER SEEDS, GENERAL

S DELIVERED FREE BY MAIL, ON RECEIPT OF THE STATED PRICE. PRICE PER OUNCE OR POUND FOR THOSE NOT QUOTED, ON APPLICATION Not less than one ounce at ounce rate, on the cheaper articles quoted

Explanation of Signs Employed in This List

The asterisk (*) designates ornamental-leaved plants. This mark (‡) prefixed indicates the climbers. The third column presents in figures the COMPARATIVE TIME OF FLOWERING, thus:

I designates early—blooming in spring and early summer. 2 designates interms 3 designates late—blooming in late summer and autumn. 2 designates intermediate—blooming in midsummer.

The fourth column gives the DURATION OR CHARACTER, and HARDINESS:

A represents Annual—lasting but one year.

B "Biennial—lasting two years.
P "Perennial—lasting three or more years.
E Vergreen—retains foliage the entire year.

S represents Shrubs—plants of bushy habit.

Bu " Bulbous plants.

designates, in every case, repetition.

As a large number of Biennials and Perennials, if sown early, flower the first season from seed, this distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic States. Farther north or south, these designations apply only in a comparative way.

h represents hardy—plants for open border. hh represents half-hardy—plants that require to be forwarded in pots or frames.

t represents tender—requiring protection.

Customers will find it more convenient to order by number. This will facilitate the filling of their orders and will insure prompter shipment.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowerin	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
75600 Abobra viridiflora	2 3	tA	green	6	cts.	Bears pretty scarlet fruits.
75620 Abronia umbellata	2	hA	rose	trail.	5 10	(Sand Verbena.) Fine trailers. Do best in light, sandy soil. Sow in open ground in May.
75650 ‡Abrus precatorius		gP	purple	12	5	(Prayer Bean.) Pretty climber.
75670 ABUTILON— 75690 Mixed Hybrids		gS	mixed	4	25	Free-growing, decorative shrubs; bright, bell-shaped flowers. Suitable for house, greenhouse or garden.
75710 Acacia dealbata 75714 armata 75720 cultriformis. 75730 decurrens 75740 Farnesiana 75750 Baileyana 75760 lophantha 75770 Melanoxylon 75780 mollissima floribunda 75790 pycnantha. 75800 Fine Mixed 75840 Acanthus mollis. 75850 spinosus. 75870 ACHILLEA Ptarmica, Double, "The Pearl'"	3 2		yellow mixed white purple white mixed	6	10 10 5 5 10 5 10 10 10 10 25	(Tassel Tree.) Greenhouse shrubs; graceful branches and fine racemes of yellow flowers, richly scented. Soak seeds in hot water before sowing, then plant in sandy peat in a temperature of 55° to 60°. 75780 is a very charming, floriferous shrub. (Bear's Breech.) Leaves are ornamental and valuable for decorative purposes. Free bloomer; fine for florists for cut-flowers. Saved from finest collection.
Aconitum— 75920 Napellus (Monk's Hood) 75930 pyramidatum		hP	blue	4	10	Hardy, popular plants, with panicles of helmet-shaped flowers.
75950 Acroclinium roseum 75960 —album 75970 —Mixed 75980 —Double Rose 75990 — White 76000 — Mixed 76010 Adenophora Potanini	"	hhA hP	v. & ro. white mixed rose white mixed l. blue		5 5 5 5 5 5	Graceful plants, with everlasting flowers, much used for winter decorations. Flowerheads should be gathered when young, to be preserved. (Gland Bellflower.) Fine.
76030 ‡Adlumia cirrhosa	2	hB	pink	15	10	(Climbing Fumitory.) Fine.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	,	me of ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
76050 Adonis autumnalisoz., 25c. 76060 æstivalisoz., 25c. 76070 vernalis (Ox-eye)oz., 3oc. 76080 Agapanthus umbellatus 76100 Agathæa cœlestis		3 1	hA hP tP	scarlet crim. yellow blue	1 1½ 1	5 5 5 10 25	Attractive, bright flowers. 76070 is a very fine hardy perennial. (African Lily.) Beautiful. (Blue Daisy.) Winter bloom. See page 78.
76130 Cœli-rosa (Rose of Heaven). 76140 —alba		3	hA ; †hP ; ; ;	rose white rose d. red white mixed rose		5 5 5 10 5 5 5	The Rose of Heaven is very free-flowering and easily grown. Fine for beds. The Rose Campion is a perennial species, free-blooming and very pretty. Excellent for naturalizing in dry situations.
76210 Alonsoa grandiflora. 76220 albiflora 76230 linifolia 76250 Warscewiczij		3 .	hhA 	scarlet white scarlet	2 	5 5 5 5	(Mask Flower.) Bright little annuals of fine habit; require some protection in cold weather. Sow in hotbed, and plant out early in May.
76260 Alsine pinifolia	I	3 2	hP gP	white yel. & r. mixed	3	10 10	Very pretty for edgings. (Peruvian Lily.) 76270 is brilliant yellow, with red streaks. See Hollyhocks, page 92. See page 78.
76290 *AMARANTUS abyssinicus 76300 *bicolor ruber 76310 *cruentus (Prince's Feather) 76320 *caudatus (Love - Lies - Bleeding)	:	3	tA 	d. red red d. red		5 5 5	Strong-growing, highly ornamental plants. The tricolor varieties are very valuable for bedding, having elegant ornamental foliage, variegated crimson, yellow and
76330 *coleifolius (superbus) 76340 *Henderi. 76350 *melancholicus ruber 76360 *salicifolius (Fountain Plant). 76370 *tricolor(Joseph's Coat)oz.,25c. 76380 *—giganteus				cr. & y. red purple var.	4 2½ 	5 5 5 10 5 5	green; also well adapted for growing in pots. Of easy culture, doing best in rich loam soil. For best results, sow in hotbed in April and plant out the end of May. Please
76400 *Fine Mixedoz., 20c. Amethyst		2	hhP	mixed white	3	5	note that seed saved from the finest sorts frequently produces inferior plants. See Browallia, page 117. Pretty Everlastings of easy cul-
76450 —grandiflorum		3 2	hhA hP	mixed purple d. blue blue	I-2 I12 2	5 10 10	for sunny situation. Fine border plant. Very attractive. Fine for cutflowers and bouquets.
ANEMONE— 76510 coronaria (St. Brigid Poppy- flowered) 76514 — Caen, Mixed 76520 japonica rosea			· · :	mixed rose	. • 	10 10 25	Beautiful spring flowers, requiring rich, deep soil. 76530 has large, pure white flowers,
76530 —alba	:	I	gP	white red purple	1 ½	25 10 25	invaluable for cutting. Fine, sweet-scented; for pots. Pretty golden yellow flowers.
mile) 76660 Kelwayi tinctoria 76680 ‡Antigonon leptopus Antirrhinum Aquilegia	·	2 3	hA hP gP	yellow pink	2-3 diff.	5 10 5	76660 is very fine. Pretty greenhouse climber. See Snapdragon, page 107. See page 79.
76700 Arabis alpina		3 1 2 3	hP hA gS	white rose w. & y. red	3 1 2 2 5	10 25 10 25	76700 is "Rock Cress;" 76710 is a rare species. Fine for cutting. {Fine decorative plant, bearing bright coral berries.

N 7-4	NUMBER AND NAME	,	me of	Hardiness and	Color of the	Height in	Price per	GENERAL OBSERVATIONS
Not	less than one ounce of the cheaper sorts at ounce rate	Flow	ering	Duration	Flower	Feet	Packet	
76790	Argemone grandiflora	2	3	hA	white	2	cts.	In a large garden the foliage
76800	—lutea		•		yellow		5	and flowers are effective
	‡Aristolochia elegans		2	gP	pu. & w.	20	25.	A. Sipho is the "Dutchman's
76850	Sipho		•	hP	br. & y.	30	25	Pipe," a hardy climber.
	Arnebia cornuta		3	hhA	yellow	I	25	Rich yellow, spotted maroon. Swallow-wort; free-bloomer.
76940	Asclepias Curassavica —atrosanguinea	1	3	gP	orange dk. red	3	10	Swanow-wort; free-bloomer.
76950	incarnata		2	hP	rose-p.		10	(Swamp Milkweed.)
7 6960	tuberosa		•		orange	2	10	
77000	ASPARAGUS Sprengeri		1	gP	white	4	10	Beautiful fern-like foliage; fine for bouquets. A. plumosu
77010	‡plumosus nanus			5-		6	10	nanus is the dwarf variety
7 7030	scandens deflexus.						25	with finely cut foliage, nov
77040	A and mula			11.4	, , ,			so largely used by florists.
77060 77070	Asperula azurea setosa odorata (Waldmeister)	2	3	hhA hP	l. blue white	1 1 ¹ / ₂	5	Sweet-scented, long bloomers for borders or rockwork.
••••	Asters	l. i	·			-2	10	See pages 76 and 77.
	Astilbe Davidii							See Spiræa, page 129.
	Aubrietia deltoidea		1			trail.	.25	Resembling Alyssum in char
77110 77120	Eyrii	·			violet blue		25 10	acter; fine for rockwork of bedding. A. Eyrii has lovely
77130	Leichtlinii. Rosy carmine		3	: :	carmine		25	large, violet flowers.
77150	Auricula, Finest Mixed		ı		mixed	1/2		(Primula auricula.) Beautifu
	\ • \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				mixed		25	shades of color.
771 70	Azalea hybrida indica		2	hS		2	25	Seeds from finest varieties.
	Bachelor's Button							See Gomphrena, page 122. See Momordica, page 126.
	Balsam Apple and Pear Balsam			-				See page 79.
77190	‡Balloon Vineoz., 25c.	2	3	hhA	w. & gr.	10	5	(Cardiospermum.) Pretty.
,	Banana	_	3		" a gr]	See Musa Ensete, page 126.
77210		ŀ	2	hP	blue			(False Indigo.) It has beauti
11210	Baptisia australis	k	2	111	blue	2	5	ful light blue flowers.
772 30	Bartonia aurea	1	3	hA	yellow	3	5	Golden yellow flowers; very fragrant in the evening.
	*Beet, Ornamental-			1)
772 70	*Brazilian, Golden-veined					-1		Beets, having no tubers, bu
772 80	oz., 20c. *—Scarlet-veinedoz., 20c.					11/2	5 5	with handsome ornamenta
77290	*Crimson-veined oz., 20c.				,		5	foliage of very beautiful, rich colors. Very effective in cen
77300	*Chilian Scarlet-rib'd oz., 20c.						5	ter of beds, or anywhere in
77310 77320	*—Yellow-ribbedoz., 20c. *Victoriaoz., 20c.						5 5	contrast with other plants.
77330	*Dracæna-leavedoz., 20c.						5)
77370	Begonia, Single Tuberous-root'd			gP	mixed	I	25	<u>'</u>
77 380	Double Tuberous-rooted			Ĭ			50	
77390 77396	Fringed Single Tuberous Double Tuberous-rooted Ca-		٠				25	Fine for growing in pots, being
	mellia-flowered						50	perfect in habit, with hand some foliage. 77410 has dar
77400					carmine		25	scarlet flowers and reddis
77410 77430	gracilis luminosa		•		d. scar.	3	25 75	brown foliage. No. 7749
77440	*Rex. Ornamental-leaved	:			mixed	1	25	has scarlet flowers and beautiful golden yellor
77450	_4				rose		25	leaves; excellent for edging
77460 77470			•		white red		25 25	B. Erfordii is a free-bloom
77480	——Bijou. Bright scarlet	1:			scarlet	1 2	25	ing, rosy carmine variety
77490	—fol. aureis. Yellow-leaved.					I	25	fine for groups. Zulu King is a splendid sort, with leave
77500 77510			٠		mixed		25 25	almost black. 77430 has me
77530	hybrida crispa fimbriata, M'xd		2			I 1/2	30	tallic foliage and rose flow
77540	COLLECTIONS, including 12 va-					_		ers; for winter blooming.
77550	rieties Tuberous-rooted 6 vars. Tuberous-rooted						\$1 50	
	Bellis perennis	1					-3	See Daisy, page 88.
	Domo Perennia	1		1		1	E.	1

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Tii o Flow		Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
77590 Benincasa cerifera	2	3	tA hA	yellow d. red	6 2	cts. IO	Black, wax-like gourd. Showy, like the Calliopsis. See Liatris, page 124.
### Blue Bottle		. 3	hP	white flesh	4 3	10 25	See Centaurea Cyanus, p. 84. Ornamental habit and foliage. Tall and leafy plants for hardy border. Profuse bloomers;
77680 Bouvardia Jacquini	2	3	gP	pink scarlet	2	10 25	easily grown. Fine greenhouse evergreen.
77700 Brachycome iberidifolia		3 .	hhA	purple white rose mixed	 	10 10 10	(Swan River Daisy.) For edg- ing. Should be started in hot- bed.
77770 Browallia elata			gA	blue white mixed var. blue d. blue	2	10 10 10 25 25 25	(Amethyst.) Elegant green- house annuals; fine for cut- ting. 77800 has large, lovely flowers, some white, some pale blue.
77830 Bryonopsis laciniosa erythro- carpa			tA hP	red yellow	5	5	Very pretty ornamental gourd. Ornamental hardy perennial.
77870 Cacalia coccinea			hA · · hhP	scarlet orange mixed	diff.	5 5 25	(Tassel Flower.) Very pretty annuals; easily grown. Start in greenhouse in moist
77920 ‡Calampelis scabra	2	3	†hP hA 	orange red purple violet	6	10 5 5	<pre>frine climber for trellises. Brightly colored little plants; fine for edgings; plant in sunny situations.</pre>
Calceolaria			gP	1. 4 -			See page 80. See page 80.
Calliopsis	1	3	hP	white	trail.	5	White Calla. See page 80. Free-flowering, of pretty col-
78100 pedata			hA gP	v. & w. mixed	3	5	ors. Start in frame early. Grand greenhouse plant.
78140 ‡Canary-Bird Flower	2	3	hhA	yellow	10	10	See page 81. (Tropæolum canariense.) See page 82.
78160 *Canna, Dark-leaved, Crozy's 78170 *Queen Charlotte 78180 *Finest Mixed		3 .	gP 	mixed sc. & yl. mixed		5 10 5	in subtropical gardening for groups and masses.
78200 Cannabis gigantea Canterbury Bells		٠	hhA		10	5	(Giant Hemp.) For back- grounds. See Campanula, page 81.
78220 Carduus benedictus		2	hA	yellow	2	5	(Blessed Thistle.) Large, varie- gated leaves; fine for edging. See page 83.
78240 Castilleja indivisa	2	3	†hhP	b. crim.	11/2	25	Ornamental plants, with beautiful bracts. Brilliant crimson.
78260 Catananche cœrulea alba (bicol.) 78270 cœrulea	:	:	†hP	bl.&wh. blue	2	5 5	See Ricinus, page 105. Everlasting flowers. Bright colors and free-flowering.
Catchfly		3	tA 	claret var. r. & wh.	3	15 10	See Silene, page 129. Fine for vases; splendid foliage plants.
Celosia, Ostrich Feather Celosia cristata Centaurea							See page 82. See Cockscomb, page 88. See page 84.

NUMBER AND NAME	1	ime of	Hardiness and	Color of the	Height in	Price per	GENERAL OBSERVATIONS
Not less than one ounce of the cheaper sorts at ounce rate	Flov	vering	Duration	Flower	Feet	Packet	
78350 Centauridium Drummondii Centranthus—		2	hA	yellow	11/2	cts.	Pretty little Composite.
78380 macrosiphon		3	: :	red white	1 1/2	5 5	Very pretty free-flowering an- nuals, suitable for rockeries
78404 — —albus		•		mixed	· .	5 5	and vases.
78460 Cephalaria tatarica		2	hP	yellow	6	10	Fine for backgrounds and bees.
78480 Cerastium tomentosum 78490 Biebersteini		3 1	: :	white	trail.	25 25	Fine edging plants; pretty.
78510 Cerinthe retorta	. •	:	hA · ·	yellow mixed	11/2	5 5	Valuable for bees. Decorative.
78550 Chamæpeuce diacantha			hP		2	10	(Ivory Thistle.)
78558 Chelone barbata 78560 —coccinea 78570 —hybrida, Mixed		3	†hhP	red scarlet mixed	3 2	10 10	Very pretty.
78600 Chorizema ilicifolium Christmas Rose Chrysanthemum		2	gS	y. & r.	2	25	Fine greenhouse plant. See <i>Helleborus niger</i> , page 123. See page 85.
Cineraria	•						See page 86.
78780 Clary, Purple-Top	. 1	2	hA 	purple red		5 5	(Salvia Horminum.) Odd but pretty flowers.
78800 White-Top		٠		white	1 ½	5	(Virgin's Bower.) Excellent for
‡Clematis— 78840 flammula		3	hP		15 10-40	5	trellises, verandas, etc. C. paniculata is fragrant, rapid-growing, free blooming. For
78870 Jackmani hybrids				vars.	10	25	other sorts, see Tree Seeds. (Curious; very ornamental, on
78880 *Cleome pungens		3	tB hA	pink purple		10	Castor-Oil Plant style. Sandy soil suits them best. Greenhouse plants, with pea-
78910 Clianthus Dampieri		2	gS · ·	scarlet crim.	3 6	15	shaped flowers. Soak seeds in hot water before sowing,
78940 Clintonia (Downingia) pulchell 78960 ‡Clitoria Ternatea	. 2	2 3	hA hB	tricolor blue	15	25 10	Very pretty for edgings. Beautiful greenhouse and con-
78970 —alba	. 2	0	†tP	white purple	20	10	Rapid-growing; start in the
79000 —alba		•	: :	white violet	: :	15	house. Ornamental gourd marked with
79030 ‡Coccinea indica		•	tA	red	6	10	white lines, turning scarlet. See page 88.
79050 Coffea arabica	$\cdot \cdot$		gS	white	5	25	(Coffee Tree.) Very ornamental. White fl'rs, scarlet berries.
79070 *Coleus, Fine Hybrids		:	gP · ·	mixed 		25 50	Splendid bedding plants, with beautifully colored foliage. Very useful for decorative
79090 12 varieties Coleus 6 varieties Coleus						\$1 00	purposes.
79130 Cellinsia bartsiæfolia	. 1	2	hA	lilac p. & w.	1 1 ½	5 5	Free-flowering annuals. It sown in autumn, will stand
79150 —alba	: .	2		white blue	···	5 5 5	the winter and flower early ir spring. All the species are brightly colored, and ex
79180 multicolor	. 2	U		w. & ro. bl. & p.	· · · · · · · · · · · · · · · · · · ·	5 5 5	cellent for growing in patches or clumps; easily grown in any garden soil.
79210 Mixed	. 2	3		mixed s. & y.		5 5	Fine for bees; suitable for
79250 grandiflora	- 1	•		yellow		5	See Aquilegia, page 79.
79270 Commelyna cœlestis		1	hhP	blue white var.		5 5 5	Showy, favorite plants for pots and gardens.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	1	me of ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
‡Convolvulus, Tall—				.,		cts.	Protty fine for healtests, mand
79320 aureus superbus		3	hhA hA hP	gold mixed blue	5 10 trail.	10 5 10	Pretty; fine for baskets; good for screens. For Japanese Morning-Glory, see page 95.
Convolvulus, Dwarf— 79380 tricolor	1	3	hA		ı	5)
79390 —White				white purple crimv. rose		5 5 5 5	These are fine Dwarf Morning-Glories for growing in clumps or beds, or for edging, also for hanging baskets; bloom for a long time. Beau-
79430 — Mixed		٠		mixed		35	tiful and of easy culture.
79480 *Cordyline australis		3	gS · ·		3	15	Beautiful foliage plants for vases or decorations.
Cornflower							See Calliopsis, page 80. See Centaurea Cyanus, page 84.
79520 Cosmidium Burridgeanum Cosmos		2	hA	orange	2	5	Very showy. See page 87.
79540 Cotton (Gossypium)	2	3	tA	yellow	3	5	Curious; for pots and gardens.
79560 Cowslip (Primula officinalis hybrida)		I	hP	mixed	1	10	Favorite spring flower.
79580 Crucianella stylosa		2		crpink	_	5	(Crosswort.)
‡Cucumis— 79600 erinaceus (Hedge-hog Gourd)	2	3	hhA	yellow	8	10	
79610 acutangulus (Rag Gourd) 79620 flexuosus (Snake Cucumber).		3	: :	: :		5 5	Of extremely rapid growth, bearing curious fruits. 79610 is the Rag or Dish-cloth
79630 grossulariæformis (G o o s e - berry Gourd)		2			6	10	Gourd, the peculiar interior of which is useful in the
Melon)	. 2	. 3	hhP		15	5	kitchen, when properly pre- pared.
Cucurbita	-	J			-3		See Gourds, page 122.
79700 Cuphea miniata	ı	3	†hhP	crim.	. I	10	These are very pretty green- house plants, and are also
79720 purpurea, Mixed		3		mixed		5	good for the border, being
79730 eminens	·	3		s. & y. yel. & r.	1 1 1	10 25	continually in bloom. No. 79710 is well known as
79750 strigulosa		•		violet		25	J "Cigar Plant."
Cyclamen	1	2	hhA	yellow	8	10	See page 88. Beautiful climber.
79920 Cyperus alternifolius		I	tP	apricot	2	15	(Umbrella Plant.) Fine habit.
Cypress Vine			†hhP		6	10	See <i>I pomæa Quamoclit</i> , p. 93. All the varieties are fine. "Jules
79960 Single Mixed		3		mixed	10	10	Chretien" is a very dwarf,
79980 "Lucifer." Single				dk. red	21/2	10	single strain, growing from
79990 Single Cactus, Mixed 80010 Jules Chretien. Dwarf		3		mixed scarlet	3	10	10 to 15 inches high, and flowering the first season
80020 Single Collar (Collarette)				varies	3-4	10	from seed. Valuable bedding
80040 "Fiery Star." Fine single 80050 variabilis, Giant Hybrids	I	2		scarlet	6	10	sort, flowering through the summer from June to Octo-
COLLECTIONS, including— 80070 6 vars. Single Dahlia		•		mixed		50	ber in great profusion. Also fine for pots.
Daisy, English, Shasta, etc						3-	See page 88.
Daisy, Paris							See Chrysanthemum frutescens, page 85.
Daisy, Swan River			hS	pink	3-4	25	See Brachycome, page 117. Early-flowering and scented.
80110 Datura meteloides (Wrighti)			hhA	w. & li.	3 4	5	Very showy and large trumpet-
80120 cornucopia				violet		5	shaped flowers. 80120 has
80130 Golden Queen fl. pl		•		yellow	1::	5 5	immense flowers, beautifully colored. Golden Queen is a
80150 fastuosa, Double White		:		white	: :	5	splendid double, bright yel-
80160 — Double Violet		•		violet	١	5	J low and showy variety.

Not l	NUMBER AND NAME less than one ounce of the cheaper sorts at ounce rate	Tin o Flow	ſ	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
	Delphinium						cts.	See page 89.
80180	Dendromecon rigidum Dianthus		I	gS	yellow	2	25	California Yellow Tree Poppy See Pink, Carnation, Picotee
	Dicentra chrysantha	I	2	hhP		2-4	25	From California. Brilliant.
	Dictamnus Fraxinella			hP	red	2	10	(Gas Plant.) The leaves, when
30220 30230	—albus	:	:		white mixed	::	10	rubbed, have a lemon odor Leave undisturbed for years
	Didiscus							See Trachymene, page 130. See Foxglove, page 91.
00250	DIMORPHOTHECA—							
80254	aurantiaca		ı	hA	orange mixed	1-1 ¹ / ₄	10	(African Orange Daisy.) Fine Beautiful. See Novelties.
	†Dolichos Lablaboz., 20c				purple	10	ا ا	(Hyacinth Bean.) Rapid-grow
30270	—albus	į į			white		5 5	ing and free-flowering; goo for screens. No. 80300 is
80280	—Mixed				mixed		5	most beautiful, large, white
80290	giganteus		٠		white		10	flowered variety from Japan
80300 80310	japonicus, "Daylight" Purple Soudan		•	: :	purple	: :	5	In sunny situations 80310 good in flower and foliage
	Doronicum caucasicum	I	2	hP	yellow	2	25	Large yellow flowers. [See Cordyline. Ornaments
80360 80380	*Dracæna Draco*indivisa			gP · ·			25	greenhouse plants, with elegant leaves.
80410	Dracocephalum moldavicum		3	†hP	blu e	2	5	(Balm.) Fine for bees.
80430	Echeveria secunda		2	gP	syel.	14	25	Interesting greenhouse succe
80440 80450	metallicaagavoides	:	•		yellow 	: :	25 25	lents; largely used for "ca pet" bedding.
	‡Echinocystis lobata			hP	green	12	5	(Wild Cucumber.)
	Echinops Ritro	١.			blue	2	10	Fine for bees.
	Edelweiss							See Leontopodium alpinum page 124.
80540	Elsholtzia cristata			hA	lilac	I ½	5	Fine for bees.
80560	Emmenanthe penduliflora				yellow	I	25	("California Golden Bells.")
80580	Epacris hybrida superba	I	2	gS	mixed	div.	50	Free-blooming, like Heath.
80600	Eremurus himalaicus			hhP	white	7	25	Strikingly handsome.
80620	Erica (Heath), Finest Mixed			gS	mixed	2	25	Charming greenhouse shrubs
80640	Erigeron aurantiacum			hP	orange	I	10	(Double Orange Daisy.)
80660	Erinus alpinus		2		blue	1/4	25	Beautiful for baskets.
	Eryngium cœlestinum		3			1 1/2	5	Beautiful sky-blue flowers.
80690	giganteum		٠			4	10	(Silver Thistle.)
80710 80720	Erysimum arkansanum Perofskianum		2	hA · ·	yellow orange		5 5	Free-flowering; of bright co ors and neat habit.
80740	Erythrina Crista-galli	2	3	gS	scarlet		10	(Coral Tree.) Fine greenhous
	Eschscholtzia							See page 90.
	Eucharidium grandiflorum		2	hA	rose	I	5	Graceful little plant. Fine for edging and pots. Showy.
	Eupatorium Fraseri		3	†hP	white		5	Fine for cutting.
80820	*Euphorbia variegata	2	3	hA · ·	w. & gr. carmine	2	5 10	80810 is Snow on the Mountai 80820 Mexican Fire Plant.
80860 80862 80870	Eutoca multiflora —albida viscida		3		blue white blue		5 5 5	Good serviceable flowering plants for bedding; fre blooming.
80910 80920	Fenzlia dianthiflora	ı	2		rose white	1	25 25	For ribbon gardening or pot
80930	Ferns, Mixed. For greenhouse. Collection, including		İ	gP .			25	Sow in fine, sifted, sandy, pear loam, covering the pots wif
80940				1			\$1 25	
	Flax	1				N.		See Matricaria, page 125. See Linum, page 124.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	,	me of rering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
Forget-me-not (Myosotis)						cts.	See page 90.
80970 Four o'Clock, Hybrid	2	3 2 3	hA 	mixed white mixed white mixed	2 I	5 5 5 5 5 5 45 30 25	(Mirabilis.) Called Four o'Clocks because they open their blossoms at that hour in the afternoon. They are also known as "Marvel of Peru." Handsome, free-flowering, sweet-scented; blossoms variegated, striped and of various colors.
Foxglove						•	See page 91.
81070 Fragaria indica	I		hP	yellow	trail.	10	Beautiful scarlet fruit.
81090 Freesia refracta alba		3	gBu gS 	white mixed blue scarlet mixed	trail.	5 25 50 50 50 50	Very sweet-scented flowers. ("Ladies' Eardrop.") Well-known greenhouse plants. They require a firm, rich soil and a shady location.
Gaillardia							See page 91.
81180 Galega officinalis	1	2	hP	blue white	3	5	Tall, ornamental plants, suitable for borders or cutting.
81210 Gamolepis Tagetes	ľ	ı	hhA	yellow		10	Fine for beds.
81230 Gardenia Thunbergii			gS	white	2	25	Flowers very fragrant.
81260 Gaura Lindheimeri	ĭ	2	hP	w. & r.	3	10	Very effective in clumps.
81290 Genista canariensis		2	tP	yellow	2	10	Ornamental and free-flowering
81310 Gentiana acaulis			hP · ·	d. blue blue	1 4 J	10 10	Showy, hardy plants. Valued for their beautiful flowers.
81360 Geranium (Zonale)		3 .	gP '	scarlet pink	1½ · · ·	10 50 25	The most popular of bedding plants. See, also, Pelargonium, page 126.
81430 Gerbera Jamesoni (25 s'd in pkt.) 81440 — hybrida(25 s'd in pkt.)		2	hhP	scarlet mixed	2	25 30	(Scarlet Transvaal Daisv.) No. 81440, fine new hybrids of G. Jamesoni, varying from pure white through shades of yellow, pale red and salmon to orange-rose, cherry-red, etc.
81450 Gesneria macrantha		I 2	gP · ·	scarlet mixed	1 2	25 25	Beautiful greenhouse plants, with long-tubed flowers.
81480 Geum chiloense coccineum pl 81490 —atrosanguineum fl. pl		:	hP · ·	scarlet	1 ½	10	Blooms freely for a long time. Fine for bouquets.
81510 Gilia achilleifolia 81520 —alba 81530 —rosea 81550 —alba 81550 —laba 81560 laciniata 81570 liniflora. For borders 81580 nivalis 81590 tricolor 81600 —rosea splendens 81610 Mixed		2	hA	blue white rose blue white tricolor rose mixed	I	55555555555555	Free-blooming annuals; fine for beds. Will bloom in any situation, look well on lawns in beds, are good for rockeries, and can be planted at any season.
81630 Glaucium luteum	2	3	†hP	yellow vars.		5 10	(Horned Poppy.) Gray foliage. A fine mixture.
Globe Amaranth							See Gomphrena, page 122.
81660 Globularia trichosantha Godetia		2	gP	blue	1/2	10	A very handsome plant. See page 92. See Pyrethrum, page 128.

-				1.				
87.4	NUMBER AND NAME	,	me of	Hardiness and	Color of the	Height in	Price per	GENERAL OBSERVATIONS
Not	less than one ounce of the cheaper sorts at ounce rate	Flow	ering	Duration	Flower	Feet	Packet	
91690	CLOVINIA bubuida grandiflora						cts.	
91000	GLOXINIA hybrida grandiflora, Mixed		3	†gP	mixed		50	Greenhouse plants. They grow
81690	——crassifolia erecta						50	well in a light, rich soil. "De-
81700	———horizontalis						50	fiance" is of an intense, glowing scarlet. "Cyclops"
81710 81720	"Defiance"		•		scarlet		50	and "Goliath" are fine va-
81720	——French Tigered and Spotted				spotted		50	rieties. If started inside in
81730	——gigantea, "Cyclops"				car.& w		, 50	February, will bloom the
81740	———"Goliath"				v. & w.		50	same summer.
81760	GOMPHRENA globosa	2	3	hA	red	1	5	The Globe Amaranths are
81770	—alba				white		5	among the most popular of
81780	—carnea				pink		5	the Everlastings. Their
81790	—variegata		•		striped	. ;	5	round heads of flowers are also called "Bachelor's But-
81800 81810	—nana compacta rubra — — —alba		:		v. red white	1/2	5 5	tons." An old favorite for
81820	——————————————————————————————————————				mixed	. т	5	winter bouquets. The best
81830	aurea superba (Haageana)				orange		5	soil is a mixture of sandy
81840	Collection, including 6 varie-							loam, stable manure and
	ties Globe Amaranth				.11		30	some silver sand.
	GOURD, Mock Orange		2	tA	yellow	15	5	Excellent for covering veran-
81870 81874	Apple-shaped Egg-shaped						5 5	das or trellis-work, and for
81880	Pear-shaped						5	training over arbors, fences, etc. Of rapid growth, with
81884	Calabash						10	curious fruits and highly or-
81890	Hercules' Club					15	5	namental foliage. Cultivate
81894 81900	Knob-Kerrie Gourd				gr. & yl.		10	same as melons. No. 81920 is
81910	Sugar Trough Bottle Gourd			•			5 5	the Chinese Luffa; the inte-
81920	Dish-cloth					8	5	rior is useful as a sponge. No. 81884 is the Pipe Gourd. No.
81924	Dipper				yellow	15	5	81894 produces ball-shaped
81930	Mixed					10-15	5	fruits 3 to 4 in. diam. with
81940	Collection, including 12 varieties Gourds, small						50	handles 2 to 3 ft. long.
91960	Grammanthes gentianoides			hhA		$\frac{1}{2}$	10	For edging, pots or baskets.
	GREVILLEA robusta			gS	orange		10	(Silk Oak.) Graceful foliage.
			2	-	orange	5		,
82000 82010	Gunnera manicata		٠	hP	red	6	25	Decorative lawn plants, with leaves 7 to 8 feet long.
	scabra		٠			4	25	j leaves 7 to 8 leet long.
82030	GYPSOPHILA elegans alba			hA	white	2	-	Fine for bouquets. Free
82034	pura		•	na .	winte		5	bloomers for rockwork or
82040	-rosea				rose		5	shrubbery; will grow in any
82044	—carminea				carrose	I	10	soil. No. 82070 is known as
82050	cerastioides		•	hP	white	1/2	25	"Baby's Breath." 82044 is a splendid free-flowering car-
82060 82070	muralis		٠	hA hP	pink white		10	mine-rose variety. 82074 is
82074	—Double White. Rare				winte.		50	indispensable for cutting.
	Hawkweed, Golden		,	hA	yellow		5	(Cropia) Shawanianta of face
82100	Red		3		red		5	(Crepis.) Showy plants, of free growth; varied colors.
82110	White				white		5]
82140	Hedysarum coronarium			†hB	red	3	5	So - called "French Honey- suckle," but no relation to
82150					white		5	that vine. Not a climber.
82170	Helenium autumnale superbum			hP	gol. yel.	5-6	10	(Sneezewort.) Fine for cutting.
	HELICHRYSUM bracteatum		3	hA	yellow	2	5	("Eternal Flowers.") The flow-
82210	—album				white		5	ers are large and the colors
82220	—atrosanguineum nanum				d. red	I	5	bright. They are highly
82230	-atrococcineum nanum				d. scar.		5	prized for winter bouquets.
82240			•		mixed	2	5	Flowers intended for drying should be gathered when
82250 82260	monstrosum, Double —Dwarf Double		:		: :	· · ·	10	partially unfolded, and sus-
02200	Collections, including—					2	1	pended with heads down-
82280	6 vars. Double						30	ward in a cool shed. Succeed
82290	6 vars. Dwarf						30	best in rich, loamy soil.
82310	Heliopsis Pitcheriana	r	2	hhP	gol. yel.	2-3	10	Early. Excellent for cutting.
	Hesperis							See Rocket, page 128.
	• • • • • • • • • • • • • • • • • • • •							•

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Tin o Flow	ſ	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
82330 HELIOTROPIUM peruvianum 82340 Mad. de Blonay 82350 Lemoine's Giant, Mixed 82360 White Lady 82380 Voltaireanum 82390 Fine Mixed 82400 Dark-leaved Sorts, Mixed COLLECTIONS, including 82410 12 best varieties 82420 6 best varieties	•		gP 	purple white mixed white d. pur.	2	cts. 10 10 25 10 10 10 10 50	(Heliotrope.) These well-known greenhouse and bedding favorites are highly valued for their scented flowers. Should have light, rich soil.
82440 Helipterum Sanfordii 82450 corymbiflorum 82470 Helleborus niger 82480 Mixed Hybrids	I	2 . 2	tA hP	yellow white pink mixed		5 5 10 25	Resemble Helichrysum, and are useful in the same way. (Christmas Rose.) Very desirable; spring-flowering.
82500 Heuchera sanguinea	2			crim. mixed d. red		15 15 25	Nothing more beautiful for cut- flowers.
82540 HIBISCUS africanus			hA hS hP	yl. & br. w. & p. rose	6 3	5 5 5	No. 82550 is the Rose of Sharon. See page 92.
82610 Honesty(Lunaria biennis) Horned Poppy	1	3	†hB †hhP	purple	5	5	Pretty. Curious silvery silicles. See Glaucium luteum, page 121. Sweet-scented. Should be kept
82640 —albida		3	tA	white green	15-20	15 5 5	in pots the first season. (Climbing Hop.) No. 82670 has beautiful variegated foliage.
82710 Hyacinthus candicans		3	hA hBu hP	yellow white yellow	1 2-3 1 ¹ / ₂	5 10	Large, showy flowers; fine A fine summer Hyacinth. Green leaves; large flowers. See Candytuft, page 82.
82750 Ice Plant (Mesembryanthemum crystallinum)	2	3	tA	white	1/2	5	Covered with watery vesicles resembling pieces of ice. See Mesembryanthemum, p. 125.
82780 Holstii 82790 —hybrida 82800 Sultani 82810 —Queen Carola 82820 —hybrida, Mixed	. 2		gP	purple vred mixed carmine chamois mixed		25 25 25 25 25 25	(Touch-me-not.) Beautiful. 82780 resembles 82800 but grows quicker and flowers are larger. 82800 is good for house culture. 82790 a splen- did mixture of finest colors.
82840 *INCARVILLEA Delavayi 82850 grandiflora Beach 82860 variabilis Season Tulla glandulosa grandiflora	2	2 ·	hP	r. car. d. pur. rose orange	I-2 	25 25 25 25	Trumpet flowers. Very beautiful. Fine hardy perennials. Splendid hardy perennial.
82900 Ionopsidium acaule Ipomœa		3	†hhP	scarlet	3	15	(Diamond Flower.) Pretty. See page 93.
82930 —aurantiaca	I	3	hB	orange scarlet mixed	1½ 	10	Showy and beautiful; colors very bright. Seeds should be started in the house.
82970 Iris Kæmpferi	1	2	hP		2	10	Hardy herbaceous perennials.
83010 Jacob's Ladder			: :	blue white		5 5	(Polemonium.) Beautiful, hardy, old-fashioned flower.
83040 Jacobæa, White Senecio	:	:	h A	purple mixed	· · · · · · · · · · · · · · · · · · ·	5 5 5	The Senecios are all free-flow- ering plants, good for the border and for pots.
Job's Tears							See Coix Lacryma, page 132.
*Joseph's Coat		3	t A	red	21/2	5	See Amarantus, page 115.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
83090 Kaulfussia amelloides	2	hA 	blue d. v. v. red mixed		cts. 10 10 10	Fine for edging; good habit and color. The high colors are best for pots.
83140 ‡Kennedya cœrulea		gP	blue purple	12 4	10	These are fine, profuse bloomers for the greenhouse. Do best in sandy loam.
83190 Kochia trichophylla	• •.	hA	green	21/2	5	(Improved Summer Cypress.) (Pueraria Thunbergiana.)
83210 ‡Kudzu Vine	2 3	hP	purple	40	10	Japan climber. Rapid-growing plants, form-
83230 Lantana, Fine Mixed	I 3	gS gP	mixed rose	15	5 50	ing small, bushy shrubs. Beautiful greenhouse climber.
Larkspur						See Delphinium, page 89. See Sweet Peas, pp. 111 to 113.
83290 Lavatera trimestris		hA tA	red white purple	2 3-5	5 5 5	Showy and free-flowering. L. arborea variegata has beautifully mottled foliage. Form decorative plants first season
83320 —variegata		hA	red y. & w.	3	15	from seed started indoors. Pretty yellow and white flower. See page 110.
83390 LEONTOPODIUM alpinum	3	hP	white	1/2	15	(Edelweiss.) From the Alps.
83410 Leptosyne maritima	: :	hhA	 golden	2	10	Beautifully formed flowers and elegant foliage. 83420 has large golden flowers.
83440 Leptosiphon aureus 83450 androsaceus 83460 —albus 83470 carmineus 83480 densiflorus 83490 —albus 83500 hybridus	· · · · · · · · · · · · · · · · · · ·	hA	orange blue white carmine blue white mixed	1 2 1 	5 10 10 5 5 5	Fine for edging or rockeries; blooms in masses. L. carmineus has very beautiful carmine flowers.
83510 Mixed 83530 Liatris pycnostachia 83534 spicata 83550 Limnanthes Douglasi 83566 Linaria bipartita (elegans) 83570 —alba 83580 —splendida 83590 maroccana 83594 —Mixed Hybrids	3 2 3 2 2 3	hP hA	w. & y. purple white purple	3-4 2-5 3-4 I	5 15 5 5 5 5 5 5	(Kansas Blazing Star.) Pretty. Free-flowering and fragrant. Snapdragon-shaped flowers; desirable for edging, and very good for rockwork. 83606 is strikingly hand- some; blooms first year from
83600 cymbalaria (Kenilworth Ivy) 83606 macedonica speciosa 83620 LINUM flavum 83630 grandiflorum rubrum		hP †hP †hhP hhA	violet yellow crim.	trail. 3	25 5	seed if sown early. Fine for cutting. (Flax.) Free-flowering plants,
83640 Lewisii variegatum	I 2 2 3	†hP gA	li. & w. blue	3 1½	5 10 25	of easy cultivation. Fine; like the Gentians.
83660 Loasa aurantiaca (lateritia) 83670 tricolor		hhA hA	orange tricolor	6 2	10	Elegant foliage, and flowers of curious structure. See page 93.
83690 Lophospermum scandens 83710 Lotus Jacobæus	ı	tP tA	d. rose d. br.	8 2	10	Trumpet-shaped flowers. Pretty and interesting bedder.
83720 peliorhynchus		gP hA	red blue	· ·	15	Fine for hanging-baskets. See Amarantus caudatus, p. 115.
83770 White Double			white blue white mixed		5 10 5 5 5	(Nigella.) Curious and orna- mental; fennel-leaved; easily grown and hardy. Also called "Devil-in-a-Bush."
83840 LUPINUS Cruikshanksii	2 3	hP hA	blue white blue	3	5 5 5	A large genus of ornamental annual or perennial plants. 83920 grows 5 or 6 feet high; has immense racemes of

Not	NUMBER AND NAME less than one ounce of the cheaper sorts at ounce rate	0	ne f ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL ÖBSERVATIONS
	LUPINUS, continued						cts.	
83880	hirsutus albus	2	3	hA	white	2	5	lovely dark blue flowers.
83890	-ruber				rose		5	Some varieties are charming,
83900	mutabilis				var.	3 1	5	having spikes of highly col-
83910 83920	nanus	İ	3	hP ·	blue		5	ored flowers, silver foliage and good habit. Rich loam
83924	polyphyllus		3	111	rwh.	2-5	5 25	will produce the finest plants
83930	-Mixed Perennial		3		mixed		5	and flowers. Dwarf species
83940	tricolor elegans				o. & ro.	3 6	5	make best bedding plants.
83946	arboreus		2		yellow	l .	10	All are free-flowering, attrac-
83950 83960	—albus (Snow Queen) Mixed Annual		٠	hA	white mixed		25	tive, bright, easily grown. No. 83946 is the Yellow
	COLLECTION, including 12 best		٠	пл	mixed		5	Tree Lupin.
	varieties						45	}
83990	LYCHNIS chalcedonica	I	2	hP	scarlet	2	5	Brilliantly colored border
84000	—alba				white		5	plants; 84030 is a superb va-
84030	fulgens		İ	tP	scarlet	1	10	riety, the original of the Haageana hybrids. Fine for
84040	Haageana hybrida			hP	mixed		10	rockeries or carpet bedding.
84080	Madia elegans	2	3	hA	yellow	2	5	Handsome flowers; should be
	Malope grandiflora rosea				rose		5	in a shady position.
84110	—alba				white		5	Mallow-like flowers; very
84120			٠		red		5	pretty. Sow early.
84130			•		mixed		5,)
84150 84160	Malva miniata		٠	tA †hP	scarlet rose	4 2	5	(Sunset Plant.) 84160 and
84170	—alba			,	white		10	84170 are fine, hardy perennials.
8 4190	‡Mandevillea suaveolens Marigold		•	gP		10	10	Greenhouse climber, fragrant. See page 94.
84210	Martynia craniolaria			hhA	w. & sp.	11/2	5)
84220	proboscidea				vio. sp.		5	Curious and very handsome
84230					yellow		5	plants for the border. Pods used for pickling.
84240	formosa		•				5	,
								See Four o'Clock, page 121.
84260	Mathiola bicornis		٠		white	$\frac{1}{2}$	5	Open and fragrant at night, but closing during the day.
	Matricaria eximia plena			hA		2	5) -
84290	capensis plena					. ;	5	(Feverfew.) Pretty and neat;
84300			٠		yellow	114	15	small double flowers.
	†Maurandya antirrhiniflora		3	†gP	purple	10	10	Abundant bloomers, and very
84330 84340			•		blue white		10	desirable climbers for the
84350					rose	: :	10	greenhouse and garden.
84360					purple		10	Should be in every col-
84370	Mixed				mixed		01	lection.
	*Melianthus major			gP	brown	2	10	Has very ornamental foliage.
84430	Melilotus cœrulea		3	hP	blue	$\mathbf{I}^{\frac{1}{2}}$	5	Ornamental; like the Lotus.
84450	‡Melothria scabra			hhA	l. blue	10	10	Tropical vine.
	Mesembryanthemum tricolor		2	tA	tricolor	$\frac{1}{2}$	5	Beautiful dwarf edging plants
84480					white		_ 5	flower profusely in dry and
84490 84500				tP tA	yellow white		15	sunny situations. Fine for pots. 84500 is the "Ice Plant."
01500	Mignonette	_	3	121	White		5	See page 95.
84530	Mimosa pudica				pink	34	5	(Sensitive Plant.) Very odd.
	MIMULUS cardinalis		2	†hP	scarlet	11/2	10	
84550		I	3	hA	mixed		10	(Monkey Flower.) Showy
84560	Rœzlii	2	3		yellow	1 2	25	musk-scented and free-flow- ering. Hardy kinds are well
84570			3		spotted	I	10	suited for borders. Any soil
84580 84590	(C)		٠	+ Δ	vallar	·i	25	suits. 84590 and 84594 are
84594			•	tA.	yellow	1 1 3	15	known as "Musk Plant."
	‡Mina lobata	١.	•		wh. & r.	15	10	Curious; free bloomers.
		ł	•					A splendid shell-flower, with
84620	Molucella spinosa	2	3	hA	rose	7	10	very fine foliage.

Not	NUMBER AND NAME less than one ounce of the cheaper sorts at ounce rate	٥	me f ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
84650	‡MOMORDICA Balsamina	2	3	hhA	yellow	10	cts. 5	Handsome ornamental gourds 84640 is the Balsam Apple 84650the Balsam Pear, 84660
84660 84680	Elaterium	•	. 2	 hP	br. scar.	2-3	5 25	is the Squirting Cucumber. Oswego Tea. Very beautiful.
01000	Monk's Hood			***	or. scar.	- 3	*3	See Aconitum, page 114. See Ipomæa mexicana, p. 93 See page 95, and Convolvulus
	Morning-Glory) page 119.
04740	Mourning Bride			D	h	1 5		See Scabiosa, page 107. (Abyssinian Banana.) Splen
84/10	Musa Ensete 100 seeds, \$1	1	2	gP	y. & br.	4	25	did tropical plant.
	Musk Plant							See Minulus moschatus, p. 125 See Forget-me-not, page 90. See pages 96 and 97.
	Nægelia hybrida				var.	1/2	25	Beautiful greenhouse plant.
84800 84810	Nemesia compacta alba —cœrulea	2	3	hA	white blue	1 ½	5 5	Very pretty and neat-flowering plants for edging. 84820 is a
84820	strumosa grandiflora Suttoni.	i			var.		25	very beautiful variety.
84840 84850	NEMOPHILA atomaria	I	3		w.& pu. p. blue	1	5	
84860	discoidalis				p. blue purple	: :	5 5	This genus consists of very
84870 84880	insignis	٠	•		blue white		5	pretty annuals of eas growth; they deserve exten
84890	—marginata				bord.	: :	5 5	sive cultivation; are good in
84900 84910 84920	maculata	ŀ	:	: :	spotted mixed	diff.	5 5	pots and for edgings, in rock eries, or in the garden.
01/ 1 0	rieties Nemophila						25	J
	Nerium Oleander	2	3	gS	red	10	10	(Oleander.) Ornamental shrub
	Nectera depressa		٠	gP hhA	white	cr.	25	Plant bearing coral berries.
84976	NICOTIANA affinis. Fragrant—hybrida		:		mixed	3	5	Species of tobacco; valuable as decorative plants; del
84980 84990	colossea Sanderæ Hybrids	:	٠	hA.		10	25	ciously fragrant flowers. No 84976 is a splendid nev
85000	sylvestris				white	3.	5	mixture.
85020 85030	Nierembergia gracilis frutescens	:	:	: :	w. & li.	I 2	5 5	Handsome flowers; fine for hanging baskets or edgings.
05050	Nigella							See Love-in-a-Mist, page 124
85050 85060	Nolana atriplicifolia		2		b.w.&.y. white		5 5	Very showy when in flower
85070	paradoxa violacea		٠		b. & v. mixed	1	5	and should be planted in the border; fine trailing plants.
85080 85100	Mixed		3	hhA	lilac	3 4	5	Protter descriptions
85110	capensis				white		10	Pretty dwarf plant.
85130	Cenothera		2	hP	mixed	diff.	25	See Evening Primrose, p. 127 Fine open-ground species.
85150	Orobus lathyroides	2	3		blue	I ½	10	This deserves a place in gar dens; fine pea blossoms.
8518 0	Oxalis Valdiviana (Veitchii)		2	tP	yellow	1/2	10	Charming little plants.
	Pæonia officinalis			hP	red .	2	5	Beautiful hardy plants, with
85210 85220				: :	mixed	3	10	large, handsome flowers.
85240	Palafoxia Hookeriana			h A	blush	1 1/2	10	Very good Everlasting.
	Pansy							See page 98. See Chrysanthemum frutescens
	‡PASSIFLORA cœrulea		3	hhP	blue	10	10	Called "Passion Flower" o
85290 85300			•	hhA	white	25 10	10	account of a resemblance if the flower to the appearance
85 31 0			i	hhP	pink	25	10	presented at Calvary.
	Peas, Sweet							See pages III to II3.
85330	Pelargonium, Large - flowered				. ,			Described mass become
85340	Show Varieties		:	gP	mixed	2	50 50	Beautiful greenhouse plants.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
85360 PENTSTEMON Murrayanus grandiflorus	2 3 	hP 	scarlet yellow scarlet w. & b.	3 1-5 1-3 3	cts. 10 25 25 10	Beautiful herbaceous perennials; very hardy and free-flowering; fine for bedding. 85366 and 85368 are both beautiful California sorts.
85380 digitalis. 85390 †Hartwegi grandiflorus 85410 Mixed Large-flowered vars 85430 *Perilla nankinensis	2	hhA	white mixed purple	$\begin{array}{c c} 1\frac{1}{2} \\ 3 \\ \vdots \\ 1\frac{1}{2} \end{array}$	10 10 5	85390 is a fine large-flowered strain. Ornamental-leaved; for rib-
85440 *—laciniatis		hA	pur. bl. d. blue blue		5 5 5	bon-gardening and beds. See page 100. Excellent for bees. 85520 is a lovely, rich, deep blue.
85520 campanularia	2 3	gA hhA	d. blue lilac w. & ro.	 5 15	5 5 10	Curious fragrant flowers. (Butterfly Runner Bean.) See page 101.
85570 Phormium tenax		gP 	white scarlet	6 3 2	5 25	(New Zealand Flax.) Showy greenhouse perennial. ∫(Chinese Lantern Plant.) From
85630 PHYSOSTEGIA grandiflora virginica alba		hP hhP	white w. & sp.	3	25 50	(Obedient Plant.) Exquisite. From show varieties. Rich
85670 Yellow Ground	 I 2	gP	y. & sp. mixed white		50 50	and beautiful; finely per- fumed; very attractive. See page 102. Handsome greenhouse shrub.
85720 Platystemon californicum PLATYCODON 85740 grandiflorum	2	hhA hP	blue white	2	10	(Cream Cup.) (See also Campanula.) (Large Chinese Bellflower.) Fine flowering plants. <i>P. Mariesi</i> is a fine dwarf; dark blue.
85760 Mariesi	2 3	hhA	blue yellow red-wh.	1 1 2 · · ·	5 5 5	Curious and pretty. Does well exposed to the sun.
85830 Polyanthus 85840 Large-flowered, Finest Mixed 85850 Gold-laced Poppy		†hP 	mixed 	 	10 25 25	See Jacob's Ladder, page 123. (Primula elatior.) Fine varieties.
Portulaca		hP	purple mixed	1 ½	5 5	See pages 103 and 104. See page 104. Showy, hardy border plants.
85900 Primula cortusoides 85910 cashmeriana 85920 japonica 85924 —hybrida, Mixed 85930 farinosa (Bird's-Eye Primrose)	: :		red rose mixed 	1 1 2-3	10 25 10 25	These are the hardy Primroses. P. japonica is called the "Queen of Primroses." P.
85940 Forbesi (Baby Primrose) 85950 English Yellow Primrose 85960 obconica grandiflora alba 85970 — rosea		†hP hP †tP	lilac yellow white rose	1/2	25 25 10 25 25	Forbesi has pretty rosy lilac flowers, and is fine for pots. P. obconica, if started in frames, will begin to bloom
85980 ——carminea 85990 ——hybrida, Mixed			carmine mixed white rose mixed	,	25 50 50 50 25	in May. No. 85924 is very fine; colors range from pure white through all shades of pink to deep crimson. No. 86004 is giant-flowering;
86004 —gigantea kermesina Primula chinensis PRIMROSE, Evening—		gP hP	carred yellow	I	25 25 25	brilliant carmine-red. See page 105. Œnotheras are fine, free-flow-
86360 Œnothera bistorta Veitchii 86370 —Drummondii —Lamarckiana	1 3	hA hB	purple yellow	2 I 4-5	5 5 5	ering plants, best for back- grounds or shrubbery bor- ders; Œ. acaulis has large

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowerin	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
PRIMROSE, continued 86390 Œnothera rosea (mexicana) 86400 —acaulis alba	2 3	tA hA	rose white mixed	12 diff.	cts. 10 10 5	shining white transparent flowers. <i>E. Drummondii</i> is of rich sulphur-color; profuse-flowering. <i>E. Lamarckiana</i> is a beautiful garden species.
86440 ‡PUERARIA Thunbergiana	1	hP	purple	40	10	(Kudzu Vine.) Japan climber.
86460 PYRETHRUM atrosanguineum 86464 roseum hybridum, Single. 86474 — Double	1 3 2 3 3	hhP hP tA hS gP †hP hP hP hP hP	dk. sc. mixed white yellow rose-pu. white r. & w. white mixed r. & w. puro. mixed white purple white	1 2	10 10 25 10 25 10 5 25 10 10 10 10 10 25 10 25 10 25 10 25 10 25 10 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10	No. 86490 for poor soils. 86500, Golden Feather, is fine for edging. 86510 is a beautiful fern-leaved sort. 86480 is a splendid variety, flowers often 4 inches in diameter on long stems; fine for cutting. Free-flowering; of easy culture. (Ornamental Rhubarb.) Very beautiful, delicate-look- ing Everlastings, m u c h prized for winter bouquets. Superb climber. Grand evergreen shrub. See page 105. Ornamental in fruit. (Hesperis.) Free - blooming and very sweet-scented. California Tree Matilija Poppy.
86760 Rosa multiflora nana Rose Campion Rose of Heaven Rose of Sharon		†hP	mixed		10	Flowers first season from seed. See Agrostemma coronaria, p. 115 See Agrostemma Cæli-rosa, p. 115 See Hibiscus syriacus, p. 123.
86780 RUDBECKIA amplexicaulis 86790 bicolor superba 86800 fulgida variabilis 86810 Neumanni 86820 Saintpaulia ionantha Salpiglossis Salvia	2 3 	hP · · · †gP	yellow mixed oryel. blue	3 · · · · · · · · · · · · · · · · · · ·	5 5 10 10 25	(Coneflower.) Showy, large yellow flowers, with brown cones. The Usambara Violet. Lovely. See page 106. See page 106.
86840 *Santolina Chamæcyparissus 86860 maritima			yellow white yellow	1½-2 · · ·	5 5 5	For large specimens in shrub- beries or as a carpet-bedding plant; distinct foliage. Beautiful. Fine for beds or bor- ders; flowers all summer.
86890 Saponaria calabrica 86900 —alba 86910 —Scarlet Queen 86920 ocymoides 86940 Saxifraga, Mixed Perennial	 I 2		red white scarlet red mixed		5 5 5 5	Pretty dwarf bedding plants. Should be cultivated for their beauty and long blooming. Curious little plants; especially adapted for rockwork.
Scabiosa 86960 SCHIZANTHUS Grahami 86970 pinnatus 86980 papilionaceus 87000 —albus 87004 —trimaculatus albus 87010 Wisetonensis. Fine pot-plant. 87020 Mixed 87030 COLLECTIONS, including 6 varieties Schizanthus	2 3	hhA hA hhA	s. & o. p. v. bk.eyd. r. & o. white yel.& w. var. mixed	$\begin{array}{c} 2 \\ 1\frac{1}{2} \\ \cdot \\ \cdot \\ 2 \\ 1\frac{1}{2} \\ \vdots \\ 1\frac{1}{2} - 2 \\ \vdots \\ \text{diff.} \end{array}$	5 5 5 5 25 25 25 30	See page 107. Large, beautiful flowers of many colors, fine for bedding. Grown in pots in early spring in greenhouse, become fine foliage plants with masses of blossoms. 87010 is long-flowering and light-colored. 87004 has flowers 1½ to 1¾ inches across; white, with golden yellow spot. 'Effective for groups; fine pot-plant.

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
87050 Schizopetalon Walkeri	2	hA	white	3 4	cts.	Cannot bear transplanting.
87090 Sedum acre	1	hP	yellow	1	10	(Stonecrop.) Showy little
87100 cœruleum		hA	blue		10	plants, excellent for carpet
87110 Maximowiczii		hP	yellow	I	5	beds. Plant in sandy soil.
87120 Mixed			mixed	34	5	Con Tanahan managan
Senecio			1			See Jacobæa, page 123-
87140 Sensitive Plant	_	tA.	pink		5	(Mimosa.) Pretty and curious.
87160 SILENE Armeria		hA	red white	2-3	5	(Catchfly.) Bright-colored,
87190 pendula			red	· ·	5 5	free-flowering annuals, suitable for rockwork or open
87200 — Double Rose			rose		5	border. S. pendula is largely
87210 —ruberrima			 		5	grown for spring flower gar-
87220 —Bonnetti, dark stems			dk. pur. mixed	: :	5 5	dening. They succeed in
87240 orientalis		†hP	d. rose	2	5	any light, loamy soil.
87280 ‡SMILAX (Myrsiphyllum as-						For table and house decora-
paragoides)		gP	white	6	10	tion. Fine for florists.
Snapdragon	1	tA			_	See page 107. The Solanums are very orna-
87310 Scarlet Eggplant			scarlet	. I	5 5	mental fruit-bearing plants,
87320 Striped Eggplant			striped	2	5	and thrive best in light, rich
87330 Weatherill's Hybrid			blue		5	soil. All are highly deco-
87340 robustum		1	purple yellow	3	10	rative and well worth
87360 giganteum		1 : :	white	2 4	5 5	cultivating. S. giganteum is the largest and handsomest
87370 Hendersoni			purple		5	of all, having flowers 3
87380 Warscewiczioides		: -	white	3	10	inches in diameter. No.
87390 ‡Seaforthianum		†gP	lilac	5	10	87390 is a fine variety of climber with drooping ra-
rieties Solanum					30	cemes of a delicate lilac-color.
87420 Sphenogyne speciosa	3	hA	yellow	I	5	Pretty showy annuals.
87430 Spiræa (Astilbe) Davidii	2	hP	rose-v.	6	25	Beautiful. Easily raised from
87460 Stachys lanata	1		striped	2	5	seed. Flowers in 18 months. Silver-leaved; edging or borders.
87480 Statice Bonduelli		hA	yellow	$1\frac{1}{2}$	5)
87490 sinuata	1		blue	I	5	(Sea Lavender.) Beautiful for
87500 —candidissima			white		5	winter bouquets. Pretty lit-
87510 Suworowi. Bright rose 87520 incana hybrida nana		hP	rose mixed	1 ½	10	tle flowers which ought to be in all gardens.
87530 Perennial Sorts, Mixed					5 5	be in an gardens.
87550 Stenactis speciosa			purple	2	5	Showy purple Composite.
97570 Stankananharran la sifalian		110	1-4	,		∫An acanthaceous plant, with
87570 Stephanophysum longifolium		hhP	scarlet	1 1/2	25	bright-colored flowers.
87590 Stevia serrata		gP	flesh		10	Fine for bouquets; scented.
	1	1.0	1,,			See pages 108 and 109.
87610 STOKESIA Cyanea Streptocarpus—	2 3	hP	blue	2	10	("Cornflower Aster.") Pretty. Very ornamental, profuse-
87630 Veitch's Hybrids	I 2	gP	mixed		50	blooming greenhouse plants.
Sunflower (Helianthus)					J	See page 109.
87670 Swainsonia alba grandiflora	1 3		white		25	1
87680 Ferrandi carminea			carmine		50	Fine greenhouse plants, easily grown in sandy, peaty soil.
87684 Mixed Species			mixed		10	,
Sweet Peas						See pages III to II3.
Sweet Sultan	1					See Centaurea, page 84.
Sweet William		b A	vallom			See page 109.
87720 Tagetes lucida. Sweet-scented 87730 signata pumila	2 3	hA	yellow		10	Pretty, and fine for edging. See also Marigold, page 94.
Tassel Flower		1				See Cacalia, page 117.
87750 Tecoma Smithi. Splendid		gP	lemon	6	25	Flowers lemon, flushed orange.
	1	1				Ornamental climber and
87830 ‡THUNBERGIA alata, Mixed	I 2	hhA	mixed	5	10	abundant bloomer.
87850 Torenia Fournieri		tA	purple white		25 25	For borders and baskets. 87850 is fine for pots. 87870 is golden
87870 Bailloni			yellow		25	

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	(me of ering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
			41 D	11	,	cts.	TT ()))
7890 Trachelium cœruleum		2	†hP	blue	1/2	10	Useful; border or greenhous
37910 Trachymene cœrulea (Didiscus)		•	hA			5	Fine, long-blooming annuals.
37930 ‡Trichosanthes colubrina		3	tA	white yellow	10	- 5	(Snake Gourd, or Serpent Coumber.) So called from the
7950 palmata		3		white	15	5 5	shape of its fruit.
7970 Trifolium suaveolens		2	hP	purple	trail.	5	An ornamental clover.
7990 Tritoma Uvaria grandiflora		3	hhP	orred	3	10	(Red-hot-poker Plant.) Ha
8000 MacOwani				r. & yel.	1 1 2	25	showy spikes of bloom.
8020 Trollius, Mixed Hybrids	I	2	hP	mixed		10	(Globe Flower.) For beds of borders.
8040 ‡TROPÆOLUM canariense	2	3	hhA	yellow	10	10	88040 is the Canary-bird Flowe
8050 pentaphyllum			gP	or. & y.		15	The others are fine for po
8060 tricolor grandiflorum				or. & br.		25	culture. See, also, Nastu tium, pages 96 and 97.
8080 Tunica Saxifraga		2	hhP	white	ı	5	Pretty for rockwork.
8100 Tydæa hybrida grandiflora			gP	mixed		50	Popular greenhouse plant.
8120 Valeriana alba	ı	2	†hB	white	3	5) Fine border plants; swee
8130 rubra			'	red		5	scented flowers.
8160 Venidium calendulaceum	2	3	hhA	orange	I	5	Beautiful for borders or pot Flowers the entire season.
8180 VENUS' LOOKING-GLASS	I	2	hA	blue	34	5)
8190 White				white		5	(Specularia.) Pretty edgin
8200 Double Blue		٠		blue mixed		5	plant. 88200 gives about
8214 grandiflora, Mixed. Large-flowered	1			inixed		5	per cent of double flowers.
8220 Venus' Navelwort (Cynoglossum linifolium)		2			I	5	(A handsome border flower Easily grown.
8240 Verbascum pannosum			hP	yellow	5	10	Decorative plant. Woolly ly
Verbena hybrida	'	•		J 0220] 3		See page 110.
Verbena (Aloysia) citriodora							See page 110.
8280 Veronica, Mixed				mixed	1	10	Pretty for borders; fine color
8300 Vicia Gerardii		3	hA	violet	4	5	Pretty pea-shaped flowers.
		3)
8330 VINCA alba. Pure white 8340 rosea		•	tP	white rose	. I	10	Fine for conservatory, parl
8350 —alba		:		ro. & w.		10	windows and borders beds; very pretty.
88360 —Mixed				mixed		10	, , , ,
88380 VIOLET, Sweet-scented	I	2		blue	1/2	10	(Viola.) All have great beau
8390 The Czar		•		· · ·		10	and fragrance. Seed tak a long time to germinate.
38400 White		•		white		10	a long time to germinate.
8430 — Mauve Queen			: :	purple 		10	
8434 —White Perfection	١.			white		10	Fine and early-flowering. S
38440 —alba		•				10	Violet above.
8444 pedunculata (California Yellow Violet)				yellow		25	
88460 VIRGINIAN STOCK		•	hA	red	· ·	5	j
88470 White				white		5	(Malcomia maritima.) Earl
88480 Crimson King				crim.		5	flowering and fine.
38510 Viscaria elegans picta		3		Sc. & W.	I ½	5	Abundant-blooming, har annuals, very effective
88520 oculata		•	: :	rose blue	34	5 5	massing. They are easi
38540 —alba				white		5	grown, and succeed best
88544 — candida				p. wh.		10	light, rich loam. 88544 is
88550 — Mixed	1	•		mixed		5	very fine, pure white variet
38570 WALLFLOWER, Brown 38580 Aurora		3	tP	brown cham.	1 1/2	5	
88590 White Gem		:		sul. wh.		5 5	(Cheiranthus Cheiri.) Favor
88600 Yellow	١.			yellow		5	sweet-scented flowers, of fi
88610 Harbinger, Early				golden		5	colors; useful as spring be
88614 Vulcan. Half-dwarf 88620 Mixed		٠		red mixed	1-12	10	ders.
88630 —Tom Thumb		•		mixed		5 10	1

NUMBER AND NAME Not less than one ounce of the cheaper sorts at ounce rate	Time of Flowering	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
WALLFLOWER, continued 88640 Mixed Tall Double Branching 88650 Double Dwarf Branching Golden Yellow	3 		mixed yellow brown mixed purple white b. & w. red violet	1 1 2 3 4 · · · · · · · · · · · · · · · · · ·	cts. 25 25 25 25 25 25 5 5 10 10	(Cheiranthus Cheiri.) Favorite sweet-scented flowers, of fine colors; useful as spring bedders. See Benincasa cerifera, p. 117. Pretty bell-shaped flowers; free-flowering. Fine tropical leaves.
88830 XERANTHEMUM annuum 88840 —album 88850 —multiflorum 88860 — album 88864 —imperiale fl. pl. 88870 COLLECTION including 6 vars 88890 Yucca filamentosa 88900 gloriosa Zinnia	2 	hP	purple white purple white purple gr. & w.	2 	5 5 5 5 10 25 10	One of the oldest Everlastings; the flowers retain their color and form longest of all. Very showy, attractive plants for the subtropical garden; many large, white flowers. See page 110.

MIXED ANNUAL FLOWER SEEDS

Bright-colored, summer-flowering, easily grown hardy annuals in the greatest variety for sowing

Catananche

Gomphrena

Acroclinium

Ammobium

88950 Mixed Tall. Per oz., 15 cts.; ¼lb., 40 cts.; ½lb. 75 cts.; lb., \$1.25, postpaid.
88960 Mixed Dwarf and Semi-dwarf. Per oz., 20 cts.; ¼lb., 45 cts.; ½lb., 80 cts.; lb., \$1.50, postpaid.
88980 Mixed Annuals for Bees. Per oz., 10 cts.; ¼lb., 30 cts.; ½lb., 55 cts.; lb., \$1, postpaid.

MIXED PERENNIAL FLOWER SEEDS

88984 Tall Hardy Sorts, Mixed. Per oz., 20 cts.; ¼lb., 45 cts.; ½lb., 80 cts.; lb., \$1.50, postpaid. 88986 Dwarf Hardy Sorts, Mixed. Per oz., 25 cts.; ¼lb., 75 cts.; ½lb., \$1.25; lb., \$2, postpaid.

Helichrysum

Helipterum

LIST OF EVERLASTING FLOWERS

Palafoxia

Rhodanthe

Xeranthemum

Ornamental Grasses

	PA	LM	SEEDS		
	Pkt. 1	oo seeds	I	kt. I	oo seeds
Areca lutescens	ls, \$0 25	\$1 25	Kentia Belmoreana15 seeds, \$c	25	\$1 25
sapida "	10	75	Canterburyana (Umbrella		-
Brahea filifera (Washing-			Palm) 8 "	50	
tonia)30 "	10	25	Forsteriana15 "	25	I 50
robusta	10	30	Latania borbonica25 "	10	30
Chamærops elegans argentea15 "	10	50	Musa Ensete (Abyssinian		
excelsa30 "	10	25	Banana)	25	1 50
Cocos australis	20	I 00	Oreodoxa regia (Royal		
Bonnetti	25	I 25	Palm)	20	1 00
campestris	20	I 00	Pandanus utilis (Screw Pine) 8 "	15	1 50
Weddelliana	25	1 50	Phœnix canariensis "	10	40
Corypha (Livistonia) australis			dactylifera (Date Palm)15 "	10	50
(Cabbage Palm) "	10	75	reclinata 8 "	10	80
Dracæna australis	15	50	rupicola5 "	25	I 25
indivisa25 "	10	25	tenuis	10	40
Draco30 "	25	50	Seaforthia elegans 8 "	10	75
Collection of 10	varieties	of Palm	seeds, by name, our selection, \$1		
Throughout the year we have Cycas re	evoluta ster	ns (Sago	Palms) in various sizes direct from Japan.	Lb.	15 cts.

ORNAMENTAL GRASSES

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

Not	NUMBER AND NAME less than one ounce of the cheaper sorts at ounce rate	Tir o Flow	ſ	Hardiness and Duration	Color of the Flower	Height in Feet	Price per Packet	GENERAL OBSERVATIONS
89000 89010	*Agrostis nebulosapulchella		2	hA	apet.		cts.	Very fine for vases and bouquets. The plumes of A. nebulosa are very delicate.
89040	*Andropogon argenteus		3	hP		3	10	Silky flowers, white hairs.
89060 89070	Arundo Donax*—fol. variegatus		:			10	10	Subtropical plants of stately growth; ornamental habit.
89090	Avena sterilis	2	3 ·	hA		3	5	(Animated Oats.) Curious.
	Briza geniculata		2			I	5	(Quaking Grass.) No. 89130 is
89120 89130	gracilis maxima					11/2	5 5	very pretty for bouquets.
	Brizopyrum siculum					34	5	Dwarf species of Spike Grass.
89170 89180	Bromus brizæformisoz., 25c.	•	•			3	5	No. 89170 is very fine for winter
89190	macrostachys oz., 25c. madritensis						5 5	bouquets. To this genus belongs the Cheat Grass.
89230	Chloris barbata vera					t	10	For groups and for baskets.
	Chrysurus cynosuroides						5	Pretty for edgings.
89270 89280	Coix Lacryma.oz., 15c., lb., 5oc. —aurea zebrina	2	3			1 2	5 5	(Job's Tears.) Seed resembles a tear-drop.
	Eleusine barcinonensis	2	3				5	i i
89330	coracana		3				5	(Crab or Yard Grass.) E.
89340	indica						5	indica is the Wire Grass.
89350	Elymus giganteus		2	hP		5	5	Pretty grasses, growing about
	Eragrostis elegans oz., 25c.			hA		1	5	a foot high, and characterized
89370 89380	amabilis		•				5	by their beautiful, dancing
89390	abyssinica maxima	•	•				5 10	spikelets; fine for bouquets. No. 89360 is Love Grass.
	Erianthus Ravennæ 140z., 15c.		3	hP		6-8	5	(Plume Grass.) Very stately.
	EULALIA japonica \(\frac{1}{4}\)oz., 20c.		3	111		5	10	Among the most beautiful of
89450							10	the tall-growing grasses.
89470	Festuca glauca					2	10	(Fescue Grass.) Ornamental.
89500	Gymnothrix japonica					2-3	10	Grown chiefly as curious and
89510	latifolia		- }			4	10	ornamental grasses. (Pampas Grass.) Noblest of
89550	*Gynerium argenteum. \frac{1}{4}oz.,2oc. *—roseum						10	the tall-growing grasses, and
89560	jubatum						10	bears magnificent plumes.
89580	Hordeum jubatum			hA		2	5	(Squirrel-tail Grass.)
	Job's Tears							See Coix Lacryma, above, 89270.
	Lagurus ovatusoz., 25c			hA		2	5	(Hare's-tail Grass.)
	Lasiagrostis argentea	1		hP		3	5	Fine for winter bouquets.
	Panicum sulcatum			hA		• •	10	Very showy and hardy.
89680	PENNISETUM villosum					11/2	e e	Ornamental grass. 89690 has
89690	oz., 30c. Rueppelianumoz., 30c.	:			crim.	3	5 5	beautiful crimson plumes.
	Poa amabilis				apet.	2	5	Pretty for bouquets and edgings.
	*Stipa pennata ¹ / ₄ oz., 2oc. elegantissima		2	hP			10	(Feather Grass.) Grown for its very graceful plumes.
	Tricholæna atropurpurea		3	hA			5	A very pretty grass.
		_	J				3	Ornamental varieties of Corn.
07800	Zea japonica fol. variegata oz., 20c.		2			3	. 5	Nos. 89800 and 89810 have beautifully striped leaves.
89810	-quadricolor gigantea.oz.,20c.						5	No. 89820 is the Miniature
89820	gracillima (minima)oz., 20c.		٠				5	Maize.

Collections of Ornamental Grasses

89940 25 varie	ties Ornamental Grasse	es, one packet of each\$0	80
90000 12 varie	ties Ornamental Grasse	es, one packet of each	50

GLADIOLI

Add 6 cts. per dozen, or 50 cts. per 100 for postage. Parcel post rates do not apply on bulbs

Gladioli are very easily grown. Any good soil suits them. Plant the bulbs as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches apart. By planting at intervals up to the first of July, these fine flowers can be had in bloom all through the summer and fall—the later flowers being the best. About the end of October, when the leaves begin to wither, the bulbs should be taken up, dried in the open air, and then stored in a dry place, free from frost, for planting next spring. Those marked with an asterisk (*) are used extensively for forcing.

PRIMULINUS Hybrids. Hybrids of a South African species, with many related species and choice garden varieties. Extremely vigorous and healthy growers, blooming in July and August. Grows 3 to 5 feet high, with long spikes of richly colored blooms, varying in color from clear yellow to crimson, the latter with large, soft orange or golden throats. 15 cts. each, \$1.50 per doz., \$10 per 100.

THORBURN'S EXTRA-FINE MIXED HYBRIDS


Containing only finest named sorts in a wide range of colors and markings. 65 cts. per doz., \$4.50 per 100, \$40 per 1,000.

φ40 pc	1,000.					
	VARIOUS MIXED GL					
Six of	a kind at dozen rate, 25 at	100	T	ate,	250	at
Mixed	Varieties of Red and Scar- Do	z.	10	00	1,0	00
	let. A splendid assort- ment of very fine quality					
	bulbs, in two of the most					
**	popular colors\$o	30	\$2	00	\$16	00
••	White and Light. A standard					
	selection of excellent quality bulbs	25	,	25	тΩ	00
46	White and Light. An unsur-	33	-	23	10	00
	passably high quality, put					
	up for the use of florists and					
44	those who are particular Striped and Variegated. Pleas-	50	3	50	24	00
	ing to the eye in the broad-					
44	est sense. A charming lot	50	3	50	24	00
••	Pink and Rose. Colors vary					
	from the most delicate pink to gaudy rose. Every one a					
	vigorous grower	35	2	25	18	00
44	Yellow and Orange. There is	00		-3		
	not a color that shows up					
	more charmingly, either singly or in contrast with					
	the more vivid shades.					
	First-size bulbs	65	4	50	38	00
••	Hybrids. A superb mixture of the various colors, in					
	which no one color plays					
	the predominating part.					
	Very fine quality	30	I	75	14	00
	Groff's Hybrid Seedlings. This mixture is altogether					
	too well known and liked to					
	give it any lengthy de-					
	scription. Every bulb is				,	
44	rerfect	30	2	00	10	00
	ably bright, rich colors and					
	odd markings account, in a					
	way, for their being pop-		-			
	ularly known as the Butter- fly Gladioli	20	2	00	τ6	00
**	Childsii. Grand flowers of	30	-	00	10	00
	large size, beautifully col-					
	ored	40	2	50	20	00
FIN	NE NAMED HYBRID	GI	. A	ומי	OT.	T

FINE	NAMED	HYBRID	GLADIOLI

$\mathbf{o}_{\mathbf{r}}$	/L
1	00
\$5	00
- 3	
5	00
4	00
	\$5

Baron Hulot. Without a doubt the E finest blue Gladiolus. It is a rich.	ach	Γ	oz.	100	
deep color of an indigo shade\$0 Boston. Flaming orange-scarlet with	15	\$1	50	\$10	00
white throat*Brenchleyensis. A fine old ver-	10	1	00	7	00
milion scarlet variety Brilliant. Beautiful orange-red with	05		40	2	00
carmine-and-white throat. Supe-		_		_	
rior to all other scarlets			00 50	-	00
Capt. C. B. Tanner. Extra large and fine. Brilliant crimson and white	15	_	50	10	00
freely mottled and intermixed *Ceres. Pure white spotted with	10	I	00	7	00
purplish rose	05		40	2	50
Chamont. Lilac shaded with purple.	15	I	75	12	00




AMERICA GLADIOLUS

· FINE NAMED HYBRID GLADIOLI, continued

· FIN	E.	NAI	WED	H	BR	ענ	GLADIOLI, continued					
Columbia. Light orange-scarlet, I freely blotched and penciled with bluish-purple. Throat freely	Each	ı I	Ooz.	3	00		Madame Lemonier. White tinted Ealemon, large crimson blotch\$0 *Madame Moneret. Delicate rose	05		oz. 50 75	\$3	00 50 00
mottled\$0 Compacta. Large flower, very com-	10	\$1	00	\$7	00		*May. A lovely pure white, finely flaked rosy crimson			60		00
pact, with wide spike. Rosy blush, slightly striped and mottled pink.							Mayor. Fine, large, compact spike; rich purple-rose		I	00		00
Quite distinct and very hand- some.	15	I	50	10	00		Mephistopheles. Flowers of large size; dark red stained with black					
Deborah. Dark red tinted with amaranth. Large, white throat							and yellow	15	Ι	50	10	00
with blotches; white band through petals Doctor Hogg. Mauve suffused with	10	1	00	7	00		throat, shading orange and flaked with maroon	15	I	50	10	00
roseDr. Sellew. Large spike and very	20	2	00	12	00		crimson; large, well-opened flowers with pure white throat	TE	т	50	10	00
large flower of great substance. Deep rosy carmine, slightly pen- ciled darker. Petals and throat							Mrs. Francis King. Light scarlet Mrs. W. N. Bird. Beautiful lilacrose; crimson and white mottlings	ō8	-	75		00
rayed white	10	1	00	7	00		in throat and carmine marks Nezinscott. Bright blood-scarlet	15	Ι	50	10	00
blotched Very large and	07		75	5	00		with deep velvety crimson blotches and white mottlings	15	I	25	9	00
wide; tender rose, blazed carmine- red. Exceptionally fine for florists'							Octoroon. A beautiful salmon-pink. Pactole. Creamy yellow blotched	10		00		00
F. L. Oakley. Bright scarlet-tinted salmon with pure white center. A	10	Ι	00	7	00	Ì	Peace. One of the best white varieties. Pale lilac feathering on	15	Ι	50	10	00
very fine show variety	10	1	00	7	00		petals; and strong, broad, rich green foliage	25	2	50	18	00
yellow, spotted purple	15	I	50	8	00		Portland. Rosy red, penciled darker; mottled throat	15	I	50	10	00
lemon throat	10	1	00	7	00		Princeps. Glowing crimson with white flakes on lower petals	15	I	50	10	00
ers and truss. Beautiful rose, mottled with silvery gray and with violet-and-white mottled							Richard Cœur de Lion. Fine spike of large flowers of a bright crimson-					
with violet-and-white mottled throat	15	1	50	10	00		red color, flamed and edged with garnet	10	I	00	8	00
flowers; petals fleshy white, slightly							bright rosy crimson with white- mottled throat	10	ı	00	7	00
blotch	15	1	50	8	00		Rosella. Large, well-opened flowers of light rose, stained purple and				•	
with pure white bands, the throat showing peculiar mottlings	10	I	00	5	00		white			50	10	
I. S. Hendrickson. A beautiful and irregular mottling of white and							sprayed rose; large and fine Scarsdale. Large, pink-lavender flow-			50	10	
bright pink, in some the pink and in others the white predominating. Flowers and spike very large and							ers shaded to dark rose Scribe. An enormous spike; flower tinted white, freely striped		1	25	9	00
fine Irene. Fine, large flower and stalk.	10	Ι	00	7	00		*Shakespeare. White, suffused with			50	10	
A fine shade of pink, freely flaked bright crimson	10		00		00		carmine-rose, large rosy blotch Sunlight. Light crimson with large,	15	Ι	50	10	00
Jane Dieulafoy. Large, creamy white flowers with maroon-stained lower	10	1	00	7	00		canary-yellow throat, mottled velvety maroon	07		75	5	00
petals Jessie. Fine velvety red; long spike	20	2	00	14	00		more flowers; fine yellow Spot. White, freely spotted and	15	I	50	11	00
of flowers		1	00	7	00		mottled rose	10	Ι	00	7	00
kunderi "Glory." Each lower petal	10	1	00	5	00		scarlet		2	00	15	
is exquisitely ruffled and fluted. Stalks grow 4 to 5 feet tall, and produce from eight to twelve							roon blotches	07		75	5	00
beautiful flowers, which expand wide open and are delicate cream-						1	magenta stain	20	2	00	15	00
pink with a neat crimson stripe through the center of each lower							one of the very largest; pink, flaked and striped with salmon-					
petal Lafayette. Very large; yellowish		1	50	12	00		pink			00		00
Lamarck. Cherry, slightly tinted			50		00		mine	10	Ι	00	7	00
with orange-redLemon Drop. Light lemon with			00		00		and striped with shades of the same color	12	I	25	9	00
bright yellow throat			25 00		50 00		*Wm. Falconer. Spike of great length and flowers of enormous size; beautiful, clear light pink	15	ı	50	10	00
blush-whiteLivonia. Light red with white-mot-	10	I	00	7	00		Wild Rose. A remarkable variety of very bright rose or blush-tint,	- 3	•	50		
tled throat	10	Ι	00	8	00		exceedingly delicate and pretty. Fine for forcing under glass. In					
ish white and deep rich crimson	15	I	50	10	00	1	its color this flower stands alone	15	Ι	75	12	00

DAHLIAS, Double 6 of a kind at dozen rate




CACTUS DAHLIA, KRIEMHILDE

CACTUS DAHLIAS

1. G. Baker. New. Bright yellow; very E	acn	1.	oz.
large, finely formed flowers held on long,			
stiff stems\$0	50		
Cockatoo. Clear yellow, tinted fawn and			
tipped white. The flowers are exquisitely			
large, beautiful in form and always full to		æ -	
the center; a profuse bloomer	25	\$2	50
Count Victor von Scheffel. Soft, delicate			
pink, edged deep pink	25	2	50
Countess of Lonsdale. Yellow, suffused			
salmon-red; a beautifully formed flower		2	
Earl of Pembroke. Rich, velvety plum	15	Ι	50
Erecta. New. A very large flower, colored			
a deep rose-pink, and having extremely			
long stems	50		
Flame. A bright and effective orange-			
scarlet. Height 3 feet	20	2	00
Floradora. Beautiful, pure garnet; splendid			
form and a free bloomer	25	2	50
Frute. Soft salmon-pink, shaded and tipped	·		·
clear, bright pink	25	2	50
Gaillard. Bright vermilion-red; large, with			0
long, slender petals	25	2	50
General French. An orange-terra-cotta	-5	_	50
color, especially adapted to decoration	25	2	50
Harbor Light. Immense size, with long,	•		Ü
incurved petals, deep yellow, margined			
crimson. Very effective	25	2	50
H. Shoesmith. Brilliant vermilion-scarlet;			-
long, slender, quilled petals. The best			
bright red Cactus Dahlia	25	2	50
J. B. Briant. Rich yellow, of immense size.			
Petals long, narrow and beautifully in-			
curved. Used extensively for exhibition			
purposes	25	2	50
J. H. Jackson. Very large; rich, velvety		_	
maroon	20	2	00
Kriemhilde. Deep rosy pink with lighter center. The flowers keep a considerable			
time after cutting	20	2	00
unic arter cutting	20	2	00

CACTUS DAHLIAS, continued			
Lawine. White, suffused blush; a mag-E nificent flower of largest size\$0	ach 25	, E \$2	00z.
Mrs. Geo. Stevenson. Canary-yellow, a clear color; very large. The best yellow			
Cactus	20	2	00
colored	15	1	50
profuse in blooming. A truly splendid Cactus.	50		
Perle Hilde. A delicate shell-pink sport of Kriemhilde		2	00
Prince of Yellows. Soft golden yellow; very profuse bloomer			50
Rheinkonig. New. A remarkably beautiful white Cactus that is exceptionally profuse	-3	1	50
in blooming			
Striped Kriemhilde. New. A striped sport of Kriemhilde. White, very prettily	15	I	50
striped pink	50		
terra-cotta	20	2	00
Uncle Tom. Dark maroon, shaded black	20	2	00
White Kriemhilde. A rigid stem, combined with the splendid keeping qualities of Kriemhilde make this one of the best			
whites. A strong, vigorous grower		2	00
DECORATIVE DAHLIAS	•		

DECORATIVE DAHLIAS	3		
Admiral Togo. Bright wine-red, margined Eavelvety maroon	ach	\$2	oz.
Blue Oban. Soft lavender-blue; the nearest		Ψ-	00
to blue in Dahlias	15	1	50
Constancy. Golden terra-cotta, shaded reddish brown and sometimes tipped white; full at center; continuous bloomer; long stems	15		50
Clifford W. Bruton. Very large; clear canary-	13	-	50
yellow	15	т	50
Delice. Bright rose-pink; entirely distinct;	-3	-	30
very beautiful in form	35	3	50
Frank L. Bassett. Very profuse; blue, shaded			
purple	15	1	50
purple. Golden Wedding. New. The largest, probably, of all Dahlias. Deep golden yellow. A gorgeously distinct variety.	50		
Governor Wilson. New. A bright, glowing	50		
cardinal-red. Will supplant Lyndhurst	50		
Grand Duke Alexis. White, edged lavender,			
with quilled petals	35	3	50
or cutting	20	2	00
Jumbo. Deep red, shaded maroon	15	_	50
Lyndhurst. Brightest vermilion. An early, free and continuous bloomer, with long,			-
straight stems	15		50
Maid of Kent. Rich cherry-red, tipped white. Minnie McCullough. Soft golden yellow, tipped bronze-red. Especially effective under artificial light. Perfect form, on	15		50
long, erect stems	15	1	50
Mrs. Charles Turner. Very large; clear canary-yellow	15	I	50
Nymphæa. White, suffused pink; one of			
the most delicately beautiful	15	1	50
Perle de Lyon. New. Splendid pure white. Similar in a way to Perle d'Or, but incomparably better	35	2	50
Perle d'Or. An excellent pure white. For	33	J	50
garden or cutting	25	2	50



DECORATIVE DAHLIA, JACQUE ROSE (see page 135)

DECORATIVE DAHLIAS, continued			
Professor Mansfield. A giant Decorative Ea	ch	Γ	oz.
of the most unique coloring—a pleasing		_	
combination of yellow, red and white\$0	25	\$2	50
Rayon d'Or. Bright terra-cotta, sometimes			
tipped white	20	2	00
Sylvia. Deep pink, tinting to flesh-pink at			
the center. Long, stiff stems; large and			
perfect in form. Fine for cutting or			
garden	15	I	50
Zulu. "The Black Dahlia." A great favorite.			
Velvety maroon, shaded black	20	2	00

SHOW AND FANCY DAHLIAS

SHOW AND FANCY DAHL	JΙΑ	S	
Dorothy Peacock. New. The most exqui- Estely beautiful shell-pink Dahlia on earth. Large-sized flowers. Absolutely without	ach	Ι	oz.
a fault\$0	50		
A. D. Livoni. Clear, bright pink, with quilled petals	15	\$1	50
Arabella. Soft primrose, shaded and tipped	-3		•
rose. One of the loveliest	15	I	50
Bon-Ton. A fine, deep, rich crimson	15	1	50
Champion Rollo. Very large; crushed			
strawberry	15	1	50
Elegans. Bright rosy purple, tipped white,			
with quilled petals	. 15	1	50
Ethel Schmidt. White, suffused pink, spotted			
and penciled crimson. A beautiful flower			
of perfect form, produced on long, slender			
stems in the greatest profusion	15	I	50
John Walker. Splendid snow-white; perfect			
form and a free bloomer	20		00
La France. An elegant, soft lilac-pink	15	1	50
May Lomas. White, suffused soft lavender,			
edged blue	15	1	50
Penelope. White, flaked rosy lake, beautiful		_	
and chaste	15		50
	15	1	50
Red Hussar. Dazzling cardinal-red; strong, vigorous grower and free bloomer, on long			
stems. Best red Show Dahlia for cutting	TE	т	50
White Swan. Large; pure white			50

POMPON DAHLIAS Eac	ь г	oz.
Catherine. Clear canary-yellow\$0 I	5 \$1	
Klein Domitea. Bright, golden terra-cotta;		
very profuse I Little Beauty. Soft, silvery pink, with closely	5 1	50
quilled petals I	5 I	•
Little Herman. Cardinal-red, tipped white I	5 1	-
Snowclad. The best pure white Pompon I Sunshine. Richest vermilion-scarlet. Splen-	5 1	50
did little flowers on long stems I	5 I	50
DECIMAL DI CITADED DATE	~	
PÆONY-FLOWERED DAHLI		
Big Chief. Enormous size; rich crimson, Eac margined maroon. A very strong, vigor-		
ous plant, with fern-like foliage\$0 2 Cleopatra. Rich oriental red, base of petals	5 \$2	5 0
primrose-vellow 2	5 2	50
Geisha. The most striking color combination; golden yellow, changing to bright scarlet at the center of the petals and black to gold at the tips. Giant flowers on long, wiry stems		
bright scarlet at the center of the petals		
flowers on long, wiry stems.	О	
Germania. Brilliant strawberry-red 2	5 2	50
Herzog Heinreich. Rich, velvety red; one		
of the best	5 2	50
Konigin Emma. A charming shade of	5 2	50
mallow- or hollyhock-pink, the inner		
petais banded with gold 2	5 2	50
Konigin Wilhelmina. Immense, fluffy flower of pure white, with yellow center 2	5 2	50
Mrs. Carter Lewis. Pale lilac, suffused with		
Sensation. Vermilion-red, tipped snow-	5 2	50
white; distinct and striking. A strong, vigorous grower and profuse bloomer 2	5 2	50
Sunset. Bright red, with brilliant gold tip		J-
to each petal. Large 5	0	
Variegated Liszt. Dark oriental red, with vellow tips and markings. A superior		
yellow tips and markings. A superior variety for decoration, especially where		
a bronzy effect is wanted 2	5 2	50
	20	
	6	
	A Section	
		Bernet.
	7	

PÆONY-FLOWERED DAHLIA

CENTURY DAHLIAS

Anna Long. Clear rosy pink, with white E		L	юz.
band running through each petal, some-			
times solid pink. Profuse bloomer, on			
long, slender stems\$0	25	\$2	50
Cardinal Century. Very large; rich cardinal-			
red. The best deep red	25	2	50
-			

Each Doz.



CENTURY DAHLIA

g to crimson, with pure white disk\$0	25	\$2	50
gest single Dahlia. Immense flowers of pure crimson; produced on long, stiff stems	25	2	50
Fringed 20th Century. The first of a new race, with cleft or serrated petals. A			-
bright rosy crimson, with lighter markings.	25	2	50
Gigantea alba Century. Snow-white; of immense size and beautiful form. Pro-			
duced in almost endless profusion on long,			
graceful stems	25	2	50
beautiful of this wonderful class. Center			
of petals of rosy crimson, with rose-pink band on either side and white zone			
around its yellow center	25	2	50
Golden Century. The sensational golden yellow cut-flower variety. It is a golden			
yellow, shaded amber, showing up gor-			
geously under artificial light. The best of all yellows as a plant or cut-flower		_	
Hazel Heiter. Remarkably distinct. Rich	25	2	50
crimson, beautifully shaded, with white			
tips and white zone around a yellow center. Rose-Pink Century. The largest and best	25	2	50
deep pink. Enormous flowers on long,			
3-foot stems. A sure and continuous bloomer; vigorous plant	25	2	50
Spanish Century. Pure yellow, penciled	-5		5-
rich, glowing red. Giant size, early and profuse bloomer; long, slender, erect stems.	25	2	50
Wildfire Century. Century size, with the	- 3	_	5.0
brilliant, rich scarlet of the old Wildfire. Acknowledged the best commercial scarlet.	25	2	50
	- J	_	5

CANNAS, Dwarf, Large-Flowering French

Not less than 6 of a kind at dozen rate, 25 at the 100 rate. If wanted by mail, add 10 cts. per dozen for postage. Parcel post rates do not apply.

Cannas do well in almost any kind of soil, but they well repay liberal treatment. For the best results they should be planted in good loam that has been well mixed with an abundant supply of well-rotted stable or other manure. The beds should be spaded 2 feet deep, or more, and the soil well pulverized. Water should be applied abundantly at all times, but good drainage is essential.

Cannas are most effective when planted in masses, either alone or in combination with salvia (scarlet sage) and bordered with coleus or other dwarf-growing bedding plants. They are also frequently used with some of the tall-growing ornamental grasses, with which striking combinations can often be secured. They do best in sunny situations, and should be set out about 2 feet apart each way.

ALL OF THE FOLLOWING ARE DORMANT ROOTS

GREEN-FOLIAGED CANNAS

rose-pink flower of wonderful size, and an excellent bloomer. Color is soft rose to carmine-pink, with large flower-heads\$0 35 Mile. Berat. Colored a unique shade of rosy carmine or deep pink. It is truly a splendid bloomer 10		_	\$7	00
Mrs. Alfred F. Conard. It keeps a superb showing for months, of exquisite salmon-pink flowers that are of the largest size, and are borne in abundance on erect heads. Rich green foliage	2	50		
RED-FLOWERING				
Express. 21/2 feet. An exquisite Each	Γ	oz.	I	00
shade of scarlet-crimson\$0 10	\$1	00	\$7	00
Pillar of Fire. 6 to 7 feet. The giant of its class. Bright crimson-scarlet flowers borne on erect spikes; continuous bloomer; striking 10		00		
President McKinley. 21/2 feet. Deep,				
rich crimson flowers, beautifully formed; compact grower 10	I	00	7	00

PINK-FLOWERING

Rosea gigantea. 4 feet. A rich Each

YELLOW-FLOWERING

Gustav Gumpper. The finest yellow Each	Γ	oz.	1	00
bedding Canna. Its good-sized				
flowers are held well above the				
foliage, the fine trusses always				
clean-looking. Color a rich golden				
yellow, a shade that has been				
missing heretofore, and that can				
be seen for a considerable distance. \$0 20	\$2	00		
Gladiator. 5 feet. Yellow flowers, spotted red. Strong and vigorous grower; its large flower-heads stand storms and hot sunshine better than any other variety;				
continuous bloomer10	Ι	00	\$7	00
Indiana. 6 feet. Golden orange, prettily marked and striped; blos-				
soms often 7 inches across 10	I	00	7	00
VARIEGATED-FLOWERII	ŊG			

Niagara. 3 feet. Rich, deep crim- Each Doz. 100 son flowers, with wide, irregular border of deep golden yellow...\$0 10 \$1 00 \$7 00 Mad. Crozy. 3½ feet. Vermilion, with gold border; very pretty..... 10 1 00 7 00

BRONZE-FOLIAGED CANNAS

YELLOW-FLOWERING

King Humbert. 4 feet. Bears Each Doz. 100 immense, brilliant orange-scarlet flowers, streaked with crimson, in gigantic trusses. A massive sturdy grower of stately habit.....\$0 20 \$2 00 Wyoming. 7 feet. Immense umbels of massive orange flowers; bronzepurple foliage. A splendid bedder.. 10 1 00 \$7 00

PÆONIES

If wanted by mail, add 5 cts. each for postage. Parcel-post rates do not apply

Double Pæonies are too well known to require description. Their present popularity is due to the great improvement in them in recent years, their easy culture, the handsome appearance of the plant, and the brilliant and striking effect of their massive, finely formed and richly colored flowers. The attention given to them, in Europe and in America, has resulted in the production of many notably fine new varieties. Among hardy, herbaceous perennials, the Chinese Pæonies rank about first for lawn or flowerborder, or shrubbery decoration. They are all hardy.


Our assortment includes some of the best and most distinct sorts, new and old. There are many kinds,

5 00 3 50

including varieties showing but trifling variations, which we omit.

(Pæonia chinensis) Alba nivea plena. Flesh-color, center Each white. \$0 35 \$3 50 Alba plena. Pure white; fragrant \$35 3 50 Beauté Francaise. Rose and carmine. \$35 3 50 Boule de Neige. Sulphury white, center leaves with rosy borders \$50 5 00 Canary. Sulphury white. \$50 5 00 Charlemagne. Creamy white, center lilac and chamois. \$50 5 00 Comte de Niepperg. Bright carmine; early \$50 5 00 Comtesse de Montalivet. Blush, center white, carmine-spotted. \$50 5 00 Cytherie (Calot.) Flesh-color, nearly white,

HERBACEOUS CHINESE PÆONIES



FESTIVA MAXIMA PAEONY

Each		oz.
Edulis superba. Bright rosy pink\$0 40		00
Faust. Light rose 50	- 5	00
Festiva. White, with carmine spots 50	5	00
Festiva maxima. White 40	4	00
Humei carnea. Rose passing to white 40		
Jeanne d'Arc. Rose, sulphur and rosy		
white center 40	4	00
Jules Calot. Pink, center rose 50	5	
Louis Parmentier. Light carmine 50		00
Louis Van Houtte. Cherry-color, with	J	00
purplish reflection		00
Madame Geissler. Rosy lilac; flower; early. 65		50
Marie Lemoine. Pure white; a very large	U	30
and splendid flower	. 6	00
	-	
		00
Queen Victoria. Rose; dark rose center 40		00
Rubra triumphans. Carmine 40	4	00
Triomphe de l'Exposition de Lille. Light	,	
rosy; fine-shaped flower; early 60	_	00
Double Mixed, White 20	2	
" " Crimson 20	2	00
" " Rose 20	2	00
" " Pink 20	2	00
" " Carmine 20	2	00
TIPLINGS MONE DECIME	~	

IAPANESE TREE PÆONIES

(Pæonia arborea)

These are very beautiful and free-flowering, and bloom two or three weeks earlier than the herbaceous sorts. We are importing an assortment of the following fine named varieties. \$1.50 each.

Berenice. Rosy lilac; enormous flower. Blanche de Chateau Futu. Pure white.

Comtesse de Tuder. Tender rosy white; very double, fine-shaped flower.

Elisabeth. Brilliant pink; one of the largest flowers.

Guillaume Tell. Bright carmine with white border;
large flower.

Madame Stuart Low. Reddish salmon, white center; large flower.

DEONIA OFFICINALIS

PÆUNIA UFFICINALIS		
Anemonæflora. Crimson; single anemone-Each		oz.
flower shape\$0 50	\$5	00
Atro-rubra plena. Dark red 25		
Mutabilis plena. Tender rose, passing to		
white; double 35		
Rosea plena. Pink 40	4	00
Tenuifolia, Single-flowering. Rich crimson;		
narrow-leaved, feathery foliage 35	3	50
Tenuifolia fl. pl. Double flowering; fringed		
leaves, with double, rich crimson flowers 60	. 6	00
DEONY MANUAL Depar cover 64 pages illustrated	25	cts.

PÆONY MANUAL. Paper cover, 64 pages, illustrated, 25 c per copy, postpaid

JAPAN IRIS (Iris Kampferi)


SUPERB COLLECTION OF LARGE-FLOWERED SORTS

We are importing from Japan a large supply of the following twenty of the best of these magnificent Irises, which are remarkable for the beauty of their colorings and for their stateliness of habit. Some of them send up ten to twelve flower-spikes, 3 feet high, each bearing two to four enormous blossoms, measuring 8 to 10 inches across. They are most valuable for cut-flowers and table decoration—as handsome as orchids. They require a liberal supply of water when growing. Flowers should be cut in the early morning or after sunset. They come in large clumps. The descriptions given are those furnished us by the growers in Japan.

25 cts. each, \$2.50 per doz., \$16 per 100. Transportation charges extra

The following may be ordered by number

- 13 Boteki-no-Koe. Pure white, heavily veined lavender, with pale primrose blotches; standards wine-color, lighter toward edges, stigmas lavender. Three large petals. Striking.
- 26 Date-dogu. Rich claret-red, yellow blotches. Three petals.
- 89 **Fuyoho.** Large; pure white, yellow blotches; three very large petals.
- 31 **Gei-Sho-Ui.** Claret-red, veined white; standards shaded lavender, darker toward the edges, yellow blotches.
- 4 Ho-o-jo (Ho-o-castle). Rubycrimson, primrose blotches; standards white and lavender.
- 37 Katsuraotoko. White, veined lavender; standards white, suffused with lavender, darker toward the edges, pale yellow blotches. Six petals.
- 15 Momiji-no-Taki. Ruby-red, yellow blotches; standards white, spotted toward edges pale wine-color. Six petals.
- 30 **Noboro-Ryu.** Intense Tyrian blue, with yellow blotches; standards white, edged violet.
- 9 Ran. Royal purple, edged lavender, with large primrose blotches; standards winered, white at base. Six petals; large and distinct.
- 34 Sassa-no-Koe. White, veined wine-red and blotched yellow; standards lavender, running to purple at edges. Three petals.
- 20 Senjo-To. Light wine-color, spotted and shaded to dark red toward the edges of the petals, suffused with white, yellow blotches; standards shading to purple.
- 40 **Shiguremoniji.** Blush-pink, darker toward edges, splashed wine-red; stigmas lavender, primrose blotches. Three petals.
- 21 Shikainami. Light blue, shading to dark blue edges, white-veined, yellow blotches; standards shaded lavender, with dark edges. Particularly handsome. Six petals.
- 6 Shippo (Cloisonné). Rich Tyrian blue, edged purple and veined white, yellow blotches; standards white and wine-color. Large flowers.
- 14 Shiraga. Deep purple, heavily veined white; standards lavender, darker toward edges, yellow blotches. Large flowers. Six petals.
- 17 Suibijin. Claret-red, darker toward edges; standards white, veined and edged pale wine-color; stigmas wine-color. Three petals.




PLANTING OF JAPAN IRIS

- 44 **Ujigawa.** Rich, vinous purple; standards blushpink; stigmas lavender, radiating to purple edges, canary-yellow blotches. Three immense petals.
- 50 **Ushio-no-Iro.** Violet, veined white; standards white, edged sky-blue, yellow blotches. Seven or eight petals.
- 7 Yamato-Nishiki. Pale lavender, running to purple on outside of petals, blotched and flaked dark purple, large primrose blotches. Immense flower. Three petals.
- 8 **Yodokuruma.** Pale wine-color, veined darker, large, orange blotches; standards very erect. Gigantic blooms. Three petals.
- Mixed. A splendid assortment of extra-size clumps. Home-grown stock. 15 cts. each, \$1.50 per doz., \$11 per 100.

LILIES

Lilies are easily grown and require little care. They do best in a light, well-drained soil. Some peat or leaf-mold may be used to advantage. They also prefer partial shade, and the taller sorts must have protection from high winds. L. auratum cannot bear manure, but thrives in ordinary light soil.

Kelloggii. 3 to 4 feet high, with a slender Each Doz.



LILIUM AURATUM

Auratum (Golden-banded Lily). The grand				
hardy Lilies; flowers white, spotted maroo	n, v	with	ı a	
bright yellow band through each petal. Each	ch		oz.	
8 to 9 inchesper 100, \$9\$0	15	\$1	50	
9 to 11 inchesper 100, \$15	25	2	50	
11 to 13 inchesper 100, \$22	35	3	25	
Auratum pictum. Beautifully spotted dark				
crimson. 8 to 10 inches	25	2	50	
Auratum rubro vittatum. Enormous flowers.	-3		J -	
sometimes 10 inches across; white, beau-				
tifully spotted and with a deep crimson				
stripe through each petal; very fragrant.				
8 to 9 inches	65	6	50	
Batemanni. Bright apricot			50	
	43	-	30	
Bloomerianum. Orange, spotted dark ma-		_		
roon, with crimson circle around each spot.	30	3	00	
Bolanderi. Bell-shaped, deep crimson flow-				
ers, dotted with purple. I to 3 feet high.				
Rare	50	5	00	
Brownii. Flowers of immense size, creamy				
white inside, shaded chocolate-purple				
outside. A splendid pot-plant	40	4	00	
Canadense. Native "Meadow Lily." Grace-				
ful, drooping, bright yellow flowers, spotted				
red. 1½ to 3 feet	12	I	25	
Canadense rubrum. Red flowers	15	1	50	
Colchicum (Monadelphum). Citron, black	٠		•	
spots; 2 feet	40	1	00	
Columbianum (Oregon Lily). Orange flow-	7-	7		
ers, dotted maroon; fragrant	50	ď	00	
Croceum. Beautiful, upright flowers, colored	30	3	00	
a bright orange, purple-spotted	20	_	00	
		_		
Excelsum. Yellow, tinged with dull red	30	3	00	
GIGANTEUM. A magnificent species,				
growing 6 to 10 feet high; white, with				
purple throat; extra-large, choice bulbs2	00			
HENRYI (Orange-Yellow Speciosum). Tall-				
growing sort; deep orange-yellow flowers;				
very beautiful and striking	70	7	00	
Humboldtii. Reddish orange, greenish ex-	•	•		
terior	50	5	00	
	5	J		

l	stem and from three to fifteen flowers with pink revolute petals; very fragrant.	ach	L	oz.
l	Rare\$0	50	\$5	00
	Krameri. White, slightly tinged with red; sweet-scented		_	
	Leichtlinii. Orange-red, with crimson spots.	25	2	50
	2 to 3 feet	30	3	00
	LONGIFLORUM. Beautiful for garden culture.			
	6 to 8 inchesper 100, \$3.50	05		50
	7 to 9 inchesper 100, \$7 Longiflorum multiflorum.	10	1	00
	6 to 8 inchesper 100, \$5 7 to 9 inchesper 100, \$7	08		75
	7 to 9 inchesper 100, \$7	10	I	00
	8 to 10 inchesper 100, \$10	15	I	50
	Longiflorum multiflorum giganteum.			
	6 to 8 inchesper 100, \$7	10	1	00
	7 to 9 inchesper 100, \$10	15	1	50
	6 to 8 inchesper 100, \$7 7 to 9 inchesper 100, \$10 9 to 10 inchesper 100, \$14 Maritimum. Dark red, funnel-shaped flowers: beautiful	20	2	00
	Maritimum. Dark red, funnel-shaped flow-			
	cro, beauthur	50	5	00
	Martagon. Purple; 2 to 3 feet	20	2	00
	Pardalinum Hybrids. Orange-red, spotted			
	on lower half with a delicate purple	20	2	00
	Parryi. Large, pale yellow flowers; very rare Parvum. Orange-yellow, spotted purple; 2			
	rare	75	7	50
	Parvum. Orange-yellow, spotted purple; 2			
	feet high	55	5	50
l	Philadelphicum. Bright orange-red, with			
١	black spots. 2 feet	15	I	50
ı	Roezlei. Reddish orange, dotted purple Speciosum album Krætzeri. Beautiful, pure white flowers of large size; one of the bandsomest and most easily grown I ilies	40	4	00
l	Speciosum album Krætzeri. Beautiful, pure			
l	white flowers of large size; one of the			
	handsomest and most easily grown Lilies			
	we have. 2 to 4 feet high.			
	handsomest and most easily grown Lilies we have. 2 to 4 feet high. 8 to 9 inchesper 100, \$13 9 to 11 inchesper 100, \$50 Speciosum rubrum Melpomene. Dark crim-	20		00
	9 to 11 inches per 100, \$19	30	3	00
	Speciosum rubrum Melpomene. Dark crim-			
	son-sported nowers of large size		-	~-
	o to 11 inches per 100, \$7.50	12	1 2	25 00
	ττ to τ2 inches	20	3	00
	8 to 9 inchesper 100, \$7.50 9 to 11 inchesper 100, \$13 11 to 13 inches Superbum (Turk's Cap Lily). Deep orange-	. 30	3	00
	red thickly snotted: 4 feet	12	I	25
	red, thickly spotted; 4 feet		_	-3
	ding, rich scarlet flowers. 1½ feet tall	15	1	50
	Thompsonianum. Rose	30	3	00
	Thunbergianum Kikak. Apricot-yellow; spot-		J	-
	ted black; 3 feet	15	I	50
	Thunbergianum, Prince of Orange. Orange-	-3	_	J -
	yellow; I foot	15	1	50
	Thunbergianum atrosanguineum. (Fulgens).	-3		
	Deep red	35	3	50
	Deep red	15	I	50
	Thunbergianum Van Houttei. Crimson	30	3	00
	Thunbergianum, Mixed	25	2	50
	Tigrinum (Tiger Lily) Orange-salmon	-3	_	J -
	Tigrinum (Tiger Lily). Orange-salmon, spotted blackper 100, \$3.50 Tigrinum splendens. Beautiful rich scarlet, with black spots; finest of all Tiger Lilies	06		60
	Tigrinum splendens. Beautiful rich scarlet.			
	with black spots: finest of all Tiger Lilies			
	per 100, \$5	08		75
	per 100, \$5 Tigrinum flore pleno (Double Tiger Lily). Bright orange-red, with black spots.			
	Bright orange-red, with black spots.			
	Bright orange-red, with black spots. 4 to 5 feetper 100, \$7 Umbellatum erectum. Red and orange	IO	I	00
	Umbellatum erectum. Red and orange	IO	I	00
	Umbellatum grandiflorum. Orange-red	10	1	00
	Umbellatum Mixed	IO	1	00
	Wallacei Orange-red maroon spots: late	15	1	50
	Washingtonianum. A lovely native variety			
	of very stately habit. Large, trumpet-			
	Washingtonianum. A lovely native variety of very stately habit. Large, trumpet-shaped flowers, pure white, tinged purple			
	or lilac Very fragrant. 4 to 7 feet	30	3	00

AMARYLLIS

The Amaryllis produces, under the simplest conditions, one to three spikes, 2 or more feet high, crowned with from two to six large and beautiful, trumpet-shaped blooms lasting long in good condition. They should be planted as soon as received, in pots an inch or so larger than the diameter of the bulb.

The most suitable soil is good loam, with one-fourth part of leaf-mold or pulverized manure, and some sand. Good drainage is very important. The growing season is from early spring until September. Manurewater during this time is almost essential.

E	ıcn	D	oz.
Belladonna major. Violet and white; in			
large umbels; fragrant\$0	25	\$2	25
Formosissima (Jacobæan Lily). Pretty			1
scarlet flowers. May be planted outside			
_ in the spring	15	Ι	25
Hippeastrum, Empress of India Seedlings	70	7	00

Eac		D	oz.
Hippeastrum, Mixed HybridsSo	60	\$6	00
Johnsoni (Spice Lily). Large flower; crim-			
son, striped white. Large bulbs	60	6	00
Lily of the Palace. Red, with center of			
green-tinted white			
Vallota purpurea (Scarborough Lily)	25	2	50

BEGONIAS, TUBEROUS-ROOTED

Six of a kind at dozen rate, 25 of a kind at 100 rate

Splendid pot-plants for the house or for bedding. For bedding they should be started in hotbed in March and April. The hollow end of the bulb should be uppermost and but slightly covered. Water sparingly until the plants are growing.

Each Doz. 100	Each Doz. 100
Single Scarlet\$0 07 \$0 65 \$4 00	Double White
" Rose 07 65 4 00	" Yellow 10 1 00 6 00
" White 07 65 4 00	" Rose 10 1 00 6 00
" Yellow 07 65 4 00	" Crimson 10 1 00 6 00

BEGONIA CRISPA (Single Fringed Begonias)

These comparatively new Begonias have beautifully shaped, gracefully frilled and crested flowers, borne above the foliage on long and erect stems. An exceedingly fine strain. RED, ROSE, WHITE, YELLOW, SALMON and ORANGE. 12 cts. each, \$1.25 per doz.

CRINUMS

The most suitable soil is a compost of turfy loam, cow-manure and sand. They should be grown in large pots or tubs, about three-fourths of the bulb being out of the soil. In late fall, remove to a cool-

house and allow to rest till new leaves begin to appear in February. If placed outside when warm weather begins they will flower through the summer, making splendid lawn or veranda plants.

Giganteum, Giant White. Immense bulbs; large, white flowers; blooms all summer; very fragrant; Each should be watered plentifully while growing.....\$2 oo

Amabile, Giant Pink. Extra large; bright pink, Each with white stripe; splendid flower; enormous bulb. This and the Giant White are unsurpassed for growing in tubs, blooming profusely outside all summer.....\$2 00

Kirki. Large umbels of beautiful, pure white flowers, with purple stripe in center of each petal; very fine.....

Powelli. Produces long stems, bearing at the top five to eight large, dark rose, bell-shaped flowers, 3 to 4 inches long, of great beauty in form and color.....

Powelli album. Pure white; a very beautiful sort.

gins addid

LILY-OF-THE-VALLEY

LILY-OF-THE-VALLEY

Clumps. Fine, large clumps, with many flowering pips on each. Fine for planting outside in shaded positions and for naturalizing by the side of streams or wood walks. 30 cts. each, \$3 per doz., \$20 per 100.

Pips for Forcing. 50 cts. per bundle of 25, \$1.75 per 100, \$15 per 1,000.

Berlin and Hamburg Cold-Storage Lily-of-the-Valley Pips. From cold storage; the very highest quality. \$6 for 250, \$11 for 500, \$20 per 1,000.

MONTBRETIAS

Treat same as Gladioli

Summer-flowering, bulbous plants that are becoming more popular every year. They should be planted in groups. Ordinary garden soil and a sunny position suit them.

		-	-		
Aurantiaca. Deep golden yellow; Each fine spike\$0 03			Each Golden Sheaf. Bright yellow\$0 03	Doz.	100 \$1.75
Bouquet Parfait. Large, bright ver- milion flowers, with deep yellow	. 0		Pottsii. Orange and scarlet; very		
		4	free-flowering	30	I 75
centers	30	I 75	Rosea. Bright salmon-rose; distinct 03	30	I 75
California. Beautiful, deep golden			Soleil Couchant (Sunset). Golden		
yellow 03	30	1 75	yellow 03	30	I 75
Etoile de Feu. Bright vermilion, with			Speciosa. Copper, with yellow disc in	ŭ	• •
deep yellow center; large flowers 03	30	1 75	the center	30	I 75
Fire King. Extra-glowing scarlet-			Sunbeam (Rayon d'Or). Rich yellow,	Ü	
red 05	40	2 00	spotted brown; large flowers 03	30	1 75

TIGRIDIAS (Ready in March)

These very handsome summer-flowering bulbs should be planted in the spring. They will flower profusely all summer. The plants grow about 2 feet high, with large and finely colored flowers.

Alba	immaculata.	Pure	whit	e, Ea	ach	. Do	oz.	IO	0
uns	potted			\$o	06	\$o	60	\$4	00
Canar	iensis. Very	handson	me, l	ight					
yell	ow, with brow	n spots.			06		60	4	00
Conch	iflora. Bright	yellow.			06		60	4	00

Lutea immaculata. Pure yellow; E	ach	D	oz.	1	00			
handsome and striking\$o	09	\$o	80	\$5	50			
Pavonia. Red. Distinct from Speciosa								
Pavonia	06		60	4	00			
Specioca Davonia Scorlet	٥6		60		00			

HARDY PHLOX

(Decussata)

A flower of more than usual beauty that will succeed in almost any kind of soil or climate. May be planted in the spring or fall.

		Do	
Boule de Feu. Dark carmine; extra fine\$0	15	\$1	5Q
Coquelicot. Bright, fiery red, with a center			
of beautiful rose	15	I	50
Eclaireur. Beautiful rose-color, with a band			
a shade lighter running around the eye	15	I	50

	ch	D	oz.
Flambeau. Brilliant red, with eye of still			
darker color\$0	15	\$1	50
Jeanne d'Arc. Pure white	15	I	50
Pantheon. A delightful salmon-rose, with a			
pale border running around the eye	15	I	50

MISCELLANEOUS BULBS AND ROOTS

ACHIMENES, Mixed. Lovely Each Doz. 10	
greenhouse pot-plants\$0 06 \$0 50 \$3	00
ALSTRŒMERIA aurea (auran-	
tiaca). Orange-yellow, spotted	
black05 40	
brasiliensis. Deep red with	- 0
black spots 07 60	
AMORPHOPHALLUS Rivieri.	1
A species of Arum with orna-	
mental leaves; flowers with-	
out soil or water 00 10 00	
ANOMATHECA cruenta. Crim-	
son flowers; dwarf habit;	
fine for window-garden	
2 for 5 cts 20 I	25
ANTHERICUM liliago 10 75	
liliastrum major	
ramosum 12 I 00	
ANTHOLYZA, Mixed. Like Gla-	
dioli. Take up in fall 10 1 00 6	ю
APIOS tuberosa. Hardy climber,	
with clusters of fragrant	
purple flowers 05 40 2 0	00
ADITIES D	
cornutum (Red Calla)	
crinitum	

· · · · · · · · · · · · · · · · · · ·	_	_	_	_	
Arum italicum (Dragon Flower).	Each	1	Doz.	1	:00
Creamy white\$0	05	\$о	50		
maculatum	10	I	00		
palæstinum sanctum (Black					
Calla)	15	I	50		
BABIANA, Mixed. For pots	05		50	\$3	00
BESSERA elegans. Brilliant					
vermilion, marked with					
rosy white; flowers in grace-					
ful profusion on stems I to					
2 feet in height	05		50	4	00
BLOOMERIA aurea. Light yel-	Ü		•	•	
	~=		60	_	=0
low	07		00	3	50
BULBOCODIUM vernum. A very					
pretty little bulbous plant,					
with rosy purple, crocus-like					
flowers; it is one of the					
earliest spring plants, bloom-					
ing even before the crocus			60	3	50
8				J	
CALADIUM esculentum		_			
7 to 9 inches in circ	10	1	00		
10 to 11 inches in circ			50		
12 inches in circ. up	20	2	00		
CALLA Elliottiana, Yellow; Spot-					
ted Leaf. Dark green leaves,					
spotted silvery white	35	3	50		
	50	-	0		

MISCEI	LLA	NE	วบเ	s Bu	JLB	S AND ROOTS, continued
CAMASSIA Cusickii. Very large Each leaves and lovely, pale sky-blue flowers, produced in		Do		10	00	CENOTHERA ovata (Evening Each Doz. 100 Primrose). A beautiful Primrose, having circles of leaves
racemes 2 to 3 feet long\$0 1 esculenta. Pretty violet-blue flowers. Fine for cutting 3 for 10 cts	15			\$1	75	flat on the ground and a great number of bright yellow flowers
Leichtlinii. Purple	10			7-	, 5	planting2 for 5 cts 20 \$1 00
COOPERIA Drummondii (Even-						PANCRATIUM calathinum (Basket Flower)
ing Star). White	05	3	35	2	00	maritimum (Sea Daffodil) 20 2 00
peduncularis. Beautiful, white, fragrant flowers	8c	7	70	3	50	undulatum. White 15 1 50
CROCOSMIA aurea (Tritonia). Beautiful; half-hardy; orange flowers	0	8	85	6	00	RANUNCULUS, French Mixed. 2 for 5 cts 20 I 00 Persian Mixed 2 for 5 cts 20 I 00
CINNAMON VINE. Roots C Extra-large size	06	į	50	3	00	Turban Mixed2 for 5 cts 20 1 00 SPIRÆA japonica. Pure white
CLEMATIS coccinea. A hardy herbaceous perennial climb-	10		50	J	00	japonica compacta multiflora. Neat and compact. Pure
er; flowers rich scarlet 2	20	2 (00	12	00	white flowers
DICENTRA spectabilis (Bleeding Heart). Hardy perennial; also						rosy lilac 30 3 00 20 00 astilboides floribunda. Very
forcer		Ι ;	50	9	00	large, pure white plumes. Neat habit; abundant bloomer. 20 1 75
robustus. Rose	-					Gladstone. Snow-white plumes,
Hybrids						long stems; fragrant. Fine forcer 20 2 00
EUCHARIS amazonica. Fine,						Queen Alexandra, Pink. A
white-flowered greenhouse plant. Magnificent	50	6 (20			pink variety, in habit similar to Gladstone but_flowering
				6	00	three weeks later. Beautiful 30 2 75
GLOXINIA, Red			85 85	6 6		Washington. Extra-large flow- ers; fine forcer 20 2 00
White			35	6		Aruncus. Handsome plant, with
Blue			35	6	00	large plumes of pure white flowers 20 2 00
Mixed	07	7	70	4	50	palmata. Crimson; strong clumps. 20 2 00
HELLEBORUS niger major (Christmas Rose). Hardy; valuable forcer	2 =	3 5	-0			TRICYRTIS hirta. Beautiful; fall-flowering; hardy 08 75 5 00
HEMEROCALLIS, Apricot. Dis-))	5 .	, -			TRITOMA Pfitzeri. Large spikes of intense flame-colored flow-
tinct, rich apricot	15	1 5	50		1	ers. Plant in spring 20 I 75 I2 00
flava. Clear yellow	0	1 (00			MacOwani. Dwarf variety; bright orange-red 10 1 00 6 00
fulva. Coppery orange, shaded crimson	[2	I 2	25			uvaria grandiflora (Red-Hot Poker Plant). Half-hardy 15 1 50 10 00
Kwanso fl. pl. Coppery orange; double	[2	I 2	25			TROPÆOLUM tricolor (Jarrattii).
Sieboldi. An exceedingly hand-	10		20			Fine greenhouse climber; for pots 15 1 50
some reddish orange			50 50	2	50	speciosum. Brilliant scarlet 10 1 00
INCARVILLEA Delavayi. Large;	,,		,0	3	30	pentaphyllum 10 1 00
rosy purple; splendid hardy perennial, with handsome foli-						TUBEROSES, Dwarf Double 05 35 2 25 Albino. Pure white; single 06 50 3 00 Variegated Leaf 06 50 3 00
age	0	1 (00			VALLOTA purpurea (Scarborough
ISMENE Calathina grandiflora. A grand summer-flowering						Lily)
bulb. The flowers are of very						WATSONIA Ardernei (O'Brieni). Large, beautiful, snow-white
large size, like an amaryllis; snowy white, and are all						gladiolus-like blooms over 3
exceedingly fragrant 2		2 5	50			inches in diameter. Fine forcer or for planting out-
MADEIRA VINE. Roots	6	6	60			doors in spring 20 2 00
MILLA biflora. Star-shaped flowers, delightfully fragrant, a						ZEPHYRANTHUS candida. White, greenish base 06 60 3 50
waxy white	05	5	50	4	00	atamasco. Pure white 12 1 25 8 00

Insecticides and Remedies for Plant Diseases

All subject to change in price. All of these items may be sent by parcel post or express. To help you, we have put alongside each size of package the approximate shipping weight

- ANT-DESTROYER. Will positively destroy red or black ants. ¼-lb. tins, 15 cts. (wt. 6 ozs.); ½-lb. tins, 28 cts. (wt. 1 lb. 2 ozs.); 1-lb. tins, 50 cts. (wt. 1 lb. 7 ozs.); 5-lb. tins, \$2 (wt. 6 lbs.).
- ANTIPEST. A sure destroyer of all insect pests. Qt. 45 cts. (wt. 3 lbs.); ½-gal. can, 65 cts. (wt. 5 lbs. 10 ozs.); gal. can, \$1.25.
- APHINE. Has no equal for the destruction of green, black or white fly, thrips, red spider, mealy bug, etc. Use one part to forty of water. Does not injure the most tender plants. ½pt., 25 cts. (wt. 8 ozs.); ½pt., 40 cts. (wt. 1 lb. 3 ozs.); pt., 65 cts. (wt. 1 lb. 14 ozs.); qt., \$1 (wt. 3 lbs.); gal., \$2.50.
- APHIS PUNK. For ridding greenhouses of the green fly, black fly, etc., 60 cts. (wt. 9 ozs.).
- ARSENATE OF LEAD. Adheres well to foliage and does not readily wash off. It remains well suspended in solution, insuring even distribution. It is white and shows just where it has been applied. It does not injure tender foliage. Lb., 20 cts. (wt. 1 lb. 14 ozs.); 5 lbs., 90 cts. (wt. 6 lbs. 13 ozs.); 100 lbs., \$12.
- BORDEAUX MIXTURE, or FUNGIROID. For all fungous diseases. Dry, I-lb. box, 20 cts. (wt. I lb. 15 ozs.); 5 lbs. and over at 18 cts. per lb.; 50 lbs., \$7. Liquid, qt., 35 cts. (wt. 3 lbs.); gal., 85 cts.; 5 gals., \$4.
- BUG DEATH. This is a fungicide, insecticide and plant-food combined, and contains neither paris green nor arsenic. 1-lb. pkg., 15 cts. (wt. I lb. 5 ozs.); 3-lb. pkg., 35 cts. (wt. 4 lbs.); 5-lb. pkg., 50 cts. (wt. 6 lbs.); 12½-lb. pkg., \$1 (wt. 15 lbs.); 100-lb. pkg., \$7.50.
- COPPER SOLUTION, Ammoniated. Prevents black and brown rot, mildew and other grape diseases, pear and apple scab, leaf blight, tomato rot, potato blight, melon blight, etc. Dilute I part to 100 of water; spray lightly. Qt., 50 cts. (wt. 3 lbs.); gal., \$1.50.
- CUTWORM FOOD. Specially prepared for bringing young plants through the critical period. In bulk, 25 lbs., \$3.10; 10 lbs., \$1.35, 5 lbs., 85 cts. (wt. 7 lbs. 14 ozs.); 1-lb., 25 cts. (wt. 1 lb. 4 ozs.).
- CUTWORM PREVENTIVE. Of inestimable value. Cutworms will not infest soil mixed with this preparation. 5-lb. can, 50 cts. (wt. 7 lbs.); 10 lbs., 90 cts.; in bbls. of 250 lbs. at 6 cts. per lb.
- DALMATIAN INSECT POWDER. Effective against almost all insects. ½-lb. box, 30 cts. (wt. 1 lb. 4 ozs.); 1-lb. box, 50 cts. (wt. 1 lb. 13 ozs.).
- FIR TREE OIL. Dilute one pint to twenty gallons of water. Apply with vaporizer or syringe. ½pt., 40 cts. (wt. 1 lb.); pt., 75 cts. (wt. 2 lbs.); qt., \$1.25 (wt. 3 lbs.); ½gal., \$2.25 (wt. 5 lbs. 10 ozs.); gal., \$4.
- FIR TREE OIL SOAP. Mix at the rate of one ounce to a gallon of water, and apply with a bellows or syringe. ½-lb. tin, 25 cts. (wt. 13 ozs.); 2-lb. tin, 75 cts. (wt. 2 lbs. 10 ozs.).

- FISH-OIL SOAP (formerly called Whale-Oil Soap). For washing trees and destroying all insects on the bark. 1-lb. box, 15 cts. (wt. 1 lb. 4 ozs.); 5 lbs., 50 cts. (wt. 6 lbs.); 10 lbs., 90 cts. (wt. 12 lbs.); 100 lbs., \$7.
- GRAPE DUST, Hammond's. For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. pkg., 35 cts. (wt. 6 lbs.); 10-lb. pkg., 60 cts. (wt. 12 lbs.); 100 lbs., \$5 (wt. 125 lbs.).
- HELLEBORE. Apply dry or mix in water—one ounce to three gallons. I-lb. box, 25 cts. (wt. I lb. 4 ozs.); 2-lb. box, 45 cts. (wt. 2 lbs. 13 ozs.); 10 lbs. and up at 19 cts. per lb.
- **KEROSENE EMULSION.** For cabbage worms, scale on trees, caterpillars, melon lice, rose bugs, etc. Dilute twenty-five to fifty parts. Qt. 40 cts. (wt. 3 lbs.); gal., \$1; 5 gals., \$4; 10 gals., \$7.50.
- **KER-O-SOAP.** A concentrated insecticide (in paste form) prepared for use on house and garden plants, trees, shrubs, etc. 30 cts. (wt. 1 lb. 9 ozs.).
- KILM WEED ERADICATOR. A patented tube containing a powerful weed-killer. Will exterminate dandelion from lawns. Easy to use. Each, \$1.75 (wt. 1 lb. 12 ozs.).
- LEMON OIL. For destroying scale, caterpillar, mealy bug, etc. Directions on can. ½pt., 25 cts. (wt. 8 ozs.); pt., 40 cts. (wt. 1 lb. 15 ozs.); qt., 75 cts. (wt. 3 lbs. 6 ozs.); gal., \$2.
- LIME-SULPHUR SOLUTION, California Wash. For San José scale. One gallon makes fifteen by adding water. Qt., 40 cts. (wt. 3 lbs.); gal., \$1; 5 gals., \$3.50; in bbl. lots, 50 cts. per gal.
- NICO-FUME LIQUID. For fumigating or spraying. Effective against green fly, mealy bug, etc. Does not stain or injure blooms, and leaves no disagreeable odor. For spraying, one to two teaspoonfuls to a gallon of water. 1/4lb., 60 cts. (wt. 8 ozs.); lb., \$2 (wt. 1 lb. 15 ozs.); 4 lbs., \$7.50 (wt. 5 lbs. 1 oz.); 8 lbs., \$13.50. Lamps, 50 cts. each.
- NICO-FUME TOBACCO PAPER. For fumigating. Does not injure blooms. In tins. 24 sheets, \$1; 144 sheets, \$4.50; 288 sheets, \$8.50.
- NICOTICIDE. For fumigating or spraying. Effective against green fly, mealy bug, etc. Does not damage foliage or flowers. Sold in cans as follows: No. 1, 1 pt., sufficient for 32,000 cubic feet of space, \$2.75 each (wt. 1 lb. 15 ozs.). No. 2, ½pt., sufficient for 16,000 cubic feet of space, \$1.50 (wt. 8 ozs.). No. 3, 4 ozs., sufficient for 8,000 cubic feet of space, 70 cts. (wt. 8 ozs.). Gal., \$17 (wt. 21 lbs.); ½gal., \$9 (wt. 5 lbs. 1 oz.); qt., \$5 (wt. 3 lbs.). Fumigators, 50 cts. each.
- NIKOTEEN. ¼pt. bottles, 40 cts. each (wt. 1 lb.); pint cans, \$1.50 each (wt. 3 lbs. 12 ozs.).
- PARIS GREEN. Mix at rate of one pound to two hundred gallons of water. Effective against all chewing insects. I-lb. can, 35 cts. (wt. I lb. II ozs.); ½lb. can, 20 cts. (wt. I lb. 2 ozs.); ½lb. can, 12 cts. (wt. 14 ozs.).

INSECTICIDES AND REMEDIES FOR PLANT DISEASES, continued

- SCALECIDE. For San José Scale. Petroleum oil that mixes at once with cold water and stays mixed. No hot water necessary. Add one gallon for every fifteen to twenty gallons of water. Qt., 40 cts. (wt. 3 lbs.); gal., \$1; 5 gals., \$4.
- SLUG-SHOT, Hammond's. Excellent for destroying cabbage, turnip and beet flies, potato bugs, currant worms, etc. 1-lb. pkg. 12 cts. (wt. 1 lb. 4 ozs.); 5-lb. pkg., 35 cts.; 10-lb. pkg., 60 cts.; 100-lb. pkg., \$5.
- SULPHO-TOBACCO SOAP. Dissolve in proportion of two ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, green fly, bark lice, etc. 3-oz. box, 10 cts. (wt. 4 ozs.); 8-oz. box, 20 cts. (wt. 9 ozs.); 10-lb. box, \$3 (wt. 12 lbs.).
- SULPHUR, POWDERED. Valuable for protecting against mildew on grapes, roses, etc. Lb., 10 cts. (wt. 1 lb. 4 ozs.); 10 lbs., 60 cts. (wt. 12 lbs.).
- TOBACCO DUST-
 - Ordinary Kind. For dusting. Lb., 10 cts. (wt. 1 lb. 4 ozs.); 5 lbs., 35 cts. (wt. 6 lbs.); 10 lbs., 60 cts. (wt. 12 lbs.); 100 lbs., \$3.
 - Stoothoff's "Black Stuff." For dusting. 50 lbs., \$2.25; 100 lbs., \$4.
 - Stoothoff's "Fumigating Kind." For burning. 50 lbs., \$2.25; 100 lbs., \$4.

- TOBACCO STEMS. For fumigating. In bales of about 100 lbs. at \$1.50 per 100 lbs.
- TREE TANGLEFOOT. A sticky substance applied directly to the bark to protect trees against climbing insect pests. One application remains sticky, fully exposed to weather, three months. One pound will make a band 7 to 8 feet long and about 6 inches wide. I-lb. can, 30 cts. (wt. I lb. 10 ozs.); 3 lbs. 85 cts. (wt. 4 lbs. 7 ozs.); 10 lbs., \$2.65; 20 lbs., \$4.80; 40-lb. pail, \$9.
- WEED-KILLER, Pino-Lyptol. This fluid absolutely destroys all weeds and other growth wherever applied. Mix one part Pino-Lyptol with ten to fifteen parts water. I-gal. can, \$1.50; 5-gal. can, \$5.50; 10-gal. can, \$10.
- WEED-KILLER, Sterlingworth. A powerful powder for destroying vegetation of all sorts on gravel walks. Also excellent for destroying poison ivy. In cans, 5 lbs., \$2 (wt. 6 lbs. 13 ozs.); 3 lbs., \$1.25 (wt. 4 lbs.); 1 lb., 50 cts. (wt. 1 lb. 9 ozs.).
- X-L-ALL LIQUID INSECTICIDE. An efficient preparation for spraying. Purely nicotine; harmless to very delicate plants; kills mealy bugs, red spider and all insect pests. Pt., 65 cts. (wt. 3 lbs. 4 ozs.); qt., \$1 (wt. 4 lbs. 3 ozs.); ½gal., \$1.75 (wt. 7 lbs. 14 ozs.); gal., \$3.50.

High-Grade Fertilizers

ALL NET CASH

THORBURN'S COMPLETE MANURE

Guaranteed to contain ammonia, 3 to 4 per cent; available phosphoric acid, 6 to 8 per cent; actual potash, 6 to 7 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as Corn, Tomatoes, Peas, etc., and is especially suited for grain crops. Use 1,200 to 1,500 pounds to the acre.

		50 lbs	
		25 lbs	
Per bag of 100 lbs	2 75	10 lbs	50

THORBURN'S LAWN FERTILIZER

Guaranteed to contain ammonia, 6 to 7 per cent; available phosphoric acid, all soluble, 8 to 10 per cent; actual potash, 5 to 6 per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top-dressing. Apply broadcast at rate of 1,000 to 1,500 pounds to the acre.

to the dere.		
In 167-lb. bags, per ton		
Single bag of 167 lbs		
Per bag of 100 lbs	 3	00
50 lbs	 Ι	75
25 lbs		
10 lbs		50

ACME NO. 1 POTATO MANURE

Guaranteed to contain ammonia, 4 per cent; available phosphoric acid, 6 per cent; actual potash, 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the Potato crop, and is also adapted to Sweet

Potatoes, Vines, Fruit Trees, etc. Use broadcast, about 1,500 lbs. to the acre.

In 167-lb. bags, per ton\$42	00
Single bags of 167 lbs 4	50
Per bag of 100 lbs	00
50 lbs I	75
25 lbs I	00
10 lbs	50

CLAY'S CELEBRATED FERTILIZER

One of the best manures for all horticultural purposes, either in greenhouse or garden. Splendid for mixing with potting soil and as a top-dressing. Notwithstanding its apparently high price, it is quite economical.

PRICES IN BAGS

I cwt. (II2 lbs.)		
½cwt. (56 lbs.)	4	00
½cwt. (28 lbs.)	2	25
½scwt. (14 lbs.)	1	25

HIGH-GRADE FERTILIZERS, continued

AGRICULTURAL SALT

For asparagus beds, etc., in bags of about 200 lbs., \$1.25 per bag; about \$10 per ton. Not less than one bag sold.

THOMPSON'S VINE MANURE

Unrivaled for Vines, Tomatoes, Cucumbers, Fruit Trees and all foliage, flowering and fruit-bearing plants, also for vegetables and outdoor plants of every description. The result of many years' practical experience. Per cwt. (II2 lbs.), \$6.75; ½cwt. (56 lbs.), \$3.50.

BOWKER'S AMMONIATED FOOD FOR FLOWERS

Excellent for use on house plants, being entirely odorless. Small pkg. 15 cts., large pkg. 25 cts.

CANADA HARDWOOD ASHES

Highest grade unleached. For top-dressing lawns, especially if the soil is stiff or sour, $1\frac{1}{2}$ to 2 tons to the acre. Bag of 100 lbs. \$1.50, ton \$24.

PULVERIZED SHEEP-MANURE

(Sheepshead Brand)

A rich, pure, natural manure. Excellent as a top-dressing for lawns. Its effect is immediate and lasting. There is nothing better for mixing with the soil for greenhouse plants—one part manure to six parts soil. It is recommended for the vegetable-garden, promoting a steady and rapid growth. It makes a rich and safe liquid manure—I pound to 5 gallons of water.

I-lb. package\$0	10
5-lb. package	25
25 lbs	
50 lbs I	
100 lbs 2	
Ton30	00
500 lbs. and up at ton rate.	

BONORA

A fertilizer and plant-food combined.	
1/4-lb. package	25
ı-lb. package	50
5-lb. package 2	50

PULVERIZED LIMESTONE

A product that has an exceedingly wide sale among intelligent agriculturists, with the best of results. As a crop-producer we hardly believe it has an equal. It is made from the purest crystalline white limestone obtainable, and analyzes about 97 per cent carbonate. Bag of 100 lbs. \$1, ton \$16.

BONE FERTILIZERS, ETC. PRICES SUBJECT TO CHANGE

Pure Ground Bone Meal, No. 1. Finely pulverized; excellent for rose-culture. It decomposes very rapidly, and is more quickly effective than the coarser grades. It is excellent for mixing with the soil for potting. 5 lbs. 25 cts., 10 lbs. 40 cts., 25 lbs. 75 cts., 50 lbs. \$1.25, 100 lbs. \$2.25, ton \$33. Ground Bone, No. 2. Coarser than the above; for

Ground Bone, No. 2. Coarser than the above; for top-dressing for lawns, and for garden and field crops. 100-lb. bag \$2.50, ton \$38.

crops. 160-lb. bag \$2.50, ton \$38.

Ground Bone, No. 3. A little coarser than No. 2.
100 lbs. \$2.75, ton \$40.

Pure Raw Bone Meal, Swift's. Contains 4½ per cent

Pure Raw Bone Meal, Swift's. Contains 4½ per cent ammonia, 23 per cent phosphoric acid and over 3½ per cent nitrogen. 100-lb. bag \$3, 200-lb. bag \$5.50. ton \$45.

\$5.50, ton \$45.


Leaf-Mold. Indispensable for Azaleas, Rhododendrons, etc. Bbl. \$2.

Moss, Sphagnum. For filling Orchid baskets, etc., and for mixing with potting soil to preserve moisture. Bale of about 50 lbs. \$3.50.

Peat, Orchid. For potting Orchids, etc. Barrel of about 50 lbs. \$2.Peat, Rotted. Fine for mixing with soil for potted

Peat, Rotted. Fine for mixing with soil for potted plants such as Azaleas, Palms, etc. Barrel of about 140 lbs. \$2.

OTHER FERTILIZERS PRICES FLUCTUATE



FARMOGERM

A preparation of high-bred, nitrogen-gathering bacteria in sealed bottles, ready to use, with water added according to directions. Bottles contain enough Farmogerm to inoculate the seeds for one acre. Prepared for the following crops:

White Clover
Red Clover
Crimson Clover
Alsike Clover

Crimson Clover
Cowpeas
Vetches

Canada Field Peas Garden Peas Sweet Peas Soy Beans

Price per acre bottle, \$2; per five-acre bottle, \$9. State for what crop Farmogerm is wanted, when ordering

Also in garden size, enough for 1,000 square feet or a 200foot row, for Peas, Beans, Sweet Peas and White Clover, at 50 cts. per bottle. We secure cultures fresh from the laboratory, hence it takes two or three days to fill orders.

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES

ALL NET CASH

ASPARAGUS BUNCHER, Acme. The most popular make. \$2.

Asparagus Knife,

English. (Saw blade.) \$1.25.

Granite State. 35 cts.

Large, \$2. Small, \$1.50.

Atomizer.

Bellows, Woodason's Double Cone Powder. \$3.



Small, \$1.25.


Jumbo Powder
Gun. It is 4
inches in
diameter,
holds 4 oz.
of powder
a n d
serves

its purpose admirably. 25 cts.

Bill and Brush Hooks. For heavy pruning.— English. S-handle. \$2.75. American. Long handle. \$1.

Border Shears. See Shears, p. 150.

Carnation Supports.



Dibbles.—
All Iron, 35c.
Wood Handle, brass point,
65 cts. Iron point, 40 cts.
Fertilizing. For putting fertilizers at the very roots of different plants. Small size,
30 cts.; large size, 40 cts.



Edging Knives, Grass, English
8-in.....\$1 75
9-in......2 00
10-in......2 25
Without handle.
Handles 10c. extra.

Extension Pole Grips. 25 cts.

Feed-Cutter, Lever. For cutting fodder, hay, straw, etc. Furnished with gauge-plate to change length of cut. \$4.

Flower-Pots. See page 152.

FORKS, Digging or Spading. Best-quality, spear-point, diamond-back tines. Strapped handle. Long or D-handle. 4-tine.....\$1 15 5-tine..... I 35 Hay, or Stable. First-quality oval tines. Extralong strapped handle. 2-tine..... 75 85 3-tine...... 4-tine..... I 00 Manure, Long- or Short-handled. Strapped handle. 4-tine..... 1 10 tines. 4-tine..... 1 40 5-tine..... 1 90 Ladies' Weeding, English. Short trowel-handle.... 75 Boys' Spading. 4-tine.... 75

Fruit-Pickers, Handy Andy. A simple device of two wire jaws bound in the form of a square cage with burlap. The jaws open and close with a spring on the end of the pole. A cloth tube is affixed to the pole, the end of which can be held in a box or barrel or other receptacle to catch the fruit, as it runs down the tube. \$2. Perfect. Galvanized steel wire;

attaches to pole of any length. Price, without pole, 40 cts.

Poles, for above, 15 cts. each.


Fumigating Lamp, "Defiance."
For all vaporizing liquids. No glass. Burns kerosene. 60 cts.

Funigator, "Eureka."
For funigating with tobacco stems. Very best quality, heavy galvanized tin.
No. 1 holds ½pk..\$1 50
No. 2 holds 1 pk.. 2 00
No. 3 holds ½bus. 2 50

Garden Lines, Finest Braided. 100 feet, 50 cts.

Garden Reels. For garden lines. Wrought-iron. Holds 100 ft. 60 cts.; larger size, \$1.

Garden Tools for Ladies. Set of 3 pieces (spade, hoe and rake) \$1.



Glazing Points, The Tiger. 60 cts. per 1,000.

Pincers, for above. 55 cts.

Glass Cutter, "Red Devil." Handhoned wheels. Standard of the world. 4 styles. 10, 15, 25 and 50 cts. ea.

Gloves, Gardeners', Goatskin. \$1.

Grafting Wax. The best grade. ¼lb. pkg. 10 cts., ½lb. pkg. 15 cts., lb. pkg. 25 cts.



Grass Hook, or Corn Knife, Crescent. Adjustable. 40 cts., by mail 55 cts.

Grass Hooks, English Riveted Back. Thin, sharp blades, strengthened by a riveted back; light and rapidly handled. Small size, 50 cts. Medium size, 55 cts. Large size, 60 cts.

Grass Hooks with Trowel Shank.

The handle is raised from the blade, making it possible to cut close without bruising the knuckles. 50 cts.

Hotbed Sash. Best quality. | Packing at cost.

Unglazed. 3 x 6 ft. for 10 x 12 glass. \$1.20 each, \$13 per doz. Glazed and Painted. 3 x 6 ft., 10 x 12 glass. \$3.50 each, \$38 per doz.

Glazed and Painted. 3 x 6 ft., 10 x 12 double-thick glass. \$4.75 each, \$54 per doz.

Hotbed Mats for Covering Sashes.



thickly padded; size, 76 inches by 76 inches; one mat covers two sashes.

No. r. Both sides jute. \$1.75 each, \$19 per doz.

No. 2. One side jute, the other side waterproof duck. \$2.35 each, \$25 per doz.

HOES, Draw or Corn. 5-in. 45c., 6-in. 50 cts., 7-in. 60 cts.

English Scuffle. Finestquality steel. With handle, ea. handle, ea. 5-in...\$0 55 \$o 65 6-in... 6ŏ 70 65 75 80 7-in... 8-in... 70

85 9-in... 75 English Triangular. Made of fine steel. For drilling seeds.

Hoe, 90 cts.; handle, 10 cts. extra. Warren. Solid steel socket, used in drilling seed. 65c., 75c., and 85c. ea.,



HOSE, Rubber. 3/4-in. Electric. In 25-ft. and 50-ft. lengths, 20 cts. per ft. Thorburn Standard. 5-ply, 11c.

X. 6-ply, 14 cts. per ft. XX. 7-ply, 16 cts. per ft. XXX. Best red, 7-ply, 18c.

per ft. Our hose is carefully selected, made of first-class material, and coupled at both ends, in 25- or 50-ft. lengths.

HOSE END, No. 1. For connecting hose with ordinary faucets. 50 cts. each.

HOSE COUPLERS, Siamese. With these several sprinklers can be used at the same time. 34-inch, 75 cts. each.

HOSE COUPLINGS.— Each ½-in.....\$0 20 3/4-in..... 25 I-in....... 40

HOSE NOZZLE, "Bordeaux."
For ¼-in. pipe. 90 cts. each.
Graduating Spray Nozzle. Will throw coarse or fine spray, or solid stream. 34-in., 50 cts. each; by mail, 55 cts. each.

Shower

brass; non-corrosive

Spray Nozzle. A perfect spray nozzle made

-will not clog. Has both fine and coarse sprays. \$1.25 ea.

Stott Spray Nozzle.

Gives an exceptionally fine spray. Impossible for it to get out of order. Single Spray, for 3/4-in. Each connection......\$1 25 Double Spray..... 1 75

Boston Spray Nozzle. Either fine or coarse spray. For 3/4-in. hose. 3-in. face, 85c.; 4-in. face, \$1.10.

Vermorel Nozzle. 85 cts.

HOSE BANDS, for couplings. To fit ½-in. hose, 50c. per doz. To fit 3/4-in. hose, 6oc. per doz. To fit 1-in. hose, 8oc. per doz.

MENDERS, HOSE Cooper's. Brass; will not rust or wear. No fastening required. For hose with ½-in. bore, 6 cts. each, 70 cts. per doz.

For hose with 3/4-in. bore, 7 cts. each, 75 cts. per doz. For hose with 1-in. bore, 8 cts.

each, 85 cts. per doz. HOSE REELS, Tubular Iron. Never break or wear out. No. 10 will hold 100 ft. of 34-in. hose, \$3.25. No. 20 will hold 150 ft. of 34-in. hose, \$3.50. No. 30 will hold 500 ft.

of 3/4-in. hose, \$5. Saynor's Celebrated



No. 938 No. 196 No. 187 No. 312 No. 80 \$1.75 \$2.25 \$1.50 \$1.50 85c.

Knives, Saynor's Celebrated English, continued.

No. 400, \$1.50 No. 401, \$1.50. Saynor's No. 343. Budding. 2 blades. \$1.75.

Saynor's No. 403. B
Long-handled. \$1.75. Budding.

Wostenholm's Combined Pruner and Budder. \$1.25. Pruner only, 80 cts.

H. & B. Budders. 2 blades. \$1. Labels, Wooden, Pot and Garden. -PAINTED-

100 -PLAIN--3½-in. \$0 15 \$0 65 \$0 15 \$0 85 4-in.... 15 70 1.5 90 4½-in... 15 80 20 1 00 1 10 5-in.... 20 90 25 6-in.... 25 1 00 30 I 35 8-in.... 45 3 50 6 00 50 85 4 00 12-in.... 75 7 00 24-in....2 50

Wooden, Notched Tree-3½-in.

cop. wire 20 I 50 3½-in. no wire.. 10 70 90 6-in.

no wire. 25 2 25 Tree, Waterproof 30 2 75 Flexible. Copper-wired. In boxes of 100 only, \$1.50 per box.

All-Proof Tree Labels. "Blenheim Orange."

Per doz.

3-in., complete with rings.\$0 50 La Firm ce S

All-Proof Zinc and Glass Labels. "La France." Waterproof and indestructible. A valuable acquisition. No. 2, 6-in., 45c. per doz.; No. 3, 8-in, 50c. per doz.



Designed for use on lawns, tennis-courts, small parks, etc. 25 inches wide, weighs 28 lbs., and carries a 21inch brush. A very thorough machine. \$12.

Mehler's Handy Gar-den Tool. One of the best tools for breaking the crust of the ground

and we weed-

Mastica Glazing Machine. \$1.25.

Mastica. For use in the above machine. Qt. 40c., gal. \$1.35





The Reddick. A powerful trap used princi-pally on lawns. Easily set. Made of galvanized iron. It will catch moles when they are quite deep in the ground. As the points of the pin, are constantly in the ground, they cannot injure chickens or domestic animals. \$1 each, \$9.50 per doz.



Little Giant. A small trap made of galvanized iron. Will not get out of order: self-setting. 50 cts.

PENCILS, for writing garden


Dlant Duntan I	V
England.	oc. ea., \$1 per doz.
Wolf's Indeli	ble. Imported from
Black. 5 cts.	ea., 50 cts. per doz.
labers.	

Plant Duster, Norton's	. 85	cts.		
PLANT STAKES, Rour	ıd, P	ainted,		
	Doz.	100		
2 feet\$o	40	\$2 25		
3 feet	65	4 50		
4 feet		6 50		
5 feet, extra heavy 1		9 00		
6 feet, extra heavy 1	85	II 00		
Heavy, Square, Tapering.				
Painted Green—		100		
2 feet\$o	30	\$2 00		
3 feet	55	4 00		
4 feet	75	5 50		
5 feet	90	7 00		

6 feet				50
Dahlia Poles-Paint	ed	Gre		_
White Tops.—	.]	Doz.	10	0
2 feet	\$о	55	\$4	00
3 feet			6	50
4 feet			9	00
5 feet	Ι	50	ΙI	00
6 feet	I	75	12	50

I	Plant Stakes, Galvanized	Wi	re,
1	for Roses, etc.— Doz.	1	00
	2 feet\$0 25	\$1	75
1	3 feet 35	2	00
	4 feet 40	2	25
	5 feet	2	50
	Japanese Bamboo. Bund	les	of
	100 only. 6 ft. \$1; 8 ft.	\$1.	25.
-	DDIINDDO W . II 1	11	

PRUNERS, Wate	rs' Long-handled
Tree— Each	Each
4 feet\$o 65	8 feet\$0 80
6 feet 75	10 feet 8:
Extra Blades	2
	· · · · · · · · · · · · · · · · · · ·



Kansas. Automatic, strong, durable and a good timesaver. Has compound leverage, which greatly increases the power. \$3 each.

Putty for Glazing, Twemlow's Old English. Can be used with machine or bulb. \$1.75 per gal. 5- and 10-gal. buckets at \$1.60 per gal.



Raffia, for tying. Per lb. 15 cts., 5 lbs. 70 cts., 10 lbs. \$1.35.

RAKES, English or Daisy. 16 teeth, \$3.



18 teeth, \$3.25. 20 teeth, \$3.50.

Hay Rake, 3-bow. Wood. 35c. ea.

The	"Law	n Kir	ıg" R	ake. E	ach
Wi	ood. ´ ill not eth size	tear	sod .		11
Stool	Cardo	n Ral	e	17	'aah

Steel Garden Rake. Each Each | 14-teeth . \$0 60 10-teeth . \$0 50 | 16-teeth . 65 12-teeth . 55 | 18-teeth . 70

Wire Lawn Rakes. Will not scratch the lawn. With handle..........



Root-Cutter, Champion. Probably the best lowpriced rootcutter sold. Holds one bushel. \$7 each.




SAWS, Little Giant Saw and Each Pruner Combined. The knife is operated with a cord, and is thrown back automatically with a spring......\$1 50

"One-Edge" Pruning. Nar- Eac	ch
row blade, gets among	
close branches; upper	
edge smooth, does not	
cut the upper limb.	
16-in\$0 7	o
	o
20-in 0	o



Adjustable-Blade Pruning. Can be adjusted and used at any angle; cuts cleanly and rapidly: light and strong. \$1.25.





Saucers, Flower-Pot, Indurated Wood-Fiber. Light and durable. Not porous; will protect tables on which plants stand

	Each	
6-inch	.\$o 15	\$ 1 65
8-inch	. 18	I 90
10-inch	20	2 20
12-inch	. 24	2 60
14-inch	. 30	3 30

With prac-SEEDER, Cahoon.



tically a minimum of labor, will sow all kinds of grassand grainseeds.Will throw heavy seeds 20 feet each side of operator. \$3.50 ea.



Seeder, Little
G i a n t.
A smoothrunning,
well-made
machine.
\$1.50.

Shears, continued
Wilkinson. (Eng
8-in......
9-in......
Ideal. (English.

SCYTHES.—
English Lawn, Riveted Back.
Light and thin, broad blades.
32-in., \$1.50; 34 in., \$1.60;
36-in., \$1.75; 38-in., \$1.85.
SCYTHE-SNATH. or Handle.

SCYTHE-SNATH, or Handle.
Patent Loop Heel. \$1.
SCYTHE STONES—

Round Dressed Talacre. Each Doz. \$2...\$0 20 Norton's Emery......



	À	
Grape-Thinning, English.		
6-in		
7-in 8-in		
Eng	l i	s h
Flo gath		

 gathering

 Will cut and hold the Each flower. 6-in.
 \$1 25

 7-in.
 I 50

 8-in.
 2 00

SHEARS,
Pruning.
English Watch-Spring. \$1.50 ea.
Perfection
Pruning.
Each

No. 1, 6½ inches\$1	75
No. 2, 7½ inches 2	
No. 3, 8½ inches 2	
No. 4, $9\frac{1}{2}$ inches 3	
ears, Wiss' Solid Steel Prun	ing.
Best Amer-	
Amer-	A

Sh

English				
Hedge.		0		
Saynor.		Plain		tch
8-in	52	25	\$2	50
9-in			2	75
10-in			3	00
Regulation. (Engli	ish	1.)		
8-in	1	00	1	25
0-in	т	25	т	50

10-in.... 1 50

1 117:11-i / [1: -1-]	
Wilkinson. (English.)	
Plair	
8-in\$2 00	
9-in 2 25	2 50
10-in 2 50	2 75
Ideal. (English.)	
8-in 1 00	1 25
9-in 1 25	5 1 50
10-in 1 50	
Lawn Shears.	Each
9-in	2 75
10-in	
Pruning, or	
gathering,	Ladies.
Nickel-plated	75c. ea.
English Bord	
trimming gras	saround
edges of pa	
Blades made	
100 100 + + + + + + + + + + + + + + + +	or very
high-quali	tri stosi
high-quali Handles 3 fee	tri stosi
Handles 3 fee	ty steel. t long. Each
Handles 3 fee	ty steel. t long. Each \$2 25
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50
Handles 3 fee	t y steel. t long. Each \$2 25 2 50
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50
Handles 3 fee 8-in 9-in	t y steel. t long. Each \$2 25 2 50

Grass, "Trowel-Shank." American, full-polished, excellent steel. Trowel-like handles keep your knuckles out of the dirt. 90 cts. each.



Thorburn's New Grass. This is the most practical grass shear manufactured. It can be taken apart to sharpen; best English steel. 7-in., \$1.25.



English Lopping For lopping off limbs and branches of trees, not over 1½ inches in diameter. Each No. 3. \$3 00 No. 4 3 50





Boy's Spade. D handle...
Spray Pumps. See p. 153.



scoop, Vegetable. The best shovel for handling potatoes, apples, etc. Will not cut; dirt sifts out. Light weight. \$1.50.



made of best white rubber.

Each
Straightneck. 6-oz.....\$0 50

Peck's Improved
Lawn Sprinkler.
May be attached
to the hose and
placed anywhere
on the lawn.
Stands 4 ft. high
and distributes
water over an
area from 60 to
100 feet. 4-arm, \$3
each; 8-arm, \$3.50
each.

The "New"
Comet."
An adjustable revolving
sprinkler. Will
sprinkle
from 5 to
30 feet.
Easily
moved.
The two

arms may be set upright or at any angle. Weight 4½ lbs. \$3.50 each.



Water - Witch, No. 3.
Scatters the water in fine drops and evenly over a circular area of from 25 to 40 feet. 40 cts. each.

Sprinklers, cont'd
Water-Witch No.
4. Similar to
No. 3, but having
a stand instead
of spike for
holding it upright. \$1.25 each.



Ring Sprinkler. Has no revolving parts. The simplest lawn sprinkler. Made of good-quality brass. 75 cts. each; by mail, 85 cts.



Hotchkiss
Lawn
Sprinkler,
No. 55. The
most popular 3arm sprinkler on
the market; made
of brass, nickelplated, with malleable iron run-

ners. Will cover an area 30 feet in diameter. \$1.25 each.

Hotchkiss Lawn
Sprinkler No.
65. This combination sprinkler and fountain
is beautiful as
well as useful.
Brass and nickel-plated, with
malleable iron
runners. Will cover an area 40



Shower Sprinkler, continued

Cannot clog or get out of order; will not rust. Standard ¾-in. hose connection. 10 inches high. Holder and nozzle complete. \$2.

SYRINGES. See p. 152.



TROWELS, Solid Steel. Cheapest trowel in the long run; light, strong, durable and perfect "hang;" handle cannot come off. 5-in. blade, 40c.; 6 in., 50c.; 7 in., 60c.

Transplanting. A perfect trowel for transplanting and putting in bulbs; solid steel. 6-in. 15 cts.; 7-in., 20 cts.



Turfing Iron, English. An imported tool for lifting sod evenly, rapidly and without breaking. \$4.50 each.




THERMOMETERS—
Oxidized Metal Scale,
Polished Back. A
thermometer for house
use, durable and well
made. Will last a life-

time. Tube magnifies and is easy to read.

Each 8-in. \$0 75 10-in. I 00 12-in. I 25

Oxidized Metal Scale, Carved Back. Same as the preceding but with fancy border. Each 8-in. \$0.75 10-in. 100 12-in. 125



Self-Registering, Polished Back. For indoor use; will register extremes of heat and cold; made of hard wood. A magnet is used to draw back the indicating points.

Each 10-in.\$2 00 12-in. 2 50



Self-Registering, Japanned Case. The same as preceding, with tin case for outside use. Enameled case and porcelain scale. 8-in., \$2.75 each; 10-in., \$3.25; 12-in., \$3.75.



Japanned Tin Case. A cheap thermometer for greenhouse use; all metal. 10-in., 25 cts. each, \$2.50 per doz.

Hotbed, New Style. Coppersheathed. Tip can be removed and cleaned. \$2.

Mercury Bath, or Hotbed. New. Quick-acting; all of metal. Cannot rust or break. \$2.

Hotbed and Mushroom Bed.
Brass-tipped point encloses the temperature bulb; it is simply thrust into the soil or bed. Best grade (made of boxwood). \$1.75.
Standard Grade (made of soft

Standard Grade (made of soft wood), \$1.25.

Tomato Supports. Made of heavy wire, galvanized. 20 cts. each, \$1.50 per doz.



Wood. 36 in. 16 in. high, wide. Solidly made of clear, straight wood. Can be taken apart and stored when not in use. Will last for years. 25 cts. \$2.50 each, per doz.

Torch, Asbestos. Very useful and simple. The only sure way to get rid of caterpillar nests on trees without poles. Small size, 15 cts. ea. Large size, 25 cts. ea.

Tree Brush. Small size; fine wire



bristles useful for brushing y o u n g t r e e s. \$1.50 ea.



Tree Brush, Wire. For older trees; can be used with long handle. Complete, \$2.


Watering Pots, continued

Tree Scraper. For scraping diseased bark from trees, removing insect eggs, etc. 50 cts. each.

Tree Tubs	,	New	U:	HURIE	
York				12	
Made				20200	zali)
timber	, pai	nted	1	Hilly	
green.				4	
No. Dia		Hei			ach
I I2	ins	.105/8	ins	.\$1	35
2 13	".	. 123/4	".	. І	75
$3 14\frac{1}{2}$	".	. 143/4	".	. 2	25
3½ 16½	".	.153/4		. 2	75
4 19½	".	. 165/8	".	. 3	00
$5 22\frac{1}{2}$. 18½	" .	. 3	75

Twine, Green Smilax. In 2-oz. balls, 50 cts. per lb.
Florists' Linen (Silkolene)—
Green or Gray. In 2-oz. reels,
\$1.25 per lb.









Wheelbarrow, Thorburn's Garden. None better made. Iron braced and bolted. Finished in natural wood, red or green. Steel wheel if desired. 50c. ex. No. 2, Small. \$3 00 No. 4, Medium 4 00 No. 5, Large 4 50



Weeders, continued

Excelsion Finger. Useful for loosening and pulverizing the soil. 10c. ea., \$1 per doz.

Lang's Hand. A strap over the finger, keeps the tool in the hand while


operator's fingers are left free. 20 cts. each, \$2.25 per doz.

Eureka Hand. The prongs of solid forged steel are thin and long; fine for loosening soil. Short handle. 30 cts. each, \$3 per doz.



and hoe. Fingers of tempered steel. The hoe is useful in loosening hard ground. 35 cts. each. (postage 5c. each, extra), \$3.50 per doz.

Norcross Adjustable Cultivator, Made of first-class material, teeth forged from solid



between the rows, or center tooth can be removed to straddle row. 85 cts. each.

Flower-Pots

Best make. Of sizes 2 to 3 inches we do not sell less than 100, of larger sizes not less than a dozen. We pack carefully in the best manner, but will not be responsible for breakage in transit.

		nage on mansu.		W	
ize, heig width, i		a į	Per doz.	100	I,000
2	inche	es		\$0 70	\$5 50
21/4	"			75	6 25
21/2	"			85	7 50
3	"			I 10	9 75
$3\frac{1}{2}$	"		\$о зо	I 50	13 00
4	"	• • • • • • • • • • • • • • • • • • • •	35	I 75	15 00
41/2	**	• • • • • • • • • • • •	40	2 25	2 I 00
5	"		50	3 00	28 0 0
6	"	• • • • • • • • • • • • •	65	4 25	40 00
7	"	• • • • • • • • • • • • • • • • • • • •	I 00	7 00	
8	"	• • • • • • • • • • • • • • • • • • • •	і 50	9 50	
9	"	•••••••	2 00	13 50	
10	"	• • • • • • • • • • • • • • • • • • • •	-	18 00	
ΙΙ	"		3 50	25 00	
12	••	• • • • • • • • • • • • • • • • • • • •	4 50	35 00	

Syringes



No. A. One spray rose and one jet. Length of barrel 12 in., diam. 1 in. \$2.50 each.

No. G. One spray rose and one stream jet, side attachment and elbow-joint for sprinkling under

foliage. Length of barrel 16 in., diam. 1½ in. \$5 ea.

No. H. Sheet brass with fixed spray rose; length of barrel 16 in., diam. 1½ in. \$3 each.

No. 2. One coarse and one fine spray rose, and one jet, side attachment. \$4.50 ea.



No. 3. Large size. Has one stream and two spray roses, with side pieces on barrel. Length of barrel, 18 in., diam. 1½ in. \$6.50 each

SYRINGES, continued

No. 4. Large size. Has jet and three rose sprays, two of which are kept in the handle. Length of barrel, 18 in., diam. 11/2 in. \$7 each.

No. 6. Large size. Has one spray rose and gooseneck

angle joint, turni n g in all directions, for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length of barrel, 18 in., diam. 11/2 in. \$8 each.

Spray Pump, Bucket

Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle, and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cents extra. This pump is also valuable for washing windows. \$3.75.

Vaporizing Spray Pump, Hand

A very useful sprayer for a small garden. Simple and effective; no valves to get out of order. Made of tin or brass.

Continuous Spray Pump

Tin......So 7.5

Operates on the compressed-air principle and throws a continuous spray. Interchangeable brass nozzles-one to throw the spray straight ahead, and one to spray up or down. Capacity, one quart. Tin.....\$1 25 Brass.......\$2 00

"Pomona" Spray Pump

Brass.........\$1 00


Of large capacity and exceptionally powerful. It is easily operated by one person when necessary. but is especially built for spraying with two leads of hose. The air-chamber is rather large, and enough air is stored up for a continuous spray for some time. Plunger, valves and all working parts are made of very good-quality brass. It can be quickly inserted or removed from the barrel. Its paddle agitator is far

superior to the old return-discharge method of stirring. Adjustable to different-sized barrels.

Pump only, with agitator, \$15; fitted to barrel,

"POMONA" SPRAY PUMP, continued

Outfit A. Pump, agitator, one lead of discharge hose and spray nozzle, \$18; fitted to barrel, \$21. Outfit B. Pump, agitator, two leads of discharge hose and two spray nozzles, \$20; fitted to barrel, \$23.



"Auto-Spray" Spray Pump

A self-operating sprayer of simple construction, durable, easy to carry and to work Made of galvanized iron or solid brass, with 4-ply rubber hose. For spraying trees, cleaning windows, etc. A perfect pump.

With brass tank and stopcock nozzle, \$6.75; with brass tank and Auto-Pop nozzle, \$7.25; galvanized iron tank and stop-cock nozzle, \$4.50; galvanized iron tank and Auto-Pop nozzle, S5. Brass extension pipes, 2 feet long, 45 cts. Auto-Pop nozzles, if sold alone, \$1.50.

"Fruitall" Spray Pump

Same as Pomona, but smaller.

Fruitall Pump only, with agitator and one lead of 15 feet of 1/2-inch discharge hose, with spray nozzle, \$10; fitted to barrel, S13.

Fruitall Pump, with agitator and two leads of 15 feet of 1/2-inch discharge

hose, with spray nozzle, \$17; fitted to barrel, \$20.



FOR VINEYARD, ORCHARD AND FIELD SERVICE

Made entirely of brass and copper, with ball valves and metal plunger all easily ac-The cessible. charge is at the bottom, and the pump be entirely drained of the liquid. It should be carried on the back with the straps crossed in front. The reservoir crossed in is made of heavy copper and will hold about five gallons. Complete, with 31/2 feet of 3/8-inch dis-



charge hose, Vermorel nozzle and lance for degorger, \$13. Special agitator, 75 cts. extra.



Water-Barrel, Truck and Barrel

CAN BE MADE INTO SPRINKLER, LEAF-RACK AND HAND-CART

The barrel is easily disconnected from the truck, either while full or empty. The following extra attachments can be furnished if required: (1) Box with trun-

nions and spring catch, forming a dumping hand-cart. (2) Sprinkler for watering walks and lawns. (3) Leaf-rack.

Truck and barrel, wooden

wheels, 3-in. tires.....\$12 00 Truck and barrel, steel





Handy Grass Clipper and Lawn Trimmer

GREAT TIME-SAVER, INDISPENSABLE ON EVERY WELL-KEPT LAWN. MADE OF BEST MATERIALS THROUGHOUT

An implement designed to fill a long-felt want. It cuts a swath 5 inches wide and will pick the last blade of grass from around trees and shrubbery. Takes the place of the oldfashioned, unsatisfactory hand grass shears and entirely does away with the necessity of kneeling or stooping. It is self-sharpening and requires no attention except occasional oiling and adjusting. Price, \$3 each.

The "Velvetlawn" Grass Seeder

18 inches wide

The use of a machine in the seeding of new lawns or grass plots, the re-seeding of old lawns, the drilling of grass seed into putting greens, and the renewing of grass plots every month

or so has proved a decided success wherever it has been tried. The machine to do this work is the "Velyetlawn" Grass Seeder.

The cutting action of the discs relieves old sod of root-bound conditions by cultivating around the roots.

Each disc automatically conforms to inequalities in the ground.

The discs do not tear the soil; they cut it.

The operator can drill any amount of seed desired.
The "Velvetlawn" Grass Seeder puts the seed into the soil where the birds, wind and rain cannot get at it.

Every feed is a force feed and sows the same amount.


Handy Grass Clipper and Lawn Trimmer

Every seed-trench contains an equal quantity. "Velvetlawn" Grass Seeders are equipped with adjustable handle, thus insuring ease of operation for any height of man.

All of the seed being planted at an even depth in the soil, the plants must all come up at the same time, and make uniform growth. Price, \$15, net cash.



Steel Horse Rollers



Steel Horse Rollers

	Length	Diam.		Weight				
No.	feet						Pri	
532	6	24	3	485	 		\$25	00
534	7	24	3	540	 	.	27	00
536	8	24	3	585	 		29	00
	9							
541	ıó	24	3	680	 		36	00
		•	_				-	


We can furnish Rollers in many sizes and weights, as well as those quoted. We list the above as being the ones most in demand. Prices on other sizes on application.

The Thorburn
Century Ball-Bearing
Lawn Mower

Thorburn's Century Ball-bearing Lawn Mower is a marvel of simplicity, as one screw adjusts both bearings. It has a simple, self-adjusting device, which keeps the bearing properly adjusted for a long time, and a double interchangeable ratchet. By shifting handle bails from the front to the rear lugs on the side frame, the mower can be made to cut terraces and steep banks.

While cheaper mowers are sold all over, they will be found far dearer in the end. It pays to get a good mower.

Manufactured expressly for us, and is, in every respect, the BEST LAWN MOWER ever made.



Chain Roller or Golf Mower

This mower is made to meet the demand for a machine that will more perfectly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. Its great advantage is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces the friction to a minimum. The machine with six blades is highly recommended for work on putting-greens.

The Best for Putting-Greens

NET PRICES 4 Blades 6 Blades 6 Blades S12 00 \$13 00


12-inch cut\$	12	00	\$13	00
14-inch cut				
16-inch cut				
18-inch cut	16	00	17	00

Coldwell Improved Horse Lawn Mower

This well-known standard Mower has side draft attachment, to enable the horse to walk on the cut grass only, and caster-rollers which will not mark the lawn. Evenness of cut is assured by an adjustment which raises or lowers the two sides at the same time by means of a simple lever movement; the same lever serves the purpose or raising the knives from the ground when driving over gravel walks or roads.

NET PRICES, free on board New York

25-inch cut, no shaft	\$38	00
30-inch cut, complete		
35-inch cut, complete		
40-inch cut, complete	95	00



Horse Boots

PREVENT CUTTING UP THE TURF

Made of very strong, heavy leather, closely riveted. Price, per set of four, \$9.

Water-Ballast Roller

Roller Bearing. Can Be Filled without Turning on End, with
Either Water or Sand

(Patented)

SUITABLE FOR LAWNS, TENNIS-COURTS AND PUTTING-GREENS. SEAMS ARE ELECTRIC-WELDED, NOT RIVETED

One- or two-section "Water Weight" Rollers, without counter-balancing handle-weights.

No.					Weight filled with water, lbs.	filled with	Price
WB3.	14.	20.		60.	200	300	\$8 oo
WB5.	18.	24 .	і.	75 .	300	500	10 00
WB7.	24.	24.	I.	125.	500	800	13 00
WB11	18.	24.	2.	100.	300	500	., 14 00
WB13	24.	32.	2.	170.	650	.1000	19 00
			-				

If handle-weight is desired, add \$1.50 to above prices.






Clark's A5 Double-Action Cutaway Harrow

This Harrow will cut and reduce the toughest sod to plant-food without the aid of a plow. It will cut from 28 to 30 acres, or will double-cut 15 acres in a day. It can be set so as to move the earth but little, or at so great an angle as to move all the earth I foot. It keeps the surface true and the machine runs true in line or draft. Price, \$32 net, f. o. b. factory (Conn.).

Cutaway Grading or Smoothing and Leveling Harrow

With this tool any field can be made smooth and the soil pulverized fine enough for a flower-bed. Will smooth an acre in twenty minutes. It is adjustable with a lever, by which the entire action is controlled by the driver, and he can remove at will all the earth possible for the team to haul, taking it from hills or uneven places and putting it into hollows, to level up the field. For one horse (6 feet wide), \$13.50. For two horses (8 feet wide), \$15.50, f. o. b. factory (Conn.).



Cast-Iron Hand Lawn Rollers, with Roller Bearings

(Patented)	
Diam. Length Sections Weight, lbs.	
No. 40115162150	\$8 00
No. 40215243200	10 00
No. 40420202250	13 00
No. 40720242300	15 00
No. 40924 20	21 75
No. 41124243450	22 0 0
No. 41224303500	24 50
No. 41528303600	29 00

In our list of Horticultural Implements and Garden Requisites, beginning on page 147, will be found many things which will add to the pleasure of gardening

"Planet Jr." Farm and Garden Tools

Illustrated catalogue describing fully many other "Planet Jr." tools mailed on application. Prices are quoted net f. o. b. New York.

"Planet Jr." No. 3 Hill and Drill Seeder

With steel driving wheel. A simple and efficient hill-dropping outfit. The flow of seed may be instantly stopped by pulling the cut-off, and started as quickly by reversing.

Price, complete, \$10.50.

"Planet Jr." No. 4 Combined Hill and Drill Seeder. Single Wheel Hoe, Cultivator and Plow



This admirable tool combines in a single convenient implement a capital hill-dropping seeder, a perfect drill seeder, a single wheel hoe, a cultivator, and a plow. It holds two quarts and as a seeder sows in continuous rows or drops in hills at five different distances.

EQUIPMENT

3 Cultivator Teeth
1 pair 4½-inch Hoes

I Leaf Guard
I Garden Plow

Weight, complete, 53 lbs.

Price, \$11; as a seeder only, \$9.

"Planet Jr." No. 8 Horse Hoe and Cultivator

Probably no other cultivating machine is so widely known as the "Planet Jr." combined horse hoe and cultivator, for it is in use throughout the civilized world. It is so strongly built as to withstand incredible strain, yet it is light and easy to handle. The frame is extra long and extra high, making a tool that will not clog easily.



EQUIPMENT

4 3-inch Plates

1 4-inch Plate

Weight, 82 lbs.

2 Side Hoes

1 7-inch Shovel

Price, \$9; without depth regulator (No. 7), \$8.50

"Planet Jr." No. 11 Double Wheel Hoe, Cultivator and Plow

This perfected wheel hoe is invaluable for use in all small crops. Its variety of work is almost incredible. Changes and adjustments of the tools are made with the greatest quickness. It has 11-inch wheels, which can be set at four different distances apart; the frame is steel, with ample room for tool adjustment and can be set at three different heights.

EQUIPMENT

1 pair 6-inch Hoes, Oil-tempered 1 pair 4½-inch Hoes, Oil-tempered r pair Plows

2 five-tooth Rakes

2 Leaf Lifters

2 pair hollow steel Cultivator Teeth

2 three-tooth Rakes

Weight, 37 lbs.

Price, \$9

No. 12. Double Wheel Hoe, Cultivator and Plow

Identical with No. 11 Wheel Hoe, except fewer attachments

EQUIPMENT

1 pair 6-inch Hoes

2 pair hollow steel Cultivator Teeth

Weight, 37 lbs.

Price, \$7

1 pair Plows

I pair Leaf Lifters

No. 13. Double Wheel Hoe

Same as No. 12, but Hoe only

Weight, 20 lbs.

Price, \$4.75

"Planet Jr." No. 16 Single Wheel Hoe, Cultivator, Rake and Plow



This single wheel hoe has a very full set of tools, several of them being of new design, such as have been found to work in the very best manner. It has II-inch wheel, with broad face; is very light, strong and easy running. It has adjustable handles and quick-change frame.

EQUIPMENT

2 6-inch Hoes 3 Cultivator Teeth

Weight, 27 lbs.

1 7-inch Rake

1 4-inch Rake Price, \$5.85

I Leaf Guard

"Planet Jr." No. 17 Single Wheel Hoe

2 pair 6-inch Hoes

3 steel Cultivator Teeth

Weight, 22 lbs.

Price, \$5

I Leaf Lifter

I large Garden Plow

"Planet Jr." No. 18 Single Wheel Hoe

Equipped with Hoes only.

Weight, 10 lbs.

The No. 17 and 18 are like the No. 16, but have fewer attachments.

"Planet Jr," No. 25 Combined Hill and Drill Seeder, Double Wheel Hoe, Cultivator and Plow



This combined machine is intended for a class of gardeners who have a large enough acreage in crops for a double wheel hoe to be used to good advantage, and yet prefer not to buy a separate wheel hoe. It is large enough for field use, for it holds two and one-half quarts.

EQUIPMENT

1 pair 6-inch Hoes 2 pair Cultivator Teeth 2 Plows 2 Leaf Guards

Weight, 64 lbs.

Price, \$13.50

"Planet Ir." Twelve-Tooth Harrow, Cultivator and Pulverizer

This tool has rapidly grown into favor with farmers, market-gardeners and strawberry-growers. It has a high frame and chisel-shape teeth. The foot-lever pulverizer is a capital addition for preparing ground for the seed drill or for plant setting. Hand levers regulate both width and depth, while in motion; it contracts to 12 inches and expands to 32 inches.

Weight, complete, 73 lbs. Price, complete, \$9; with lever wheel only, \$7.40; without wheel or pulverizer, \$6.20



INDEX

		INDEX		
PAGE	PAGE	PAGE	PAGE	PAGE
Abies 70	Bear's Breech114	Centauridium118	Cypress70, 73	Ferns120
Abobra114	Bean, Hyacinth120	Centranthus118	Cypress, Summer 93,124	Fertilizers145, 146
Abronia114	Beans17, 19, 66	Cephalanthus 71	Cypress Vine93, 119	Fetticus 27 Feverfew125
AbrusII4 AbutilonII4	Beech	Cephalaria118 Cerastium118	Cytisus 72 Daffodil, Sea143	Fir 70
Acacia114	Beet, Foliage 20	Cercis 71	Dahlias119, 135-137	Flame Flower101, 102
Acanthus114	Beet, Ornamental116	Cercidiphyllum 71	Daisy 88	Flax124
Acer 71	Beet, Silver 45	Cereals65, 66	Daisy, African Orange	Flax, New Zealand127
AchilleaII4	Beggarweed 66	Cerinthe	Daigur Plug	Flower Seed Collec-
Achimenes142 Aconitum114	Begonia116, 141 Bellflower, Chimney 81	Chamæpeuce118	Daisy, Blue115 Daisy, Double Orange	tions
Acroclinium114	Bellflower, Chinese. 127	Chamomile, Rock115	120	ties and Special-
Adam's Needle 71	Bellflower, Gland 114	Chard, Swiss 45	Daisy, Paris119	ties9-13
Adenophora114	Bellis 88	Cheiranthus130, 131	Daisy, Shasta119	Flower Seeds74-113 Flower Seeds, Gen-
Adlumia114	Benincasa117	Chelone118	Daisy, Swan River119 Daisy, Transvaal121	Flower Seeds, Gen-
Adonis	Berberis 71 Berseem 64	Cherry	Dansy, Transvaai121	eral List114-131 Forage, Economical
Agapanthus115	Betula71	Chervil	Daphne72, 119	and Miscellaneous
Agathæa115	Bidens	Chicory27, 29, 67	Datura119	Seeds66-69
Ageratum 78	Bignonia 71	Chionanthus 71	Deciduous Tree and	Forget-me-not 90
Agrostemma115	Birch 71	Chorizema118	Shrub Seeds71-73	Fountain Plant115
Aldanthus 71	Bird Seed 53	Christmas Rose 123,143	Decussata142 Delphinium89	Four o'Clock121 Foxglove91
Alder	Bladder Nut 72, 73 Blanket Flower 91	Chrysanthemum 85, 86 Cigar Plant119	Dendromecon120	Fragaria121
Allspice 71	Blazing Star124	Cineraria 86	Deutzia72	Fraxinus 72
Alonsoa115	Bloomeria142	Cinnamomum 71	Devil-in-a-Bush124	Freesia121
Almond 71	Bocconia117	Cinnamon Vine143	Devil's Tobacco 94	Fremontia 72
Alnus	Boltonia117	Citrus 71	Diamond Flower123	French Spinach 35
Alsike 64 Alsine	Books	Cladrastis 71 Clarkia 86	Dianthus	Fruit Seeds 73 Fuchsia121
Alstrœmeria115, 142	Borecole30	Clary118	Dicentra120, 143	Fumitory, Climbing 114
Althæa 92	Bouvardia117	Clematis71, 118, 143	Dictamnus120	Furze 67
Alyssum 78	Box 70	Cleome118	Didiscus130	Gaillardia 91
Amarantus115	Brachycome117	Clethra 71	Digitalis 91	Galega121
Amaryllis141	Broccoli 21	Clianthus118	Dimorphotheca.11, 120	Gamolepis121
Amethyst117 Ammobium115	Broom66, 67, 71 Broussonetia 71	Clintonia118	Diospyros 72 Dirca 72	Gardenia121 Garrya72
Amorpha	Browallia117	Clovers	Directions for Culti-	Gas Plant120
Amorphophallus142	Brussels Sprouts 21	Cobæa118	vation of Vege-	Gaultheria 72
Ampelopsis 71	Bryonopsis117	Coccinea118	tables9-13 Dockmackie73	Gaura
Amygdalus 71	Bryonopsis	Cockscomb 88	Dockmackie 73	Genista67, 72, 121
Anagallis115 Anchusa115	Buids and Roots	Coffee Tree118	Dogwood 72 Dolichos66, 120	Gentiana121 Geranium121
Anemone115	Buphthalmum117	Coffee Tree, Ken 72	Doronicum120	Gerbera121
Angelonia115	Burnet 67	Coleus	Downingia118	Gesneria121
Anomatheca142	Buxus 70	Collards 27 Collections of Veg-	Dracæna120	Geum121
Anthemis115	Cabbage22, 23	Collections of Veg-	Dracocephalum120	Gilia121
Anthericum142	Cabbage, Cow 68	table and Flower	Dragon Flower142 Dusty Miller 86	Gladioli133, 134
Antholyza142 Antigonon115	Cacalia117	Seeds 14, 113 Collinsia	Dutchman's Pipe	Glaucium121 Gleditschia72
Antirrhinum107	Caladium142	Collomia118	71, 116	Globe Amaranth 122
Apios142	Calampelis117	Columbine 79	Echeveria120	Globe Flower130
Apple, Balsam, 126	Calandrinia117	Colutea 72	Echinocystis120	Globularia121
Aquilegia 79	Calceolaria 80	Commelyna118	Echinops120	Gloxinia122, 143
Arabis	Calendula 80 California Poppy 90	Coneflower128 Convolvulus119	Edelweiss124 Edgeworthia72	Godetia 92 Gold Dust 78
Arborvitæ71	Calla117, 142	Cooperia143	Eggplant 29	Golden Bells, Cal120
Arbutus 71	Callicarpa 71	Coral Tree120	Elæagnus 72	Golden Chain 72
Arctostaphylos 70	Calliopsis 80	Cordyline119	Elder 73	Golden Feather128
Arctotis115	Callirhoë117	Coreopsis 80	Elm 73	Golden Wave 80
Ardisia115 Argemone116	Calycanthus 71	Corn, Broom 66 Corn, Field 65	Elsholtzia120 Emmenanthe120	Gomphrena122
Aristolochia 71, 116	Camassia143	Cornflower 84	Emmer 67	Good Night 93 Gossypium67, 119
Arnebia116	Campanula 81	Corn Salad 27	Endive 29	Gourds117, 122
Arrow-wood 73	Canary-Bird Flower	Corn, Sweet25, 26	Epacris120	Grammanthes122
Artichoke 16	117, 130	Cornus 72	Eremurus120, 143	Grasses,Ornamental 132
Arum142 Asclepias116	Candytuft 82 Cannabis117	Coronilla 72	Erica120 Erigeron120	Grass Mixtures for Golf-Links, Polo-
Ash 72	Cannas117, 137, 138	Corylus 72 Cosmidium119	Erinus120	Grounds, etc 57, 58
Asimina 71	Cantaloup7, 33, 34	Cosmos 87	Eryngium120	Grass Seeds55-63
Asparagus 16	Canterbury Bells 81	Cotton 67, 119	Erysimum120	Grevillea122
Asparagus, Orna-	Cardinal Flower 94	Cowpeas 67	Erythrina120	Gumbo 35
mental116 Asperula66, 116	Cardiospermum116	Cowslip	Eschscholtzia 90 Esculent Plants and	Gunnera122 Gymnocladus 72
Aster9, 76, 77	Carduus117	Cream Cups127	Roots 53	Gypsophila122
Aster, Cornflower129	Carnation 83	Crepis122	Esparto Grass 67	Halesia 72
Astilbe116	Carpenteria 71	Cress 27	Eternal Flowers122	Hamamelis 72
Astragalus 66, 69	Carpinus 71	Cress, Rock115	Eucalyptus 72	Hawkweed122
Auricula	Carrot 24	Crinums141	Eucharidium120	Heartsease98, 99
Auricula116 Azalea71, 116	Carya 71 Castanea 71	Crocosmia143 Crucianella119	Eucharis143 Euonymus72	Heath
Babiana142	Catalpa71	Cryptomeria 70	Eupatorium120	Hedge Plant Seeds 73
Baby's Breath 122	Castilleja117	Cucumber 28	Euphorbia120	Hedysarum122
Bachelor's Button122	Castilleja117 Castor-Oil Plant105	Cucumber, Serpent 130 Cucumber, Squirting	Eutoca120 Evening-Glory93	Helenium122
Balloon Vine116	Catananche117	Cucumber, Squirting	Evening-Glory 93	Helianthus109
Balm	Catchfly	Cucumber, Wild120	Evening Star143 Evergreen Tree and	Helichrysum122
Banana, Abyssinian 126	Cauliflower 22	Cucumber, Wild120	Shrub Seeds70, 71	Heliopsis122 Heliotrope122
Baptisia116	Ceanothus 71	Cucurbita122	Everlasting Flowers 115	Heliotropium122
Barberry 71	Cedar 70	Cup and Saucer 81	117, 122, 126, 128, 131	Helipterum122
Barley 65	Cedrus 70	Cuphea119	Exochorda 72	Helleborus122, 143
Bartonia116 Basket Flower143	Celastrus 71 Celery24, 25	Cupressus 70 Cvclamen 88	Farmogerm 146	Hemerocallis143 Hemp, Giant117
Bay, Sweet 72	Celosia82, 88, 117	Cyclanthera119	Farmogerm 146 Fennel	Herbs 52
Bean, Butterfly Run-	Celtis 71	Cynoglossum130	Fenugreek 67	Hesperis128
ner127	Centaurea 84	Cyperus119	Fenzlia120	Heuchera123

·			,	
PAGE Hibiscus72, 123	PAGE Linum124	Oleander126	PAGE	PAGE
Hickory, Shellbark 71	Liquidambar 72	Oleaster72	Rhubarb, Ornam'l . 128	Tagetes94, 129
Holly	Liquorice 68	Onion8, 37, 38	Rhubarb 44 Rhus 73	Tassel Flower117 Tassel Tree114
Hollyhock, Double 91	Lisianthus124	Onobrychis 68	Ribes	Taxodium 73
Honesty123	Loasa124	Orach 35	Ribes	laxus 71
Honeysuckle72, 122	Lobelia93, 94	Orange, Hardy	Ricinus105	Tecoma73, 120
Hop, Climbing123	Locust72, 73	Japan 71	Rivina128	Tecoma73, 129 Thistle, Blessed117
Hop Seed 68	Lophospermum124	Orange, Osage 68	Robinia 73	Thistle, Ivory118
Hornbean 71	Lotus	Orchids126	Rocket128	Thistle. Silver120
Humea68, 123	Love-in-a-Mist124 Love-Lies-Bleeding.115	Œnothera127, 143	Romneya128	Thorn, Christ's 72
Hunnemannia123	Lucerne 64	Oreodaphne 72 Orobus126	Roquette 44 Rosa 73, 128	Thorn, Christ s 72 Thorn, Horrid 72
Hyacinthus123, 143	Lunaria123	Ostrya 72	Rose 73	Thunbergia129
Hypericum123	Lupine68, 124	Oxalis126, 143	Rose Campion115	Thuja71
Iberis 82	Lupinus124, 125	Pæonia126	Rose of Heaven115	Tigridias142
Ice Plant123, 125	Lynchis125	Pæonies138	Rose of Sharon72, 123	Tilia 73
Ilex 72	Maclura68, 72	Painted Tongue106	Rudbeckia128	Tobacco Seed 53
Impatiens 79, 123	Madder 68	Palafoxia126	Rutabaga 51	Tomato48-50
Implements and Gar-	Madeira Vine143	Paliurus 72	Rye	Torenia129
den Requisites	Madia125 Magnolia72	Palm Seeds131	Sage, Flowering 106	Torreya71
Improvement of Land 3	Mahonia	Pampas Grass132 Pancratium143	Saintpaulia128 Salisburia73	Touch-me-not123 Trachelium130
Incarvillea123, 143	Maidenhair Tree 73	Pansy98, 99	Salpiglossis106	Tracheman130
Indian ShotII7	Malcolmia130	Papaver68, 103, 104	Salisify 45	Traveler's Joy 71
Indigo, False116	Malope125	Parsley40,41	Salt Bush, Austra-	Tree and Shrub
Indigofera 72	Malva125	Parsnip41	lian 66	Seeds70-73
Indigo Tree 72	Mandevillea125	Passiflora126	Salvia106, 118	Tree of Heaven 71
Insecticides and	Mangel-Wurzel 21	Passion Flower126	Sambucus 73	Trefoil, Yellow 64
Remedies for	Maple 71	Paulownia 72	Santolina128	Trichosanthes130
Plant Diseases144	Marigold94	Pear, Balsam 126	Sanvitalia128	Trifolium64, 130
Inula123	Martynia36, 125 Marvel of Peru121	Peas	Saponaria128	Tricyrtis143
Ionopsidium123 Ipomœa93	Mask Flower115	Pelargonium126	Sassafras	Tritoma130, 143 Trollius130
Ipomopsis123	Mathiola108, 109, 125	Pentstemon127	Scabiosa107	Tropæolum
Iris123, 139	Matricaria125	Peppers 40	Scabious107	06. 07. 117. 130. 143
Ismene143	Maurandya125	Perilla127	Schinus71	96, 97, 117, 130, 143 Trumpet Creeper 73
Itea 72	Meadow Grass Mix. 58	Persimmon 72	Schizanthus128	Trumpet Flower123
Ivy, Boston 71	Meadow Sweet 73	Petunia100, 101	Schizopetalon129	Tsuga 71
Ivy, English 72	Melianthus125	Phaseolus127	Sciadopitys 71	Tuberoses143
Ivy, Kenilworth 124	Melilotus125	Phlox101, 102, 142	Scolymus 44	Tunica130
Jacobæa123	Melon, Musk33, 34	Phormium127	Scorzonera 44	Turnip50, 51
Jacob's Ladder123	Melon, Water34, 35	Phygelius127	Sedum129	Tydæa130
Job's Tears132	Melothria125	Physalis127	Senecio123	Ulex67, 69, 73
Joseph's Coat115	Mesembryanthemum 123, 125	Physostegia127	Senna, Bladder 72 Senna, Scorpion 72	Ulmus
Judas Tree 71 Juglans 72	Mezereon 72	Picea 70 Picotee127	Sensitive Plant. 125, 129	Umbrella Tree 72
Juniper 70	Mignonette95	Pine70, 71	Sequoia	Vaccinium 73
Juniperus 70	Milla143	Pinks102, 103	Seradella 68	Valeriana130
Jute 68	Milkweed, Swamp 116	Pinus70, 71	Silene129	Vallota143
Kale30, 68	Millet65, 66, 68	Pittosporum127	Silk Oak122	Vegetable Marrow 47
Kalmia 72	Mimosa125, 129	Plane 72	Silver Bell 72	Vegetable Oyster 45
Kansas Blazing Star124	Mimulus125	Platanus 72	Skirret 47	Vegetable Plants 53
Kaulfussia124	Mina125	Platycodon127	Smilax129	Vegetable Seed Nov-
Kennedya124	Mirabilis121	Platystemon127	Smoke Tree 73	elties and Special-
Kitchen-Garden	Miscel. Seeds66-69 Mocker Nut 71	Plum, Wild 72	Snails	ties6-8 Vegetable Seeds16-51
Seeds, Col14, 15 Kochia 93, 124	Molucella125	Podolepis127 Polemonium123	Snapdragon13, 107 Sneezewort122	Venidium130
Kœlreuteria 72	Momordica126	Polyanthus127	Snowball 73	Venus' Looking-
Kohlrabi30	Monarda126	Polygonum 68	Solanum129	Glass130
Kudzu Vine124, 128	Monkey Flower 125	Poppy68, 103, 104	Sophora 73	Venus' Navelwort130
Laburnum 72	Monkshood114	Poppy, California 90	Sorbus 73	Verbascum130
Ladies' Eardrops121	Montbretia142	Poppy, Horned121	Sorghum66, 68, 69	Verbena110
Lantana124	Moonflower 93	Poppy, Tree128	Sorrel 45	Verbena, Sand114
Lantern Plant, Chi-	Morning-Glory, 93, 119	Populus72	Spartium 72	Veronica130 Vetch64, 66, 69
nese127 Lapageria124	Morning-Glory, Jap. 95 Morus 72	Portulaca104 Potatoes, Seed42	Sphenogyne129	Vetch 04, 00, 09 Viburnum 73
Lapageria72 Larch72	Mourning Bride107	Potentilla127	Spinach	Vicia130
Larix 72	Mulberry 72	Prayer Bean114	Spindle Tree 72	Vinca130
Larkspur 80	Musa126	Primrose105, 127, 128	Spiræa73, 129, 143	Viola98, 99, 130
Lathyrus111-113	Mushroom Spawn 36	Primrose, Evening	Spruce70, 71	Violet130
Laurestinus 73	Muskmelon7, 33, 34	127, 128, 143	Spurry 69	Violet, Usambara128
Laurus 72	Musk Plant126	Primula. 13,105,127,128	Squash46, 47	Virgin's Bower71, 118
Lavatera124	Mustard 32	Prince's Feather115	Stachys129	Viscaria130
Lavender, Sea 129	Myosotis 90	Privet	Staphylea 73	Vitex
Lawn Grass Seed 55, 56	Myrica	Prunus 72	Star Flower 93 Statice129	Waldmeister66, 116
Lawn Mowers154 Layia124	Myrtle 72	Ptelea	Stenactis129	Walnut 72
Leek30	Nægelia126	Pumpkin 41	Stephanophysum129	Watermelon34, 35
Leontopodium124	Nasturtium 35, 96, 97	Pyrethrum128	Stevia	Watsonia143
Leptosiphon124	Negundo 72	Quercus 73	Stocks108, 109	Wayfaring Tree 73 Wheat 66
Leptosyne124	Nemesia126	Radish43, 44	Stocks108, 109 Stock, Virginian130	Wheat 66
Lettuce7, 31, 32	Nemophila126	Ramie 68	Stokesia129	Whitlavia
Liatris124	Nerium126	Rampion 44	Stonecrop129	Whortleberry 73
Libocedrus 70	Nertera126 Nicotiana126	Ranunculus143	Strawberry Bush.71, 72 Strawberry Tree 70	Wigandia131 Wild Garden Mix-
Ligustrum 72 Lilac 73	Nierembergia126	Rape	Streptocarpus129	ture131
Lilies140	Nigella124	Reana 68	Stringybark Tree 72	Wintergreen 72
Lily, African	Nolana126	Red-hot-poker	Sumach 73	Wistaria 73 Worms 69
Lily, Jacobæan141	Nolana126 Novelties Vegetable	Plant130 Redwood, California 71	Sunflower109 Sunset Plant125	Worms 69
Lily, Jacobæan141 Lily, Peruvian115	and Flower6-13	Redwood, California 71	Sunset Plant125	Xeranthemum131
Lily, Scarborough	Nuttallia	Rehmannia128	Swainsonia129	Yew71
141, 143	Nycterinia126	Reseda 95	Sweet PeasIII-II3 Sweet Pepper Bush. 71	Youth and Old Age110 Yucca71, 131
Lily, Spice141 Lily-of-the-Valley141	Nyssa 72	Rhamnus 73 Rheum128	Sweet Pepper Bush. 71 Sweet Sultan 84	Zanthoxylon 73
Limnanthes124	Oak	Rhodanthe128	Sweet William109	Zephyranthus143
Linaria124	Obedient Plant127	Rhodochiton128	Swiss Chard 45	Zinnia13, 110
Linden 73	Okra 35	Rhododendron73, 128	Syringa 73	Zizyphus 73
т		77-	Parament Hannighton Pe	

Thorburn's List of Vegetable Seeds

That May Be Sown in Each Month from February to September in the Climate of New York

rnzetaker	Best of All	Glory Cabbage	Squash Herbs	All Herbs	Early Turnip	Spinach Early Turnip	of all
Far Superior to	. 2.	Enkhuizen	Salsify Spinach	Salsify Spinach	Potatoes Radish	Potatoes Radish	The very best
not long ago-	Largest, Surest		Radish	Radish	Peas	Peas	CELERY
Introduced by us	1	Rutabaga	Potatoes	Peas	Parsley	Leek	BLANCHING
FLOWER DEIVIA ONION	CAULIFLOWER	White Fr. Turnip CAULIF	Early Peas	Parsnip	Onion	Carrot	GOLDEN SELF-
DENIL ONION	GILT-EDGE	Spinach	Nasturtium	Onion	Kohlrabi	Bor	GILT-EDGE
		Radish	Melon	Melon	Cress	Beans, B. Wind-	IHOKBUKING
1	THORBURN	Pumplin	Lettuce	Lettuce	Celery	IN OPEN GROUND	TI I CONTINUE
Sweet Peas		Okra	Kohlrahi	Leek	Carrot	Tomato	
Turnip		Nasturtium	Endive	Cucumber	Early Cabbage	Radish	
Spinach		Lettuce	Cucumber	Cress	Brussels Sprouts	Pepper	Tomato
Winter Radish	Turnio	Kohlrabi	Cress	Sweet Corn	Beets	Pareley	Padieh Lepper
Muetard	Spinach	Kale	Sweet Corn	Celery	English Beans	Lating	Carsicy
Totting Naic	Dadish	Cherkin	Cauliflower	Cauliflower	Asparagus	L'agpiant	Barly Lettuce
Cress	Weish Union	Cucumber	Carrot	Carrot	IN OPEN GROUND	Celery	Eggplant
Corn Salad	•	Cress	Late Cabbage	Brussels Sprouts		Cauliflower	Cucumber
Tuberous Chervil	Endive	Corn Salad	Brussels Sprouts	Beets	Tomato	Forcing Carrot	Early Celery
coldframes	ber	Sweet Corn	Broccoli	Running	Pepper	Early Cabbage	Forcing Carrot
Cauliflower for	ilad	Carrot	Beets	Beans, Bush and	Melon	Brussels Sprouts	Early Cabbage
frames	us Chervil	Beets	all other sorts	Asparagus	Eggplant	Early Beets	Broccoli
Cabbage for cold-	Bush	Beans	Beans, Lima and	Artichoke	Cucumber	Early Beans	Early Beans
IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	IN OPEN GROUND	SOW IN HOTBED	SOW IN HOTBED	SOW IN HOTBED
SEPTEMBER	AUGUST	JULY	JUNE	MAY	APKIL	MARCH	PEBRUARY

J. M. THORBURN & CO., SEEDSMEN, NEW YORK 53 BARCLAY STREET THROUGH TO 54 PARK PLACE

1914



J. M. Thorburn & Co.,
53 BARCLAY STREET THROUGH TO 54 PARK PLACE,
NEW YORK CITY.